

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number: 4822-456

Date of Issuance: JUL 11 1996

NOTICE OF PESTICIDE:
[X] Registration
Reregistration

Term of Issuance: Conditional

Name of Pesticide Product: Raid PIP 1

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, WI 53403-2236

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
a. Add the phrase "EPA Registration No. 4822-456
b. The product must be UL approved prior to marketing.

Signature of Approving Official:

Date:

EPA Form 8570-6

CONCURRENCES

Table with columns for SYMBOL, SURNAME, and DATE, containing handwritten entries: 7505C, JAD, 7/11/96

page 2  
EPA Reg. No. 4822-456

c. Under "To Control Fleas" either delete or revise the instructions to use this product in addition to a product that controls both adults and fleas for better control. If your intention is to alert the user to the fact that this will not control hatching eggs then you should recommend one of your products that will control both life stages such as Raid Flea Killer Plus.

The product chemistry and acute toxicity data submitted in support of EPA Registration Number 4822-278 is acceptable in support of this product formulation.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures .

<label to EPA 2/86>

(On Outside Container)

SC Johnson Wax

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUL 11 1996

PIP 1

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

ACTIVE INGREDIENT:

\* Permethrin (3-phenoxyphenyl)methyl(±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate.....12.6%

4822-456

INERT INGREDIENTS.....87.4%

\* cis/trans isomer ratio: min. 35% (+/-) cis and max. 65% (+/-) trans

Keep out of reach of children

WARNING

See Additional Precautionary Statements on back (side) (panel)

Net Weight:

(Contains \_\_\_\_\_ units(foggers)(brand name))

(UNIT)(FOGGER)(BRAND NAME) creates a deep-penetrating, fumigating smoke that flushes roaches and fleas (bugs) out from where they hide and kills them on contact. When activated, it fumigates the whole room with a dry, white cloud of smoke. The fumigating smoke stays in the air during the 3-hour treatment, penetrating deep, filling cracks and crevices and going way under furniture and appliances to kill roaches and fleas (bugs) where they hide. That is why it kills so many bugs!

The (UNIT)(FOGGER)(BRAND NAME) is a simple and effective system for killing bugs. After preparing to fog, just plug the unit into a properly functioning 110v wall electrical outlet in each room you want to treat. Its delayed activation will give you 1-2 minutes to leave the area to be treated before an insecticide smoke is forcefully released for about 2 minutes, filling the entire room. One unit treats a room of up to 16' x 20'. For best results, keep treated room closed for 3 hours after activation to allow the smoke enough time to fill the entire room and

479

penetrate all areas where insects live and breed. After 3 hours, you may open up the treated area and unplug fogger(s). Wrap used units in newspaper and throw in trash. These units are not re-usable.

(UNIT)(FOGGER)(BRAND NAME) can be used in kitchens, living areas, garages, attics, basements and pet areas. (One unit treats a room of up to 16' x 20'.) (For best results, keep treated rooms closed for 3 hours after treatment.)

German roaches may take longer to be killed than other bugs.

Do not use in commercial food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed.

**TO CONTROL FLEAS:**

(UNIT)(FOGGER)(BRAND NAME) kills adult fleas on contact. However, flea eggs in your carpet may continue to hatch for two to three weeks after treatment.

For better control of fleas, do the following in addition to treating with

(UNIT)(FOGGER)(BRAND NAME):

Clean or replace soiled pet bedding including cat litter. Vacuum pet quarters, carpets and areas where fleas are found. Treat pet areas with Raid Flea Killer Plus (Raid Flea Killer Plus Carpet & Room Spray). Its egg-stop formula kills fleas and their hatching eggs.

Treat your pet with an approved flea control product (Raid Flea Killer Plus/Raid Flea killer Plus Dog Spray II or Raid Flea Killer Plus Cat Foam/Raid Flea Killer Plus Pet Foam) before returning it to treated area.

(UNIT)(FOGGER)(BRAND NAME) penetrates deep to kill roaches and fleas (bugs) dead.

Deep penetrating smoke kills roaches & fleas (bugs) where they hide.

Relieves infestations

Convenient - easy to use

Delayed fogging (fumigating) allows time to leave room

No oily residue (on surfaces)

No stains

Kills fleas and roaches (bugs) where they hide

Has delayed fogging (fumigating) action for greater convenience

Drives bugs out and kills on contact

Flushes bugs out from where they hide and kills on contact

Kills bugs dead

589  
Dry smoke leaves no residue

Dry smoke penetrates to kill hidden bugs dead

Dry smoke penetrates to kill bugs without a wet residue

The delayed activation gives you time to walk out of the house

No nozzles to point or tabs to push

Easy to use from start to finish-- just plug it in and leave

Just plug it in and leave

White dry smoke leaves no messy residue

No unpleasant smell

White dry smoke gets deep into cracks and crevices to kill roaches where they live and breed

White dry smoke gets deep into carpets/upholstery to kill fleas where they live and breed

White dry smoke reaches around corners (and other household obstructions) (for complete protection)

KILLS: Roaches, Palmetto Bugs, Water Bugs, Fleas, Ticks, Mosquitoes, Flies, Ants, and Spiders. (NOTE pre-adult fleas not included)

**[NOTE TO REVIEWER: U.L. - REQUIRED STATEMENT FOLLOWS  
IMPORTANT SAFETY INSTRUCTIONS**

When using the (UNIT)(FOGGER)(BRAND NAME), especially when children are present, basic safety precautions should always be followed, including the following:

**READ ALL INSTRUCTIONS BEFORE USING. KEEP AWAY FROM WATER.**

**WARNING - To reduce the risk of burns, electrocution, fires or injury to persons:**

1. Keep out of the reach of children. Do not use in a room where children or invalids are present. This is not a toy.
2. The (UNIT)(FOGGER)(BRAND NAME) must only be used in a properly functioning 110v wall electrical outlet. Do not use in overhead or floor outlets.
3. Do not use any extension cord, adapter, or voltage converter with this product.
4. Make sure the (UNIT)(FOGGER)(BRAND NAME) is not obstructed by curtains or furniture during use.

- 689
5. Make sure there are no overhead surfaces closer than 12
  6. The (UNIT)(FOGGER)(BRAND NAME) becomes hot during activation. To avoid skin burns do not touch the (UNIT)(FOGGER)(BRAND NAME) for at least 30 minutes after activation. Always unplug the (UNIT)(FOGGER)(BRAND NAME) immediately after returning to the area.
  7. Do not place or store the (UNIT)(FOGGER)(BRAND NAME) where it can fall or be pulled into a tub or sink. Do not immerse in water or other liquid at any time.
  8. Never operate the (UNIT)(FOGGER)(BRAND NAME) if it has a damaged plug. If it is not operating properly, or if it has been dropped, damaged or dropped into water, call Consumer Mail Panel: 1-800-745-4267.
  9. Use the (UNIT)(FOGGER)(BRAND NAME) only for its intended use as described on this label/in this manual.
  10. This product is intended for indoor use only and can not be used outdoors.
  11. Never block the openings on the (UNIT)(FOGGER)(BRAND NAME).
  12. Do not reuse this unit for any purpose.
  13. Never drop or insert any object into any opening.
- SAVE THESE INSTRUCTIONS]**

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

##### **1. Room preparation:**

Open cabinets, cupboards, drawers, closets and doors in the area to be treated. REMOVE or cover exposed foods, dishes, utensils, food processing equipment and surfaces (newspaper may be used). REMOVE plants, pets and birds. Tightly cover or remove fish tanks and bowls. Turn off air flow systems in aquariums. CLOSE outside doors and windows. SHUT OFF FANS AND AIR CONDITIONERS AND TEMPORARILY DISCONNECT SMOKE ALARMS.

##### **2. (UNIT)(FOGGER)(BRAND NAME) Set up:**

**[NOTE TO REVIEWER: OPTIONAL TEXT BASED ON PACKAGING OPTIONS**

**Remove foil seal prior to plugging in the (UNIT)(FOGGER)(BRAND NAME).]**

Plug the (UNIT)(FOGGER)(BRAND NAME) into a properly functioning 110v wall electrical outlet that adequately supports the unit. Position the

(UNIT)(FOGGER)(BRAND NAME) with the opening on the top. Make sure the (UNIT)(FOGGER)(BRAND NAME) is completely inserted into the wall outlet with no overhead surface closer than 12". For best results do not unplug until the fogging is complete.

**3. Fogging:**

Fogging starts in approximately 1 minute. Leave the room (building)(home) and keep the outside doors and windows closed for 3 hours. Do not re-enter treated area for three hours after activation.

**4. After treatment:**

Before re-occupying the area, open all doors and windows and allow the treated area to air for 30 minutes. **TURN ON SMOKE ALARMS, AIR CONDITIONERS AND AQUARIUMS.**

**Storage:** Store unused (UNIT)(FOGGER)(BRAND NAME) units in original package away from heat and open flame in a dry area inaccessible to children.

**Disposal:** Unplug the (UNIT)(FOGGER)(BRAND NAME) from outlet and when cool to the touch, wrap and discard in trash. Do not reuse for any purpose!

**[NOTE TO REVIEWER: DIRECTIONS MAY CONTAIN SUBTITLED PICTURES TO AID CONSUMER UNDERSTANDING.]**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing smoke. Do not remain in enclosed areas during treatment. Ventilate enclosed areas before returning. Avoid contamination of food and foodstuffs. Cover and turn off fish aquariums. Remove plants, pets and blrds before using. Wash hands with soap and water after handling.

**Statement of Practical Treatment (First Aid):**

**If swallowed:** Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **If in eyes:** flush with plenty of water. Get medical attention.



If inhaled: Remove to fresh air. If breathing difficulty occurs, apply respiration. Get medical attention. If on skin, wash with soap and water. If irritation persists, seek medical attention.

**PHYSICAL AND CHEMICAL HAZARDS**

The (UNIT)(FOGGER)(BRAND NAME) becomes hot during activation. To avoid skin burns do not touch the (UNIT)(FOGGER)(BRAND NAME) for at least 30 minutes after activation.

Questions? Comments? Call 800-558-5252 Weekdays 9-9 Eastern time or Write Helen Johnson © 1995 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A. All Rights Reserved

EPA Reg. No. 4822-XXX  
EPA Est. No.

Product Manufactured and marketed under license from Earth Chemical Co., Ltd. - Japan. Patent no. 4171340

(On Unit)

SC Johnson Wax

PIP 1

**ACTIVE INGREDIENT:**

\* Permethrin (3-phenoxyphenyl)methyl(±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate.....12.6%

INERT INGREDIENTS.....87.4%

\* cis/trans isomer ratio: min. 35% (+/-) cis and max. 65% (+/-) trans

Keep out of reach of children

**WARNING**

See Additional Precautionary Statements on Outside Carton

Net Weight:



919

The (UNIT)(FOGGER)(BRAND NAME) becomes hot during activation. To avoid skin burns do not touch the (UNIT)(FOGGER)(BRAND NAME) for at least 30 minutes after activation.

**[NOTE TO REVIEWER: OPTIONAL TEXT BASED ON PACKAGING OPTIONS  
(DO NOT OPEN UNTIL READY TO USE)(REMOVE PRIOR TO USING)]**

Questions? Comments? Call 800-558-5252 Weekdays 9-9 Eastern time or Write  
Helen Johnson © 1995 S.C. Johnson & Son, Inc., Racine, WI 53403-2236 U.S.A.

EPA Reg. No. 4822-XXX

EPA Est. No.

**[NOTE TO REVIEWER: THE VERBIAGE BELOW WILL BE REPLACED WITH  
ACTUAL INFORMATION]**

- 1.) Date or period of manufacture not exceeding any three consecutive months.  
May be in code, that has a repetition time cycle of at least ten years.
- 2.) Catalog number.
- 3.) (Volts, amperes or watts, and frequency).

**[NOTE TO REVIEWER: THESE STATEMENTS MAY OR MAY NOT BE  
INCLUDED DEPENDING ON TERMS OF UL APPROVAL]**

[ "CAUTION - To reduce risk of fire or electric shock, use indoors only. Do not use where (UNIT)(FOGGER)(BRAND NAME) will be exposed to water. - See Instructions" or equivalent wording.

"CAUTION - Hot Surface. Avoid Contact". If plastic surface exceeds 60°C. ]

