

PM 03

4822-459

8/3/98

P9/3

Label 4822-459 - Per PR Notice 96-6 - 5/1/98

WHITMIRE LIQUID PET SPRAY

For **Listed** Insects on Dogs and Cats Pump Spray

- * KILLS FLEAS AND BROWN DOG TICKS ON DOGS AND CATS
- * REPELS BITING FLIES, GNATS AND MOSQUITOES

ACTIVE INGREDIENTS

Pyrethrins	0.15%
¹ Piperonyl butoxide, technical	0.30%
² N-Octyl bicycloheptene dicarboximide	0.50%

INERT INGREDIENTS:	99.05%
	100.00%

¹Equivalent to 0.24% (butylcarbityl)(6-propylpiperonyl) ether and 0.06% related compounds.

²MGK[®] 264, Insecticide Synergist


³MGK[®] Repellent 11

NET WEIGHT

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK



[To appear, in all caps, at the top of the rear or side panel]
READ ENTIRE LABEL BEFORE EACH USE.

[To immediately follow the preceding statement, in bold and caps]
FOR USE ONLY ON DOGS OR CATS.

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. **Wash thoroughly with soap and water after handling.**

In the home, all food processing surfaces, exposed food and utensils should be covered during treatment, or thoroughly washed before use.

Cover or remove fish bowls and aquariums before spraying.

First Aid:

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE.

TO KILL BROWN DOG TICKS AND FLEAS:

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under the body. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Do not spray into the face, eyes, or on genitalia.

Repeat every week.

Do not use on dogs or cats under 12 weeks.

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FOR PET BEDDING AND RESTING AREAS: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of the floor and floor coverings where

these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment.

STORAGE AND DISPOSAL STATEMENTS:

STORAGE: Store in a cool, dry area. Keep container closed.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

© 1996 S. C. Johnson & Son, Inc.

Racine, WI 53403 U.S.A.

All Rights Reserved.

EPA Reg. No. 4822-459

EPA Est. No. 499-MO-1

