

Label 4822-466 - Per PR Notice 96-6 - 5/1/98

P/P PET SPRAY

- * KILLS FLEAS, TICKS AND LICE ON DOGS AND CATS
- * AN EFFECTIVE FAST-ACTING INSECTICIDE

WATER BASED

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*Piperonyl Butoxide, technical	0.500%

INERT INGREDIENTS:	99.45%
	100.00%

*Equivalent to 0.4% (butycarbityl) (6-propyl-piperonyl) ether and 0.1% related compounds.

Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE ADDITIONAL PRECAUTIONS ON BACK PANEL

NET CONTENTS

ACCEPTED
 DEC 14 1998
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 4822-466

[To appear, in all caps, at the top of the rear or side panel]

READ ENTIRE LABEL BEFORE EACH USE.

[To immediately follow the preceding statement, in bold and caps]

FOR USE ONLY ON DOGS OR CATS

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On longhaired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray penetrates to skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate.

Repeat every week.

Do not use on dogs or cats under 12 weeks.

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately

To control infestation in kennels and sleeping quarters, after treating animals as directed, spray bedding, walls, cracks, crevices, and flooring. Always remove infested bedding before spraying in kennels or sleeping quarters. Old bedding should be replaced with clean, fresh bedding after treatment of areas.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION:

Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.

Remove birds and cover fish aquariums before treatment.

First Aid:

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF INHALED: Remove person to fresh air. If not breathing, give medical artificial respiration, preferably mouth-to-mouth. Get medical attention.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL STATEMENTS:

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash collection.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

© 1996 S. C. Johnson & Son, Inc.

Racine, WI 53403 U.S.A.

All Rights Reserved.

EPA Reg. No. 4822-466

EPA Est. No.