

PM 32

4822-510

8-17-99

1 of 8

[All text in (parenthesis) is optional and may or may not be included on final label.]

**VANiSH® Drop-Ins®**

For Home Use  
Antibacterial  
In-Tank Toilet Bowl Water Sanitizer

S.C. Johnson  
(A Family Company)  
(Economic Refill)(Refill)(Value Pack)

ACTIVE INGREDIENT: Trichloro-s-triazinetriene 82.4%  
OTHER INGREDIENTS: 17.6%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**  
See additional precautions on back panel

EPA Reg. No. 4822-510  
EPA Est. No. 4822-MEX-1


Questions? Comments? Call 800-558-5252 or Write Helen Johnson  
©1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.  
All Rights Reserved

Net Weight: 1.2 oz., 35 g (when two tablets 2.4 oz., 70 g)

(U.S. Patent No. 5,648,314)

Kills 99.9% of bathroom germs in the toilet bowl water (10/20/30 minutes) after each flush.  
Kills 99.9% of many odor-causing germs in the toilet bowl water (10/20/30 minutes) after each flush.  
Kills 99.9% of some germs such as Salmonella choleraesuis, Enterococcus faecalis and Echerichia coli (E. coli ATCC 11229) in the toilet bowl water.  
VANiSH® Drop-Ins® with Stain Repel fights tough stains and kills 99.9% of many germs (such as Salmonella choleraesuis, Enterococcus faecalis, and Escherichia coli (E. coli ATCC 11229)) in the toilet bowl water for up to 9 weeks.  
VANiSH® Drop-Ins® fights tough stains and kills odor-causing germs for up to 9 weeks.  
VANiSH® Drop-Ins® fights tough stains and kills bathroom germs for up to 9 weeks.

Bleach  
Starter  
Refill  
With Stain Repel  
Stain Repel Bleach  
More bleach to the bowl  
Helps keep bowl clean  
Cleans and deodorizes with every flush  
Keeps bowl fresh and clean  
Helps keep bowl cleaner  
Keeps your toilet bowl stain-free  
Fights tough stains.  
Repels tough hard water, mineral, and limescale stains.  
Consistent release formula



Controls odor-causing germs in the bowl water  
Continuous real bleach cleaning and deodorizing  
Tablets wrapped for skin protection  
Child resistant packaging.  
Phosphate free  
Contains no dyes  
Deodorizes  
Cleans up to 9 weeks  
Deodorizes for up to 9 weeks  
Helps make cleaning easier  
No mess in tank  
No messy residue or clogging in the tank  
Automatic toilet bowl cleaner  
Controls odor produced by odor-causing bacteria  
Controls the growth of bacteria that cause odors.  
Controls odors caused by odor-causing germs.  
VANiSH® Drop-Ins® delivers stain-repelling cleaners with every flush to keep your toilet bowl cleaner. When the tablet has dissolved, simply place a new VANiSH® Drop-Ins® Refill Tablet in the tank.  
For longer-lasting stain-repelling action, try VANiSH® Hang-Ins®  
For longer-lasting antibacterial action, try VANiSH® Hang-Ins®  
Stain Repel Blue + Bleach (Drop-Ins®)  
Cleans and deodorizes with every flush  
Helps keep your toilet bowl stain-free.  
Bleach Cleaning  
Won't harm (plumbing pipes) (and) (septic systems)  
For colored toilets  
Leaves Bowl Sanitary  
Deodorizes  
Recommended for use only in toilets that are flushed regularly  
New, Improved  
Improved bleach delivery  
Long(er) lasting  
Long life

---

[Outer box]

When the tablet has dissolved, simply place a new VANISH® Drop-Ins® Refill Tablet in the tank.

This package contains 1(2) tablet(s)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before placing VANISH® Drop-Ins® in your tank, clean toilet bowl thoroughly, including under the rim.

1. Remove toilet tank cover.
2. Cut open tablet pouch with scissors along dotted line. Do not remove tablet.
3. Flush toilet. Wait until water level is low and bottom valve is closed. Use pouch to drop tablet into corner of tank away from bottom valve opening or toilet mechanism (see diagram). **DO NOT TOUCH TABLET DIRECTLY.** Dispose of pouch as directed in disposal statement.
4. **IMPORTANT:** Wait 10 minutes before flushing. Do not remove tablet once installed.
5. When tablet dissolves, simply add a new VANISH® Drop-Ins® (with Stain Repel).

This product should be used in toilets that are flushed daily.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Irritating to nose and throat. Avoid breathing dust.

**CHEMICAL HAZARD: STRONG OXIDIZING AGENT.** Do not mix with other chemicals. Only add to water in toilet tank. Do not use with other cleaning or household chemicals, including acids and ammonia, as dangerous fumes may result.

**FIRST AID:** If in Eyes: Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. If on Skin: Brush off excess chemicals and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If Inhaled: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. If Swallowed: Drink large amounts of water. **DO NOT** induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE:** Store out of reach of children. **DISPOSAL:** Do not reuse pouch. Rinse pouch thoroughly before discarding in trash.

Questions? Comments? Call 800-558-5252 or Write Helen Johnson

© 1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.

All Rights Reserved

Net Weight: 1.2 oz., 35 g (when two tablets 2.4 oz., 70 g)

(U.S. Patent No. 5,648,314)

4 of 8

[The text below will appear on each pouch enclosed in a box. Directions for use will be included on pouch if there is sufficient room to print text]

**VANiSH® Drop-Ins®**

Cut Here To Open  
Contains 1(2) Tablet(s)  
For Home Use  
Antibacterial  
In-Tank Toilet Bowl Water Sanitizer

**ACTIVE INGREDIENT:**

Trichloro-s-triazinetrione 82.4%

OTHER INGREDIENTS: 17.6%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

Net Weight: 1.2 oz., 35 g

See additional precautions (and complete Directions for Use) on full outer label.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before placing VANiSH® Drop-Ins® in your tank, clean toilet bowl thoroughly, including under the rim.

1. Remove toilet tank cover.
2. Cut open tablet pouch with scissors along dotted line. Do not remove tablet.
3. Flush toilet. Wait until water level is low and bottom valve is closed. Use pouch to drop tablet into corner of tank away from bottom valve opening or toilet mechanism (see diagram). **DO NOT TOUCH TABLET DIRECTLY.** Dispose of pouch as directed in disposal statement.
4. **IMPORTANT:** Wait 10 minutes before flushing. Do not remove tablet once installed.
5. When tablet dissolves, simply add a new VANiSH® Drop-Ins® (with Stain Repel).

This product should be used in toilets that are flushed daily.

Questions? Comments? Call 800-558-5252 or Write Helen Johnson  
© 1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.  
All Rights Reserved

(U.S. Patent No. 5,648,314)

[Following labels are intended for packages that also include a blue surfactant cleaning tablet. No pesticidal claims are being made for the blue tablet. Since the outer box contains both a regulated bleach tablet and a blue cleaning tablet, the pesticidal label wording dominates except on the blue cleaning tablet pouch. Claims and marketing wording for the VANiSH® Drop-Ins® without the blue cleaning tablet can also be used with this version.]

[Outer Box Label]

**VANiSH® Drop-Ins®**

For Home Use  
Antibacterial  
In-Tank Toilet Bowl Water Sanitizer  
**Blue + Bleach**  
Stain Repel Blue + Bleach  
Blue Freshening + Bleach Cleaning

**BLEACH TABLET**

**ACTIVE INGREDIENT:**

Trichloro-s-triazinetriene 82.4%

**OTHER INGREDIENTS:** 17.6%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

See additional precautions on back panel

Net Weight: Bleach tablet - 1.2 oz. (35 g)  
Blue tablet - 2.6 oz. (75 g)

(U.S. Patent No. 5,648,314)

EPA Reg. No. 4822-510

EPA Est. No. 4822-MEX-1

Questions? Comments? Call 800-558-5252 or Write Helen Johnson  
© 1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.  
All Rights Reserved

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before placing VANiSH® Drop-Ins® in your tank, clean toilet bowl thoroughly, including under the rim.

1. Remove toilet tank cover.
2. Cut open both pouches with scissors along dotted line. Do not touch bleach tablet or blue tablet directly. Do not remove protective wrapping around blue tablet . . . it dissolves quickly.
3. Flush toilet. Wait until water level is low and bottom valve is closed. Use pouches to drop both tablets into corner of tank away from bottom valve opening or toilet mechanism (see diagram). Note: The two tablets are designed to be used together.
4. **IMPORTANT:** Wait 10 minutes before flushing. Do not remove tablets once installed.
5. When tablets dissolve, simply add new VANiSH® Drop-Ins® Blue + Bleach (with Stain Repel) (to help keep your bowl fresh and sanitary).

This product should be used in toilets that are flushed daily.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Irritating to nose and throat. Avoid breathing dust.

**CHEMICAL HAZARD: STRONG OXIDIZING AGENT.** Do not mix with other chemicals. Only add to water in toilet tank. Do not use with other cleaning or household chemicals, including acids and ammonia, as dangerous fumes may result.

**FIRST AID:** *If In Eyes:* Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. *If on Skin:* Brush off excess chemicals and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. *If Inhaled:* Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. *If Swallowed:* Drink large amounts of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE:** Store out of reach of children. **DISPOSAL:** Do not reuse pouch. Rinse pouch thoroughly before discarding in trash.

[The text below will appear on the registered bleach pouch enclosed in the box with the non-registered blue pouch. Directions for use will be included on pouch if there is sufficient room to print text.]

**VANiSH® Drop-Ins®**

Cut Here To Open  
Contains 1 Bleach Tablet  
For Home Use  
Antibacterial  
In-Tank Toilet Bowl Water Sanitizer  
Bleach

ACTIVE INGREDIENT:  
Trichloro-s-triazinetrione 82.4%  
OTHER INGREDIENTS: 17.6%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See additional precautions (and complete Directions for Use) on full outer label.  
(U.S. Patent No. 5,648,314)

NET WT. 1.2 oz (35 g)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IN-TANK TOILET BOWL WATER SANITIZER AND CLEANER**

Before placing VANiSH® Drop-Ins® in your tank, clean toilet bowl thoroughly, including under the rim.

1. Remove toilet tank cover.
2. Cut open both pouches with scissors along dotted line. Do not touch bleach tablet or blue tablet directly. Do not remove protective wrapping around blue tablet . . . it dissolves quickly.
3. Flush toilet. Wait until water level is low and bottom valve is closed. Use pouches to drop both tablets into corner of tank away from bottom valve opening or toilet mechanism (see diagram). Note: The two tablets are designed to be used together.
4. **IMPORTANT:** Wait 10 minutes before flushing. Do not remove tablet once installed.
5. When tablet dissolves, simply add new VANiSH® Drop-Ins® Blue + Bleach (with Stain Repel) (to help keep your bowl fresh and sanitary).

This product should be used in toilets that are flushed daily.

EPA Reg. No. 4822-510  
EPA Est. No. 4822-MEX-1

Questions? Comments? Call 800-558-5252 or Write Helen Johnson  
© 1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.  
All Rights Reserved

---

[The text below will appear on the non-registered blue cleaning pouch enclosed in the box with the registered bleach pouch. Directions for use will be included on pouch if there is sufficient room to print text]

**VANISH® Drop-Ins® Blue**

Cut Here To Open  
Contains 1 Blue Tablet  
For Home Use  
Stain Repel Blue  
Blue Freshening

(Directions for use on outer box)

Net Weight: 2.6 oz. (75 g)

Instructions - Read Carefully  
Clean toilet bowl thoroughly, including under the rim

Directions for Use:

1. Remove toilet tank cover.
2. Cut open both pouches with scissors along dotted line. Do not touch bleach tablet or blue tablet directly. Do not remove protective wrapping around blue tablet . . . it dissolves quickly.
3. Flush toilet. Wait until water level is low and bottom valve is closed. Use pouches to drop both tablets into corner of tank away from bottom valve opening or toilet mechanism (see diagram). Note: The two tablets are designed to be used together.
4. **IMPORTANT:** Wait 10 minutes before flushing. Do not remove tablets once installed.
5. When tablets dissolve, simply add new VANISH® Drop-Ins® Blue + Bleach (with Stain Repel) (to help keep your bowl fresh and sanitary.)

This product should be used in toilets that are flushed daily.

**CAUTION; HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION.**  
Contains anionic surfactant. **FIRST AID: IF SWALLOWED:** Drink a glass of water and call a physician.  
**IF IN EYES:** Rinse with water for 20 minutes. If irritation persists, contact a physician.  
**KEEP OUT OF REACH OF CHILDREN.**

Questions? Comments? Call 800-558-5252 or Write Helen Johnson  
© 1999 (2000) (2001) S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.  
All Rights Reserved