UNIT STATES ENVIRONMENTAL PROTECT AGENCY

MAY 1 0 2011

Ms. Kelly K. Naujock Registration Specialist S. C. Johnson & Son, Inc. 1525 Howe St. Racine. WI 53403-2236

Subject:

DeeDee1

EPA Registration Number 4822-547 Notification Dated April 11, 2011 EPA Received Date April 12, 2011

Dear Ms. Naujock:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

Add statement "You can recycle this steel container when empty, in an increasing number of communities"

General Comments:

Based on a review of the material submitted, the following comment apply:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Product Manager (31)

Regulatory Management Branch I

Antimicrobials Division (7510P) SYMBOL SURNAME OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

2098

Please read instructions on reverse before completing form Form approved, OMN No. 2070-0060, Approval Expires 05 United States Registration **OPP Identifier Number** Environmental \ stection Agency Amendh...nt Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification 4822-547 Ms. Velma Noble 4. Company/Product (Name) PM# S. C. Johnson /DeeDee 1 31 5. Name and Address of Application (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: S. C. Johnson & Son, Inc. EPA Reg. No. 1525 Howe St. Racine, WI 53403 **Product Name** Check if this is a new address Section II ☐ Amendment – Explain below. Final printed labels in response to Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated Other - Explain below. Notification - Explain below. Explanation: Notification to add steel can recycling statement". This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA." As this is a notification, no PRIA fee is required. Section III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Type of Container Child-Resistant Packaging Unit Packaging ☐ Yes * ☐ Yes □ Yes Metal No. ⊠ No No **Plastic** No. Per If "Yes" No. Per If "Yes" Glass *Certification must Unit Packaging wgt. container Package wgt. container Paper be submitted Other (Specify 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions ☐ On Label 4 - 30 oz. On Labeling accompanying product 6. Manner in Which Label is Affixed to Product ☐ Other Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process (fills application) Telephone No. (Include Area Code) Name Title (262) 260-2686 Ms. Kelly K. Naujock **Registration Specialist** Certification ີ 6. Date Application ເ I certify that the statements I have made on this form and all attachments thereto are true, accurate and Réceived complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or c. c (Stămped) imprisonment or both under applicable law. 3. Title Registration Specialist 5. Date April 11, 2011 Ms. Kelly K. Naujock

April 11, 2011

S.C. Johnson & Son, Inc. 1525 Howe Street Racine, WI 53403-2236 262.260.2000

. . . .

Ms. Velma Noble (31)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

DeeDee 1

EPA Reg. No. 4822-547

Notification

Dear Ms. Noble:

On behalf of S.C. Johnson and Son, Inc., I have enclosed the documents necessary to add the statement "You can recycle this steel container, when empty, in an increasing number of communities" to the product labeling as a notification. I have included one copy of the master label with this addition appearing on page 3 in **bold italics** and an Application.

This statement will appear next to a steel recycling symbol which will be located on the back label near the bottom of the can. The steel recycling symbol has already been approved on this master label and can be found on page 5. This statement will not replace or alter the existing Storage and Disposal statements.

This request is not subject to PRIA fees.

Thank you for your assistance with this action. Please do not hesitate to contact me at any time should you need assistance.

Sincerely,

Ms. Kelly K. Naujock Registration Specialist S. C. Johnson & Son, Inc.

tel: 262-260-2686

e-mail: kknaujoc@scj.com

DeeDee 1

Antibacterial Scrubbing Bubbles XXI Bathroom Cleaner [ABN 12/12/05]

[Note to reviewer: parentheses indicate optional text]

Active Ingredients:	
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.11%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.11%
Inert Ingredients:	99.78%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

NET WT. X oz

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[Note to reviewer: The remaining Directions for Use may appear in numbered, boxed, bulleted or paragraph format]

SHAKE WELL BEFORE AND DURING USE

[Two different spray patterns will be offered. One nozzle produces a typical spray pattern and should be held 6-8 inches away from the surface for optimum cleaning. The second nozzle dispenses a greater volume of product and produces a wider spray pattern. Optimum cleaning is achieved when this nozzle is held 12-15 inches from the surface. The foaming characteristics and spray particle size produced by the two nozzles are comparable. One of the two use instructions for cleaning will be used, depending on the nozzle and associated spray pattern.

TO CLEAN

Spray 6-8 inches from surface to be cleaned. Allow foam to penetrate (dirt) (soap scum) (soil). (For heavily soiled areas, let stand (several minutes) (x minutes) before wiping.) Remove by (rinsing with water) (or) (wiping with a wet cloth or sponge). No need to wipe dry. On chrome, rinse with water.

OR

TO CLEAN

Hold product farther from surfaces than you normally would to get the full benefit of the product's spray pattern. Spray 12-15 inches from surface to be cleaned. Product can be sprayed from any angle. Wait (several minutes) (x minutes) to allow foam to penetrate dirt and soap; scum. Rinse clean or wipe away foam with cloth or sponge. Wipe dry after rinsing, if desired. On chrome, rinse with water. NOTIFICATION Date Reviewed: 5/10/11

Reviewed By

icec

TO KILL 99.9% OF BACTERIA:

On hard nonporous surfaces, spray surface until thoroughly wet. Let stand for 1 minute. Then wipe. For heavily soiled areas a pre-cleaning is required.

TO INHIBIT & PREVENT THE GROWTH OF MOLD AND MILDEW:

Remove gross filth or heavy soil prior to applying the product for treatment against mold and mildew. On hard nonporous surfaces, spray surface until thoroughly wet. Let stand for 1 minute. Then wipe. Reapply as needed.

[Note to reviewer: The following optional statement will be used if kitchen uses are placed on the label]

(Wherever food contact is likely, rinse surface with (tap) (clean) (potable) water.)

(STORAGE AND DISPOSAL)

STORAGE: Store in a cool, dry place away from heat or flame (in an area inaccessible to children).

DISPOSAL: This container may be recycled (in the) (few) (but) (growing number of) (communities) where aerosol can recycling is available. Before offering for recycling, empty can by using the product according to the label. DO NOT INCINERATE OR PUNCTURE. If recycling is not available, (replace cap and) discard empty container in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

[Note to reviewer: Boxed format and/or bullets may be used in First aid section if label space permits.]

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
*	• Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	Call a poison control center or doctor for treatment advice.
Have the produc	t container or label with you when calling a poison control center or doctor, or
going for treatme	ent.

PHYSICAL OR CHEMICAL HAZARDS

CONTENTS UNDER PRESSURE. Do not use or store near heat or open flame. Exposure to temperature above 130° F (54° C) may cause bursting. Do not puncture or incinerate container.

EPA Reg. No. 4822-547

EPA Est. No. X-X-X

Questions? Comments? Call 800-558-5252 or write Helen Johnson. ©2005 S. C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.

S.C. Johnson & Son, Inc.

File Name: Dee Dee 1

EPA Reg. No. 4822-547

April 2011

Page 2 of 5

[Optional text to be used anywhere on the product label and/or accompanying labeling]


General

- From the Makers of Windex®
- New (-)(formula)(product)!
- New & Improved Sprayer
- You can recycle this steel container, when empty, in an increasing number of communities

Cleaning & Surfaces

- Can use to clean kitchen surfaces and countertops.
- Cleans and shines...bathroom fixtures, glazed ceramic tile, chrome, shower doors, fixtures, fiberglass, baked enamel, glazed porcelain, vinyl, stainless steel, synthetic marble. For all other hard, non-porous surfaces, spot test in an inconspicuous area.
- Cleans: Foaming action easily removes soap scum, hard water stains, and dirt (.)
- (Cleans) (Shines) (Deodorizes) (without scratching) (!)
- minutes).
- minutes)

- counters, stainless steel, chrome fixtures, fiberglass, vinyl and glazed porcelain surfaces. (Spot test for all other hard, non-porous surfaces; not recommended for use on acrylic, brass or natural marble).



- We work hard so you don't have to!®
- Won't scratch fiberglass(!)
- You may never need to scrub (your shower) again (!)

Antibacterial & Sanitization

- 1 minute sanitizer
- An effective sanitizer for use in the bathroom
- Antibacterial (bathroom cleaner) (action)
- Antibacterial formula
- Kills bacteria* in (just) 1 minute
- Kills bacteria* found on hard non-porous (bathroom) surfaces
- Kills common (household) bacteria*
- Kills odor-causing bacteria
- Kills 99.9% of (odor-causing bacteria) (like) (Staphylococcus aureus (Staph)) (Klebsiella pneumoniae) (Escherichia coli (E. Coli)) (Enterococcus faecalis)
- (Only) (*Product name*) (gives you Scrubbing Bubbles[®]) (gives you Lemon Power[®] and Scrubbing Bubbles[®]), (whose) foaming action thoroughly cleans, shines, sanitizes (and deodorizes) (for you) (with a fresh pleasant lemon scent) (.)
- (*Product name*) cleans (away 95% of all soap scum (grime) and virtually all bacteria*) without scrubbing (wiping) (!)
- (Product name) kills 99.9% of odor-causing bacteria (and smells nice) (!)
- Sanitizes: Kills 99.9% of common bacteria (like) (Staphylococcus aureus (Staph)) (Klebsiella pneumoniae) (Escherichia coli (E. Coli)) (Enterococcus faecalis)
- Sanitizes without scratching (wiping)
- Sanitizer
- Works in 1 minute to kill 99.9% of (household) bacteria*
- * Staphylococcus aureus (Staph), Klebsiella pneumoniae, Escherichia coli (E. Coli), Enterococcus faecalis

Fungistatic

• (Prevents) (inhibits) (controls) growth of (mold) (and) (mildew) (Aspergillus niger)

Fragrance or Scent Descriptors

- Lemon
- Lemon Action
- Fresh Clean Scent

Miscellaneous Other Text and Graphics

- All Rights Reserved.
- Lot number suffix (X) indicates appropriate establishment number.
- Scrubbing Bubbles[®] is a registered trademark of S. C. Johnson & Son, Inc.
- S. C. Johnson A Family Company
- www.scrubbingbubbles.com



[Note to reviewer: Some or all of the following pictograms may be used on the product label and/or accompanying labeling.]





Sink and Counter



Shower Doors and Chrome



Tub and Tile



Spray from Any Angle




Penetrating Foam



Wipe





Steel



