

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

February 5, 2009

Jill Geyer SC Johnson & Son, Inc. 1525 Howe Street Racine, WI 53403-2236

Subject:

Notification - Additional Marketing Claims

Bugtron

EPA Reg. No. 4822-561

Your Application Dated December 2, 3008

Dear Ms. Geyer:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 8, 2008 for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions	on reverse before com	pleting form.	Form A	bevotag.	OMB No. 20	70-0060	Approval expires 2-28-95	
SEPA Environmental Protection Washington, DC 20460			ency		Registrati Amendm Other		OPP Identifier Number	
		Application for	Pesticide - Se	ction I				
1. Company/Product Num		2. EPA Product Manager Richard Gebken			1 —	posed Classification		
4. Company/Product (Na		PM# 13						
5. Name and Address of S.C. Johr 1525 Hov Racine, V		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name FEB 0.5 2009						
Section - II								
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.					
Notification of additional m This notification is consiste labeling or the confidential EPA. I further understand FIFRA and I may be subje-	ent with the provisions of statement of formula of that if this notification is	PR Notice 98-10 and EPA this product. I understand not consistent with the tem and penalties under sectio	that it is a violation of ns of PR Notice 98-10	18 U.S.C. S and 40 CFI	ec. 1001 lo v	rillfully m	ake any false statement to	
. Material This Product V	/ill Be Packaged In:							
hild-Resistent Packaging Yes V No Certification must	Unit Peckaging Yes No If "Yes" Unit Packaging wgt	No. per if "Yes	Water Soluble Packaging Yes ✓ No If "Yes" No. per Package wgt Container		J PI	Metal Plastic Glass Paper Other (Specify)		
e submitted Location of Nat Contents	4. Size(s) Retail Contain							
Manner in Which Lebel i	Uthograph Paper glued Stenciled	8 fl. oz 2 gal. graph r glued ciled						
		Secti	on - IV					
Contact Point (Complete	items directly below	for identification of individ	dual to be contacted,	if necessa	ry, to proces	s this ap	plication.)	
me W. A. Hawkins, Jr	Title Regis	Title Tell Registration Specialist II			lephone No. (Include Ares Code) 262-260-0619			
		cation id all attachments thereto are true, accurate and complete. tatement may be punishable by fine or imprisonment or			- 1	Date Application Received (Stamped)		
Signsture 21. A. Ha	3. Title Regist	3. Title Registration Specialist II						
Typed Name W. A. Hawkins, Jr.	5. Date	5. Date December 2, 2008				·		

December 2, 2008

S.C. Johnson & Son, Inc. 1525 Howe Street Racine, WI 53403-2236 262.260.2000

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

ATTN: Ms. Linda G. Arrington

Dear Ms. Arrington:

Subject: Bugtron (EPA Reg. No. 4822-561)

Notification of Additional Marketing Claims per PR Notice 98-10

This notification is being made to advise the Agency of our intent to add marketing claims to the label of our product, Bugtron (EPA Reg. No. 4822-561). The vast majority of these claims are packaging-related and can be found on page 2 of the enclosed label. We have added three claims that are simply variants of the approved claim "Keeps killing German cockroaches for up to 1 year." These are on page 1. We have added the word "New" on page 2 with the understanding that we can only claim "New" for six months. Lastly, we have corrected an error on page 5 where reference was made to holding the "can" 12-18 inches from the surface to be sprayed. The product will be sold in a plastic bottle with a trigger sprayer, so the term "can" is inappropriate. On the enclosed label, new text is inappropriated and deletions are struck through.

Since this is a notification, no PRIA fee is required.

If you have any questions or need additional information, please contact me at (262) 260-0619 or by e-mail at wahawkin@sci.com.

Sincerely,

S. C. Johnson & Son, Inc.

W. A. Hawkins, Jr., Ph.D. Registration Specialist II

2.a. Hawkins, J.

BUGTRON (master name)

ACTIVE INGREDIENT:

100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side (Back) Panel for Additional Precautions

NET CONTENTS:

Optional Marketing Claims

For Indoor and Outdoor Use

Ready-To-Use

Easy-To-Use

Water-Based

Kills on Contact

Kills Fast

Long-Lasting

Keeps Killing Carpenter Ants For Up To (1 Month) (4 Weeks) When Applied To Non-Porous Surfaces

Keeps Killing Pharaoh Ants, Crazy Ants and Fire Ants For Up To 1 Week

Keeps Killing German Cockroaches For Up To (12 Months) (1 Year) (52 Weeks)

libie easy wayato anoly, wan along (eo.-useason along) naotestion (f Treon German Coakton alos) Physician assay, wayate anoly we are to a good easy and to be distributed and the configuration and the contraction of the configuration of the

Godinandres)

Kills Fleas

Kills Mosquitoes

Keeps Killing Flies For Up To (5 Months) (20 Weeks)

Odorless

Non-Staining

No Oily (Greasy) Residue

For Use in and Around Horse Stables

Keeps Killing Stable Flies For Up To (18 Weeks) (4.5 Months) (135 Days)

For Use on House Plants

For Use on Omamental Plants

Kills Fleas & Ticks

Kills Home Invading Pests

NOTIFICATION

Kills Spiders, Centipedes and Scorpions

FEB 0 5 2009

Kills Roaches, Ants and Fleas on Contact

Kills Pantry Pests

Kills Plant Pests

Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers and Mites

Kills Spider Mites

S. C. Johnson & Son, Inc. File Name: Bugtron EPA Reg. No. 4822-561 12/08 1 of 7

Kills Japanese Beetles
Also Controls Termites, Carpenter Ants & Carpenter Bees
Controls Ticks That May Transmit Lyme Disease
No Drips - No Runs
Stays Where You Put It
Does Not Stain Surfaces
Does Not Stain Fabrics
No Shaking Required
No Shake Formula
No Drip Formula
No Drip Formula

Optional Rackaging Claims	
(Baliay/Powered) (Declioillo) linger 7/450	ayer
(Realisable) (Avrice) (Avrice) fragger <i>or</i> esto	ayer
Power beger of sprayer	
Une(Burner) (Reneable) (Amor) (Antomicity)	
(prevensi) (slimmates) i clase (c.a) sliand (bia	
The (Girginal) (Grigory Powered in Decimina)	
(madiograph (micrograph) (aliminates) in the graph (a)	/hzse(6)/al280/2006
Korajyyaale <i>n</i> , tampiyatyisti	
	is gyganatoje Spiritydrakov (11-) aje iliajmissi drivitaju:
eginiaj krelaitus (arvoleia) (dietro promininti) sopelje Est	
	(ill payed integrated and start and integrated are used to
inoresignopoleite pug black (515) (duran et arringka)	
Mic ((3) (4) (acomic (4) (4) (3) ((4) (6) (4) (6) (4) (6)	
emiksijojijougabandac <i>eok</i> -lavena (coxociye kolavek	Hannach an American Control of the Participation of the Control of
	(Rowell regule nespervente tentes en Kornsta
	rager (that a manual control to the control of the
STOPE INC.	SOCIETY CONTINUES CONTINUES ESSENTIAL CONTINUES ESSENTIAL CONTINUES ESSENTIAL CONTINUES ESSENTIAL CONTINUES ES
	kaning pandanan pandan pangan pangan pandah
Be (1853) vertices (1910) (1911) (1911) (1911) (1911)	
	oxyon ab/(Elleoneon(d):(Planyen) intigga is of Spicayer
eminikatos assilwada Sugaransatili (silasin	
	children de la
oja govienesia Britanioni said kairvija al silve	
Ksoqi, qoʻlsayo (dho) ((yottb) ((B) etmoyi) ((B) inta y	[flox/clkeg])([h]tadinojtiko)(j.ov/val)(juhaa, ole
sjanskyen simo jusieroja vojm mesa, amigoroja sa elilli oj	वस्त्रामा हायद
Registration Darging donals of eaten size	
BERTOTT STEEN TO STEEN THE TOTAL OF THE TOTAL OT THE TOTAL OF THE TOTAL OF THE TOTAL OF THE TOTAL OF THE TOTAL OT THE TOTAL OF THE TOTA	
Bitigina) (1 jointe 19 ille) ((S172) ((13 ill.) ((bib) (13) ((iliaili)	
Result (notation of the least o	
ka alli ((b)otile)) (tanig) (tanig) (tanig) (tanig) (li) (tanig)	

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

[Note to reviewer: () Indicates alternative text in addition to any subset of the directions for use.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. (Turn sprayer nozzle to "on" position.) Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

Do not allow children or pets to contact treated surfaces until spray has dried.

Bugtron's long-lasting action keeps on killing German Cockroaches for up to (12 months) (1 year) and Flies for up to (150 days) (20 weeks) (5 months) after you spray. More frequent applications may be necessary on concrete surfaces. Check these areas in 4 weeks and retreat if insect activity continues. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

Bugtron is intended to be used in and around residences and their immediate surroundings such as (but not limited to): apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS:

Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

(Roaches: Spray in cracks and crevices, around baseboards and other hiding places.)

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks (Including Deer Ticks which May Transmit Lyme Disease) and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult Fleas and Larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

(Silverfish, Crickets, and Spiders: Apply to areas infested by these pests.)

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

(FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.)

HORSE STABLES: To Control Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary, but not more

than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs and **Lice:** Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

Also, treat your yard with a product registered for yard application.

OUTDOORS:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

For outdoor use only as an aid in controlling these insects. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to Ants, Clover Mites, Crickets and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary, but not more than once per week.

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish. Hold ean speaker [cockroaches] 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic areas, hitting as many insects as possible. Spray to slightly moisten the surface. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

S. C. Johnson & Son, Inc. File Name: Bugtron EPA Reg. No. 4822-561 12/08 5 of 7

(Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.)

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed

Termites, Carpenter Ants and Carpenter Bees (for localized control only): Apply product to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For Termites, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary, but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Armyworms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers.

Not for use on plants grown for sale or other commercial use.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants,

S. C. Johnson & Son, Inc. File Name: Bugtron EPA Reg. No. 4822-561 12/08 6 of 7

snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible. Repeat treatment as necessary, but not more than once per week.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area (away from) (inaccessible to) children and pets and away from heat, sparks and open flame. (Protect from freezing.) (Store above 32°F.) (Do not transport or store below 32°F (0°C).) If freezing occurs, allow product to thaw and shake well before (using) (use). (Some product separation may occur on freezing which is reversible on shaking). Freezing does not adversely affect (this product) (performance).

Container Disposal: If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

www.killsbugsdead.com

Questions? Comments?
Call 1-800-558-5252 or write Helen Johnson © 2008
S.C. Johnson & Son, Inc.
Racine, WI 53403-2236
U.S.A. All Rights Reserved

EPA REG. NO.: 4822-561

EPA EST. NO.:

[Based on EPA stamped accepted with comments label dated October 16, 2008.]

NOTIFICATION

FEB 0 5 2009