4822 - 563

6/26/2012

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460 0001



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 26 2012

Dan Hollas S C Johnson & Son Inc 1525 Howe St Racine WI 53403

Subject Amended Reregistration Label Product Name PC GI 08 EPA Registration Number 4822 563 EPA Decision Numbers 411969 and 410514

Dear Mr Hollas

The Agency in accordance with the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrins and piperonyl butoxide (PBO) REDs and has concluded that your submission is acceptable

NOTE This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time

Please be reminded that 40 CFR Part 156 140(a)(4) requires that a batch code lot number or other code identifying the batch of the pesticide distributed and sold be placed on <u>non refillable</u> containers The code may appear either on the label or durably marked on the container itself and can be added by non notification per PRN 98 10

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below Any previously dated CSFs are superseded

Basic CSF dated 8/18/08

A copy of your label stamped Accepted is enclosed along with copies of the acute

toxicity and product chemistry reviews completed for the subject product Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first must bear the new revised label Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA sec 6(e)

If you have any questions about this letter please contact Dr Jennifer Urbanski at 703 347 0156 or urbanski jennifer@epa gov

Sincerely

Rīchard J Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

(

Enclosures Label stamped Accepted dated 6/26/12 Acute Toxicity Review dated 7/25/11 Product Chemistry Reviews dated 8/3/11

(

PC GI O8 Earth options by Raid House & Garden Insect Killer (ABN February 24 2009) Raid Earth Options House & Garden Insect Killer (ABN July 8 2010)

0 02%
0 20%
99 78%

(

ACCEPTED

JUN 2 6 2012 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under

Net Contents

EPA Reg No ______563

 KEEP OUT OF REACH OF CHILDREN
 E

 CAUTION

 See additional Precautionary Statements on (back)(side)(bottom)(label)

Fast acting Ready to use No mixing No measuring Water based insect killer formula Kills German Cockroaches on contact Use indoors or outdoors May be used on vegetables up to day of harvest Contains pyrethrins a botanical insecticide derived from Chrysanthemum flowers Kills listed flying and crawling pests in the home and garden (home green houses) Indoors Outdoors For use on roses flowers trees shrubs and vines Use to kill rose and ornamental pests as listed SC Johnson A Family Company (since 1886) Fisk Johnson [signature]

PC GI O8 may be used Indoors or outdoors as a contact spray for flying and crawling pests commonly found in and around the home

PC GI 08 contains pyrethrins derived from a Chrysanthemum flower to give fast and effective kill of German Cockroaches on contact

Pyrethrins also will flush hiding German Cockroaches which then allows you to spray them for immediate contact kill

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

USE RESTRICTIONS

Apply this product only as specified on this label. For residential use only. Do not contaminate food or feedstuffs. Shake well before using

(Adjust spray nozzle to give a coarse wet spray)

(

(Do not spray outdoors in heat of the day)

Do not allow adults children or pets to enter the treated area until sprays have dried or until vapors and mists have dispersed and the area has been thoroughly ventilated. Do not apply this product in a way that will contact adults children or pets either directly or through drift. Do not remain in treated area Exit area immediately and remain outside the treated area until vapors or mists have dispersed. Remove pets birds and cover fish aquariums before spraying. Do not wet plants to point of runoff or drip. Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried. Remove or cover exposed food and drinking water before application. Remove or cover dishes utensils food processing equipment, and food preparation surfaces or wash them before use. Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers storm drains water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply when windy. Do not water the treated area to the point of run off. For home garden use do not apply more than 10 times per season DO not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not reapply within 24 hours. For outdoor ornamentals do not apply more than 1 time per day. Not for use in outdoor residential misting systems.

INDOORS

House Flues and Flying Moths As a room spray to **kill** these pests close doors and windows and pump spray aiming the nozzle into the upper corners of the room and filling the room with a fine mist. Keep room closed for at least 15 minutes and then thoroughly ventilate the treated area before reoccupying. Before spraying in kitchen or dining areas cover or remove food and utensils.

Ants (excluding Fire Pharaoh and Harvester Ants) Carpenter Ants German Cockroaches Sowbugs Pillbugs Crickets Silverfish Firebrats Fleas Brown Dog Ticks Ticks (including ticks that may cause Lyme Disease) and Spiders (excluding Brown Recluse Spiders) including Black Widows Spray into cracks and crevices along baseboards behind and beneath cabinets cupboards pantry other food storage areas under stoves sinks refrigerators and in and around waste containers and other areas where these pests are seen or suspected of hiding Spray as many pests as possible especially as they are being flushed from hiding Spray ant trails and places where they are entering the house

Fleas Brown Dog Ticks and Ticks (including ticks that may transmit Lyme Disease) Where fleas Brown Dog Ticks and ticks (Including ticks that may transmit Lyme disease) are associated with household pets remove and launder or replace the pet's bedding and spray the surrounding area Pay particular attention to cracks and crevices along baseboards carpeted areas area rugs and fabric covered furniture where these pests may be found Replace pet bedding when spray is dry Concurrent treatment of the pets and their yard areas is recommended with a product labeled for those Sites and pests

Carpet Beetles Apply as a spot treatment along baseboards and edges of carpet and rugs Also spray under carpets and area rugs after vacuuming area to remove debris. Spray carpet in corners of rooms under furniture in closets on Shelving and other areas where these pests are seen or suspected.

Saw toothed Grain Beetles Indian Meal Moths Rice Weevils Confused Flour Beetles To kill the exposed forms of these pests find and destroy infested packages of food products in cabinets and pantry Remove shelf paper Clean inside cabinets thoroughly Remove packaged goods and spray shelves and cracks and crevices Replace shelf paper with new paper and return packaged goods when spray is dry

4822 563 PC GI 08 June 7 2012 Update S C Johnson & Son Inc DWH Page 2 of 4

OUTDOORS

Vegetables (Including in home greenhouses) Arugula Beets Broccoli Brussels Sprouts Cabbage Carrots Chinese Cabbage (Bok Choy) Chinese Mustard Cabbage (Gai Choy) Cabbage (Napa) Cauliflower Cucumbers Collards Cilantro Celery Eggplant Edible Gourds Endive Japanese Radish (Daikon) Lettuce (Head and Leafy) Okra Melons (Inclucing hybrids Cantaloupe Casaba Crenshaw Honeydew Muskmelon) Parsley Parsnips Potato Peppers (Including Bell Chili Cooking Pimentos Sweet) Pumpkins Rhubarb Rutabaga Radishes Swiss Chard Squash (Winter and summer) Spinach Tomatillo Tomatoes watermelons and Zucchini

Small Fruits and Berries Blackberries Blueberries Currants Dewberries Elderberries Gooseberries Grapes Huckleberries Olallie Berries Raspberries (Black and Red) Strawberries and Youngberries Fruits Apples Apricots Crabapples Cherries (Sweet and Sour) Citrus Hybrids Grapefruit Loquat Lemons Limes Nectarines Oranges (Sweet and Sour) Oriental Pears Pears Pummelos Peaches Plums Prunes and Quince

For Use on All Ornamental Plants (such as Roses Hyacinth Gladiolus Freesia) All Annuals (such as Cosmos Celosia Ageratum Impatients) All Perennials (such as Gazania Cineraria Chrysanthemum Zinnia) All Shrubs (such as Mountain laurel Juniper Privet Mock Orange) All Shade Trees (such as Oak London Plane Maple Sycamore Mulberry) And All Vines (such as Trumpet Creeper Creeping Lantana Wisteria Honeysuckle)

TO Kill Ants Aphids Armyworms Asparagus Beetles Blister Beetles Cabbage Loopers 12 Spotted Cucumber Beetles Colorado Potato Beetles Corn Earworms Crickets Cross striped cabbageworms Diamondback Moth Larvae Fireworms Flea Beetles Fruit worms Fruit Tree Leafrollers Grape Leafhoppers Gypsy Moths (larvae and adult) Harlequin Bugs Tomato Hornworms Imported Cabbageworms Leafhoppers Leafrollers Leaftier Mexican Bean Beetles Potato Leafhoppers Psyllids Stink Bugs Thrips Vinegar Flies and Webworms Water plant thoroughly Turn spray nozzle to the on position and hold spray nozzle about 12 from the plants Spray (lightly) (thoroughly) covering contacting insects on upper and lower leaf surfaces until surfaces are slightly wet Do not wet plants to the point of run off or drip Spray when insects or their damage first appears Do not wait until plants are heavily infested Spray may be applied up to and including day of harvest

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

l

Pesticide Storage Store in a cool dry preferably locked storage area Store in the original container in an upright position only Store with spray nozzle securely closed Do not store with spray nozzle below level of product in container

Pesticide Disposal and Container Handling If empty Nonrefillable container Do not use or refill this container Offer for recycling if available If partly filled Call your local solid waste agency or 1 800 529 3394 for disposal instructions Never place unused product down any indoor or outdoor drain

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

(

Harmful if swallowed or absorbed through the skin Avoid contact with skin eyes or clothing Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the toilet Remove and wash contaminated clothing before reuse

FIRST AID

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center doctor or going for treatment. For additional information on this product (including health concerns medical emergencies or pesticide incidents) you may call 1 800 xxx xxxx

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Drift and run off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run off. This product has a potential for run off for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce run off that contains this product. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. To protect the environment do not allow pesticide to enter or runoff into storm drains. drainage ditches gutters or surface waters. Applying this product in calm weather, when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions for Use for additional precautions and restrictions.

PHYSICAL OR CHEMICAL HAZARDS

Do not use this product in or on electrical equipment because of shock hazard

Questions? Comments? Call 800 558 5252 or write Helen Johnson Sold by ©2012 S C Johnson & Son Inc Racine WI 53403 2236 U S A All Rights Reserved EPA Reg No 4822 563 EPA Est No