

4822-563

9/11/2013

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Ms. Sheila Bugalecki  
S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine, WI 53403

SEP 11 2013

Dear Ms. Bugalecki:


Subject: label amendment  
PC-GI-08  
EPA Registration Number 4822-563  
Your submission dated July 8, 2013

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

  
Richard Gebken  
Product Manager (10)  
Insecticide Branch  
Registration Division (7504P)

Enclosure

[Information in brackets is notes to Reviewer]  
(Information in parentheses is optional language)

PC-GI-08

Earth Options by Raid House & Garden Insect Killer (ABN, February 24, 2009)


Raid Earth Options House & Garden Insect Killer (ABN, July 8, 2010)

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.02%

Piperonyl Butoxide ..... 0.20%

OTHER INGREDIENTS ..... 99.78%



KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See additional Precautionary Statements on (back)(side)(bottom)(label)

Net Contents ----

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS**

Apply this product only as specified on this label. For residential use only. Do not contaminate food or feedstuffs. **SHAKE WELL BEFORE USING.**

(Adjust spray nozzle to give a coarse, wet spray.)

(Do not spray outdoors in heat of the day.)

Do not allow adults, children, or pets to enter the treated area until sprays have dried or until vapors and mists have dispersed, and the area has been thoroughly ventilated. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors or mists have dispersed. Remove pets, birds, and cover fish aquariums before spraying. Do not wet plants to point of runoff or drip. Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply when windy. Do not water the treated area to the point of run-off. For home garden use, do not apply more than 10 times per season. DO NOT reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not reapply within 24 hours. For outdoor ornamentals, do not apply more than 1 time per day. Not for use in outdoor residential misting systems.

**INDOORS:**

**House Flies and Flying Moths:** As -a room spray to kill these pests, close doors and windows and pump spray, aiming the nozzle into the upper corners of the room and filling the room with a fine mist. Keep room closed for at least 15 minutes and then thoroughly ventilate the treated area before reoccupying. Before spraying in kitchen or dining areas, cover or remove food and utensils.

**Ants (excluding Fire, Pharaoh and Harvester Ants), Carpenter Ants, German Cockroaches, Sowbugs, Pillbugs, Crickets, Silverfish, Firebrats, Fleas, Brown Dog Ticks, Ticks (including ticks that may cause Lyme Disease), and Spiders (excluding Brown Recluse Spiders), including Black Widows:** Spray into cracks and crevices, along baseboards, behind and beneath cabinets, cupboards, pantry, other food storage areas, under stoves, sinks, refrigerators, and in and around, waste

[Information in brackets is notes to Reviewer]  
(Information in parentheses is optional language)

containers and other areas where these pests are seen or suspected of hiding: Spray as many pests as possible, especially as they are being flushed from hiding. Spray ant trails and places where they are entering the house.

**Fleas, Brown Dog Ticks and Ticks (including ticks that may transmit Lyme Disease):** Where fleas, Brown Dog Ticks, and ticks (Including ticks that may transmit Lyme disease) are associated with household pets, remove and launder or replace the pet's bedding and spray the surrounding area. Pay particular attention to cracks and crevices, along baseboards, carpeted areas, area rugs, and fabric covered furniture where these pests may be found. Replace pet bedding when spray is dry. Concurrent treatment of the pets and their yard areas is recommended with a product labeled for those Sites and pests.

**Carpet Beetles:** Apply as a spot treatment along baseboards and edges of carpet and rugs. Also spray under carpets and area rugs after vacuuming area to remove debris. Spray carpet in corners of rooms, under furniture, in closets, on Shelving and other areas where these pests are seen or suspected.

**Saw-toothed Grain Beetles, Indian Meal Moths, Rice Weevils, Confused Flour Beetles:** To kill the exposed forms of these pests, find and destroy infested packages of food products in cabinets and pantry. Remove shelf paper. Clean inside cabinets thoroughly. Remove packaged goods and spray shelves and cracks and crevices. Replace shelf paper with new paper and return packaged goods when spray is dry.

**OUTDOORS**

**Vegetables (including in home greenhouses):** Arugula, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Cabbage (Napa), Cauliflower, Cucumbers, Collards, Cilantro, Celery, Eggplant, Edible Gourds, Endive, Japanese Radish (Daikon), Lettuce (Head and Leafy), Okra, Melons (including hybrids - Cantaloupe, Casaba, Crenshaw, Honeydew, Muskmelon), Parsley, Parsnips, Potato, Peppers (including Bell, Chili, Cooking, Pimentos, Sweet), Pumpkins, Rhubarb, Rutabaga, Radishes, Swiss Chard, Squash (Winter and summer), Spinach, Tomatillo, Tomatoes, watermelons and Zucchini.

**Small Fruits and Berries:** Blackberries, Blueberries, Currants, Dewberries, Elderberries, Gooseberries, Grapes, Huckleberries, Olallie Berries, Raspberries (Black and Red), Strawberries and Youngberries.

**Fruits:** Apples, Apricots, Crabapples, Cherries (Sweet and Sour), Citrus Hybrids, Grapefruit, Loquat, Lemons, Limes, Nectarines, Oranges (Sweet and Sour), Oriental Pears, Pears, Pummelos, Peaches, Plums, Prunes, and Quince.

**For Use on All Ornamental Plants:** (such as Roses, Hyacinth, Gladiolus, Freesia). All Annuals (such as Cosmos, Celosia, Ageratum, Impatiens). All Perennials (such as Gazania, Cineraria, Chrysanthemum, Zinnia). All Shrubs (such as Mountain laurel, Juniper, Privet, Mock Orange). All Shade Trees (such as Oak, London Plane, Maple, Sycamore, Mulberry). And All Vines (such as Trumpet Creeper, Creeping Lantana, Wisteria, Honeysuckle).

**For use on Ornamental Plants: Annuals, Perennials, Shrubs, Shade Trees and Vines.**

**TO Kill Ants, Aphids, Armyworms, Asparagus Beetles, Blister Beetles, Cabbage Loopers, 12-Spotted Cucumber Beetles, Colorado Potato Beetles, Corn Earworms, Crickets, Cross-striped cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Fruit worms, Fruit Tree Leafrollers, Grape Leafhoppers, Gypsy Moths (larvae and adult), Harlequin Bugs, Tomato Hornworms, Imported Cabbageworms, Leafhoppers, Leafrollers, Leaf-tier, Mexican Bean Beetle, Potato Leafhoppers, Psyllids, Stink Bugs, Thrips, Vinegar Flies, and Webworms:** Water plant thoroughly. Turn spray nozzle to the on position, and hold spray nozzle about 12" from the plants. Spray (lightly) (thoroughly) covering, contacting insects on upper and lower leaf surfaces until surfaces are slightly wet. Do not wet plants to the point of run-off or drip. Spray when

4/5

[Information in brackets is notes to Reviewer]  
(Information in parentheses is optional language)

insects or their damage first appears. Do not wait until plants are heavily infested. Spray may be applied up to and including day of harvest.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry, preferably locked storage area. Store in the original container in an upright position only. Store with spray nozzle securely closed. Do not store with spray nozzle below level of product in container.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** If empty: Nonrefillable container. Do not use or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid contact with, skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**FIRST AID:**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies, or pesticide incidents) you may call 1-800-xxx-xxxx.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use this product in or on electrical equipment because of shock hazard.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run-off. This product has a potential for run-off for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather, when rain is not predicted for the next 24 hours, will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions for Use for additional precautions and restrictions.

Questions? Comments? Call 800-558-5252 or write Helen Johnson.

Sold by: ©[year] S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A.

All Rights Reserved

EPA Reg. No. 4822-563

EPA Est. No.

[website may be listed]

4822-563

Page 3 of 4

PC-GI-08

Fast Track Amendment

SRE

July 8, 2013

Handwritten marks and symbols, including several rows of small circles and lines, possibly representing a signature or initials.

