11828-33

Pmal 4828-33 10F2

# ACCEPTED OCT 6 1987 Under the Federal Insust Fungivide, and Rodantici to Ast, as concended, for the pesticide registered under 18 28 - 33

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### USE PRECAUTIONS -

Do not rotate treated crop with crops other than those with registered thiram uses.

Do not reenter treated areas within 24 hours following application unless protective clothing is worn,

### STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal.

**DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum or pail is contaminated and cannot be reused, dispose of in the same manner. NOTE: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## FOR PREVENTION AND CONTROL OF:

T.F.-75

**TURF FUNGICIDE** 

1. Brown Patch and Dollar Spot — Use on golf greens and other fine turfs. Spray on a routine 7 to 10 day interval basis. When the appearance of these fungus diseases is imminent, increase application routine to a 3 to 5 day interval basis. If a regular spray schedule is not followed, inspect the turf every day. If brown patch or dollar spot appears, apply T. F.-75 on the following basis:

A. For Prevention — Use at the rate of 3 oz. per 1000 sq. ft. or 1 lb. per 5000 sq. ft.

B. For curing an existing condition of these fungus diseases — Use at the rate of 6 oz. per 1000 sq. ft. or 2 lbs. per 5000 sq. ft.

2. Snow Mold Control:

A. Fall Application — 8 oz. per 1000 sq. ft. before first lasting snow.

B. Spring Application — 3 oz. per 1000 sq. ft. when snow melts.

SPRAY APPLICATION OF T.F.-75 — Mix recommended amounts listed previously in 5 gal. of water per 1000 sq. ft. T:F.-75 requires steady agitation for suspension, since it is insoluble in water. Do not water or mow grass for at least 24 hours after T.F.-75 application.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTIONS

Harmful If swallowed, inhaled or absorbed through skin. Avoid breathing dust or spray mist. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Consumption of alcoholic beverages increases the toxic effects of thiram.

#### ENVIRONMENTAL HAZARDS

Do not allow animals to feed or graze on treated areas. Do not allow grass clippings from treated areas to be used for feed or food purposes.

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

NOTE: Statements made on this label are believed to be reliable and accurate.

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes su tisk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

No.

3

\*\* Do not apply this product through any type of irrigation system.

ABCO, INC. P.O. BOX J • IRWIN, PA 15642

