

WEEDEX

An outstanding product for control of most broadleaved weeds plus most annual and perennial grasses. WEEDEX is to be used on Non-crop areas only, such as Parking Lots, Along Road Right-of-Ways, Around Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, Fence Lines, Around Utility and Telephone Poles and all other similar areas.

WEEDEX provides residual effective control depending on certain soil and climatic conditions as follows: (Note: These are merely general guidelines)

- (a) Normal Conditions - 3 to 4 month residual activity.
- (b) In areas of low rainfall and heavy soils - 6 months or longer.
- (c) In areas of high rainfall and sandy soils - Less than 3 months.

APPLICATION RATE - Ordinarily use at the rate of 2 to 4 gallons per 1,000 square feet. Where weeds are difficult to control, use at a ratio of 6 gallons per 1,000 sq. ft.

APPLICATION TIME - Apply shortly before or at the time plant growth starts for best results. Follow up application by thorough watering or by rainfall to cause WEEDEX to move to the root zone of the weeds to be controlled.

APPLICATION METHOD - Use a sprayer that will spread the product evenly over the area to be covered in a coarse spray so as to reduce product drift. Can be applied when top growth is dense, but better control is obtained when weeds are short

or when excess growth is cut before application.

CAUTION!

Harmful If Swallowed. Skin and Eye Irritant. Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.


Do not apply to areas underlaid by roots of desirable trees and shrubs.

Do not apply, allow to drift, or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Clean equipment with detergent and water after use to prevent corrosion. Do not use equipment for applying any other chemicals to plant growth as injury may result. After container is empty, flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so it will not be used again, and dispose at some location where it cannot be salvaged.

Supplier makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

MANUFACTURED BY

ABCO, INC. P. O. BOX J IRWIN, PA. 15642 U.S.A.



WEEDEX

An outstanding product for control of most broadleaved weeds plus most annual and perennial grasses. WEEDEX is to be used on Non-crop areas only, such as Parking Lots, Along Road Right-of-Ways, Around Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, Fence Lines, Around Utility and Telephone Poles and all other similar areas.

WEEDEX provides residual effective control depending on certain soil and climatic conditions as follows: (Note: These are factory general guidelines.)

- a. Normal Conditions - 3 to 4 month residual activity
- b. In areas of low rainfall and heavy soil - 6 months or longer
- c. In areas of high rainfall and sandy soil - Less than 3 months

APPLICATION RATE - Ordinarily use at the rate of 2 to 4 gallons per 1,000 square feet. Where weeds are difficult to control use at a rate of 6 gallons per 1,000 sq. ft.

APPLICATION TIME - Apply shortly before or at the time plant growth starts for best results. Follow up application by thorough watering or by rainfall to cause WEEDEX to move to the root zone of the weed to be controlled.

APPLICATION METHOD - Use a sprayer that will spread the product evenly over the area to be covered in a coarse spray to reduce product drift. Can be applied when top growth is dense, but better control is obtained when weeds are short

or when excess growth is cut before application.

CAUTION!


Harmful If Swallowed, Skin and Eye Irritant. Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water, for eyes wash with water for at least 15 minutes and get medical attention.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

Do not apply, allow to drift, or drain or run equipment onto or near crops, lawns, trees or other desirable plants or to areas where their roots may extend. Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow contact with fertilizers, herbicides, fungicides or seeds. Wash up period with detergent and water to prevent corrosion. Do not use equipment for applying any herbicide until plant growth as in weeds has begun. After container is empty, flush thoroughly with water and allow water to drain. Water can be run off without harm. Destroy container so it will not be re-used, and dispose of it in a location where it cannot be identified.

MADE IN POLYESTER

ABCO, INC. P. O. BOX J IRWIN, PA 15642 U S A



WEEDEX

An outstanding product for control of most broad-leaved weeds plus most annual and perennial grasses. WEEDEX is to be used on **Non-Crop Areas** only such as **Parking Lots, Along Road Right-of-Ways, Around Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, Fence Lines, Around Utility and Telephone Poles** and all other similar areas.

WEEDEX provides residual effective control depending on certain soil and climatic conditions as follows. Note: These are merely general guidelines.

- (a) Normal Conditions: 1 to 4 months residual activity.
- (b) In areas of low rainfall and heavy soil: 4 to 6 months or longer.
- (c) In areas of high rainfall and sandy soils: Less than 3 months.

APPLICATION RATE: Ordinarily use at the rate of 2 to 4 gallons per 1,000 square feet. Where weeds are difficult to control, use at a rate of 6 gallons per 1,000 sq. ft.

APPLICATION TIME: Apply shortly before or at the time plant growth starts for best result. Follow an application by thorough watering, or by rainfall, to cause WEEDEX to move to the root zone of the weeds to be controlled.

APPLICATION METHOD: Use a sprayer that will permit the product evenly over the area to be treated in a continuous spray or a reduced product drift. Care to apply it when the growth of weeds is just beginning.

or when excess growth is cut before application.

CAUTION!

Do Not Swallow. Skin and Eye Irritant. Do not get on skin, in eyes or on clothing. In case of contact immediately wash skin with plenty of water; for eyes wash with water for at least 15 minutes and get medical attention.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

Do not apply, allow to drift, or drain or run equipment into or near crops, lawns, lawns, trees or other desirable plants or to areas where their roots may extend. Do not contaminate irrigation channels or water used for domestic purposes. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Clean equipment with detergent and water after use to prevent corrosion. Do not use equipment for applying any other chemicals to plant growth as mixture may result. After container is empty, flush out thoroughly with water and drain where that water can be run off without harm. Destroy container so it will not be used again, and dispose of same location where it cannot be salvaged.

MANUFACTURED BY

ABCO, INC. P. O. BOX J IRWIN, PA 15642 U S A