

**ABCO ABCO ABCO**

EPA EST. 4526 - PA - 11

EPA REG. NO. 100-10000

475



7-3-11-76

MANUFACTURING CHEMISTS

**SUPER DISIT "N-1"**

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

ACTIVE INGREDIENTS	7.583%
n-Alkyl (C-10, C-12, C-14, C-16)	
Diethyl benzyl ammonium chlorides	1.758%
n-Alkyl (C-12, C-14) Diethyl	
ethylbenzyl ammonium chlorides	1.758%
Sodium Metasilicate	2.216%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid tetrasodium salt	0.573%
Essential Oils	0.228%
INERT INGREDIENTS	92.417%
1. Water 2. Polyoxyethylene benzophenone 3. Hexylene Glycol 4. Artificial Color	90.999%

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
 (Refer to additional precautions and First Aid on back panel)


NET CONTENTS . . . . . GALS.

**ABCO INC. R.D. 3 IRWIN, PA. 15642**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 4828-76

4828 - PA - 1

AUG 18 1975



EPA Reg. No. 4828-76

MANUFACTURING CHEMISTS

**SUPERDISIT "N-1"**

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

ACTIVE INGREDIENTS	7.583%
n-Alkyl (60% C 14, 30% C 16, 5% C 12, 5% C 18)	
Dimethyl benzyl ammonium chlorides	1.758%
n-Alkyl (68% C 12, 32% C 14) Dimethyl	
ethylbenzyl ammonium chlorides	1.758%
Sodium Metasilicate	2.216%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid tetrasodium salt	0.573%
Essential Oils	0.228%
<b>INERT INGREDIENTS</b>	<b>92.417%</b>
1. Water	100.000%
2. Polyoxyethylene nonylphenol	
3. Hexylene Glycol	
4. Artificial Color	

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**  
(Refer to additional precautions and First Aid on back panel)

NET CONTENTS \_\_\_\_\_ GALS.

# ACCEPT SUPER DISIT "N-1"

## Directions

110 12 1975

Minimum Phenol Coefficient

S. Aureus  
S. Typhosa

60 A.O.A.C.  
19 A.O.A.C.

A.O.A.C. Use-Dilution Confirmation

4828-24  
against: Staphylococcus Aureus 1-64  
Salmonella Choleraesuis 1-64  
T. Interdigitale 1-64  
Pseudomonas Aeruginosa 1-64

Disinfecting of Hard Surfaces: Use 2 fl. oz. per gal. of water.

Sanitizing: Use 1 fl. oz. per 5 quarts of water.

### Cleaning OPERATIONS:

(1) Floors - ½ oz. per gal. cool water for damp mopping. (2) For Scrubbing - ½ to 1¾ oz. per gal hot water. (3) For Heavy Soil Removal - up to 8 oz. per gal. hot water.

(2) Floor Finish Stripping-Normal Build-up - 2 to 4 oz. per gal. very hot water, or 3 to 8 oz. for heavy buildup.

(3) Walls & Other Hard Surfaces - ½ to 1 oz. per gal. of hot water depending on severity of soil accumulation.

Use SUPER DISIT "N-1" on all floor surfaces. Destroys odors at the source rather than by covering with another odor. Perfect for use in Hospitals, Nursing Homes, Schools, Motels, Hotels, Industrial Plants, Offices, Buildings or wherever people gather.

A total maintenance program built into a single product.

For heavy soil buildup or organic matter, a pre cleaning step is required before the disinfectant strength solution is applied.

Apply with a mop, cloth, sponge or sprayer.

Use most convenient method. Rinse empty container thoroughly with water and discard it.

Before using in food processing plants, or in areas where foodstuffs are handled, food products and packaging materials must be

removed from the room or carefully protected. After application surfaces, equipment and utensils in the area must be thoroughly rinsed with potable water.

## DANGER

### KEEP OUT of REACH of CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

ABCO INC. R. D. No. 3, IRWIN, PA. 15642 U.S.A.



MANUFACTURING CHEMISTS

### ODC 150-1

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

ACTIVE INGREDIENTS	7.500%
n-Alkyl (90% C <sub>12</sub> -50 C <sub>18</sub> )	
14. 16. 2.	
D-Diethyl-Diethyl ammonium chlorides	1.200%
n-Alkyl (66% C <sub>12</sub> -32 C <sub>18</sub> ) Dimethyl	
12. 14.	
Diethyl Benzyl ammonium chloride	1.100%
Sodium Metasilicate	2.216%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid	
tetrasodium salt	0.434%
Essential Oil	0.220%
INERT INGREDIENTS	92.410%
1. Water	
2. Polysorbate 20	0.100%
3. Hexylene Glycol	
4. Alcohol C <sub>12</sub>	

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
 For information call 1-800-368-5888

NET CONTENTS                      GALS.

**ABBO INC. P.O. 3 IRWIN, PA. 15642**

EPA Reg. No. 4828-76

PA - 475

AUG 18 1975

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
OR BEGONOMIC FERTILIZER REGISTER  
D UNDER NO. 4828-76



MANUFACTURING CHEMISTS

### ODC 150-1

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

<b>ACTIVE INGREDIENTS</b>	<b>7.583%</b>
n-Alkyl (60%C 30%C 5%C 5%C )	
14, 16, 12, 18	
Dimethyl benzyl ammonium chlorides	1.758%
n-Alkyl (68%C 32%C ) Dimethyl	
12, 14	
ethylbenzyl ammonium chlorides	1.758%
Sodium Metasilicate	2.216%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid	
tetrasodium salt	0.573%
Essential Oils	0.228%
<b>INERT INGREDIENTS</b>	<b>92.417%</b>
1. Water 2. Polyoxyethylene nonylphenol	100.000%
3. Hexylene Glycol 4. Artificial Color	

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
 (Refer to additional precautions and First Aid on back panel)

NET CONTENTS \_\_\_\_\_ GALS.

# FORWARDED ODC - 150-1

## Directions

Minimum Phenol Coefficient: S. Aureus 60 A.O.A.C.  
S. Typhosa 39 A.O.A.C.

### A.O.A.C. Use-Dilution Confirmation

Effective against Staphylococcus Aureus 1-64  
Salmonella Choleraesuis 1-64  
T. Interdigitale 1-64  
Pseudomonas Aeruginosa 1-64

Cameraman's Note

Poor Copy

Disinfectant of Hard Surfaces - Use 2 fl. oz. per gal. of water.

the area must be thoroughly rinsed with potable water.

Sanitizing - Use 1 fl. oz. per 3 quarts of water.

### CLEANING OPERATIONS

(1) Floors - 2 oz. per gal. cool water for damp mopping. (2) For Scrubbing - 1 to 1 1/2 oz. per gal. hot water. (3) For Heavy Soil Removal - up to 5 oz. per gal. hot water.

(4) Floor Finish Stripping - Normal Buildup - 2 to 4 oz. per gal. very hot water, or 3 to 8 oz. of heavy buildup.

(5) Walls and Other Hard Surfaces - 1/2 to 1 oz. per gal. of hot water depending on severity of soil accumulation.

Use ODC 150-1 on all floor surfaces. Destroys floor dirt by scouring rather than by covering with another dirt. Perfect for use in Hospitals, Nursing Homes, Schools, Motels, Hotels, Industrial Plants, Office Buildings or wherever people gather.

As part of a maintenance program built into a single product.

For heavy soil buildup or organic matter, a pre-cleaning step is required before the disinfectant strength solution is applied.

Apply with a mop, cloth, sponge or sprayer.

The most convenient method. Rinse empty container thoroughly with water and discard it.

Before using in food processing plants, or in areas where foodstuffs are handled, food products and packaging materials must be removed from the room or carefully protected. After application, surfaces, equipment and utensils in

## DANGER

### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ABCO, Inc. • R. D. 3 • IRWIN, PA. 15642 • U.S.A.

**ABCO** **ABCO** **ABCO**

EPA EST. 4828 (PA. 1)

EPA REG. NO. 100-100000



30-88-9  
ABCO

MANUFACTURED BY

### QUAT - DN

GERMICIDAL - DETERGENT-DEODORIZER - CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

ACTIVE INGREDIENTS	7.58%
n-Alkyl C-30 C-30 C-30 C-30 C-30	
Dimethyl benzyl ammonium chloride	1.5%
n-Alkyl C-22 C-22 C-22 C-22 C-22	
ethylbenzyl ammonium chloride	1.0%
Sodium Metasilicate	2.2%
Sodium Hydroxide	1.0%
Ethylene diamine tetraacetate salt	
tetrasodium salt	0.5%
Essential Oils	0.2%
INERT INGREDIENTS	92.42%
1. Water 2. Polyoxyethylene glycol ether	90.0%
3. Hexylene Glycol 4. Alcohol 5. Chlor	

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
 All other ingredients present on label in accordance with EPA regulations.

NET CONTENT                      ALL

**ABCO INC. R.D. 3 IRWIN, PA. 15642**

EPA Reg. No. 4828-76

4700 18 1975

UNDER THE FEDERAL INSECTICIDE  
AND FUNGICIDE ACT  
REGISTERED UNDER NO. 4700



**MANUFACTURING CHEMISTS  
QUAT - DN**


**GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL**

<b>ACTIVE INGREDIENTS</b>	<b>7.583%</b>
n-Alkyl (60% C 14, 16, 12, 18 30% C 16, 12, 18 5% C 12, 18 5% C 12, 18 )	
Dimethyl benzyl ammonium chlorides n-Alkyl (68% C 12, 14 32% C 12, 14 ) Dimethyl	1.758%
ethylbenzyl ammonium chlorides	1.758%
Sodium Metasilicate	2.218%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid tetrasodium salt	0.573%
Essential Oils	0.228%
<b>INERT INGREDIENTS</b>	<b>92.417%</b>
1. Water 2. Polyoxyethylene nonylphenol 3. Hexylene Glycol 4. Artificial Color	<b>100.000%</b>

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
(Refer to additional precautions and First Aid on back panel)

NET CONTENTS \_\_\_\_\_ GALS.





# QUAT DN

## Directions

Minimum Phenol Coefficient:	S. Aureus	60 A.O.A.C.
	S. Typhosa	39 A.O.A.C.
A.O.A.C. Use-Dilution Confirmation		
against:	Staphylococcus Aureus	1-64
	Salmonella Choleraesius	1-64
	T. Interdigitale	1-64
	Pseudomonas Aeruginosa	1-64

Disinfecting of Hard Surfaces: Use 2 fl. oz. per gal. of water.

Sanitizing: Use 1 fl. oz. per 5 quarts of water.

### CLEANING OPERATIONS:

(1) Floors — ½ oz. per gal. cool water for damp mopping. (2) For Scrubbing — ½ to 1¼ oz. per gal. hot water. (3) For Heavy Soil Removal — up to 8 oz. per gal. hot water.

(2) Floor Finish Stripping - Normal Buildup — 2 to 4 oz. per gal. very hot water, or 3 to 8 oz. for heavy buildup.

(3) Walls and Other Hard Surfaces — ½ to 1-2 oz. per gal. of hot water depending on severity of soil accumulation.

Use QUAT DN on all floor surfaces. Destroys odors at the source rather than by covering with another odor. Perfect for use in Hospitals, Nursing Homes, Schools, Motels, Hotels, Industrial Plants, Offices, Buildings or wherever people gather.

A total maintenance program built into a single product.

For heavy soil buildup or organic matter, a pre cleaning step is required before the disinfectant strength solution is applied.

Apply with a mop, cloth, sponge or sprayer.

Use most convenient method. Rinse empty container thoroughly with water and discard it.

Before using in food processing plants, or in areas where foodstuffs are handled, food products and packaging materials must be removed from the room or carefully protected. After application, surfaces, equipment and utensils in

the area must be thoroughly rinsed with potable water.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

ABCO, Inc. • R. D. 3 • IRWIN, PA. 15642 • U.S.A.

EPA EST. 182

EPA



MANUFACTURED BY ABCO INC.

### SANENE "NA"

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

ACTIVE INGREDIENTS

n-ALKYL 60 C	30 C	2.0	7.5%
Dinatrium Ethylenediamine		1.0	3.8%
n-ALKYL 60 C	32 C	1.0	3.8%
Ethylene diamine		1.0	3.8%
Sodium Metasilicate		1.0	3.8%
Sodium Dithionite		1.0	3.8%
Ethylene diamine tetraacetate		1.0	3.8%
tetrasodium salt		1.0	3.8%
Essential Oils		1.0	3.8%

INERT INGREDIENTS

1. Water	2. Polyethylene Glycol	3. Glycerol	4. Ammonium Chloride
----------	------------------------	-------------	----------------------

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**  
 (Refer to additional information and Precaution on Back)

NET CONTENTS 1.0 GALS.

**ABCO INC. R.D. 3 IRWIN, PA. 15642**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER  
AND UNDER NO. 175

ST. PA.

AUG 18 1975

ACC



EPA Reg. No. 4828-76

MANUFACTURING CHEMISTS

### SANENE "NA"

GERMICIDAL DETERGENT-DEODORIZER CONCENTRATE  
STAPHYLOCIDAL - BACTERICIDAL - FUNGICIDAL

<b>ACTIVE INGREDIENTS</b>	<b>7.583%</b>
n-Alkyl (60%C 30%C 5%C 5%C )	
14, 16, 12, 18	
Dimethyl benzyl ammonium chlorides	1.758%
n-Alkyl (68%C 32%C ) Dimethyl	
12, 14	
ethylbenzyl ammonium chlorides	1.758%
Sodium Metasilicate	2.216%
Sodium Hydroxide	1.050%
Ethylene diamine tetraacetic acid	
tetrasodium salt	0.573%
Essential Oils	0.228%
<b>INERT INGREDIENTS</b>	<b>92.417%</b>
1. Water 2. Polyoxyethylene nonylphenol	100.000%
3. Hexylene Glycol 4. Artificial Color	

**DANGER**  
**KEEP OUT of REACH of CHILDREN**  
 (Refer to additional precautions and First Aid on back panel)

NET CONTENTS \_\_\_\_\_ GALS.

# SANENE NA

## Directions

Minimum Phenol Coefficient: S. Aureus 60 A.O.A.C.  
S. Typhosa 39 A.O.A.C.

### A.O.A.C. Use-Dilution Confirmation

4828-76  
Against: Staphylococcus Aureus 1-64  
Salmonella Choleraesuis 1-64  
T. Interdigitale 1-64  
Pseudomonas Aeruginosa 1-64

Disinfecting of Hard Surfaces: Use 2 fl. oz. per gal. of water.

Sanitizing: Use 1 fl. oz. per 5 quarts of water.

### CLEANING OPERATIONS:

(1) Floors -- ½ oz. per gal. cool water for damp mopping. (2) For Scrubbing -- ½ to 1¾ oz. per gal. hot water. (3) For Heavy Soil Removal -- up to 8 oz. per gal. hot water.

(2) Floor Finish Stripping - Normal Buildup -- 2 to 4 oz. per gal. very hot water, or 3 to 8 oz. for heavy buildup.

(3) Walls and Other Hard Surfaces -- ½ to 1½ oz. per gal. of hot water depending on severity of soil accumulation.

SANENE NA on all floor surfaces. Destroys odors at the source rather than by covering with another odor. Perfect for use in Hospitals, Nursing Homes, Schools, Motels, Hotels, Industrial Plants, Offices, buildings or wherever people gather.

A total maintenance program built into a single product.

For heavy soil buildup or organic matter, a pre cleaning step is required before the disinfectant strength solution is applied.

Apply with a mop, cloth, sponge or sprayer.

Use most convenient method. Rinse empty container thoroughly with water and discard it.

Before using in food processing plants, or in areas where foodstuffs are handled, food products and packaging materials must be removed from the room or carefully protected. After application, surfaces, equipment and utensils in

the area must be thoroughly rinsed with potable water.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BCO INC. 230 Industry Boulevard, North Huntingdon, Pa. 15642