

COMBO

COMBO contains several herbicides that will wipe out Crabgrass, Dallisgrass and many Broadleaved weeds such as Plantain, Dandelion and Knotweed.

COMBO can be applied any time during the growing season, usually early summer, however, weeds are more easily killed during periods of rapid growth. If new growth appears, reapply later in the summer if necessary.

TEMPERATURE LEVELS

- (1) ABOVE 80°F - Use 1 pint of COMBO in 5 gallons of water and apply uniformly to 2500 sq. ft. Reapply once or more at 7 day intervals.
- (2) BELOW 80°F - Use 1 pint of COMBO in 10 gallons of water, and apply uniformly to 2000 sq. ft. Reapply once or more at 7 day intervals.

IMPORTANT DETAILS

- (1) Soil must be moist before treatment. Water thoroughly before application during dry spells.
- (2) Do not water for two days after application (Normal rainfall should not cause any problems).
- (3) Fairways or newly seeded lawns should not be treated until after it has been mowed three times.

**DO NOT USE, POUR, SPILL
OR STORE NEAR HEAT OR
OPEN FLAME.**

CAUTION

Do not use on newly seeded areas until after third mowing. Do not reseed lawns until 3 weeks after last application, and weed plants are dead. Bents, Fescues and Clovers may be temporarily discolored. Do not use on St. Augustine, Dichondra lawns, Carpet or Centipede grasses or on Bent Golf Greens.

**AVOID CONTACT WITH SKIN, EYES
OR CLOTHING.**

"HARMFUL IF SWALLOWED"

**IF SPILLED ON SKIN, WASH OFF
IMMEDIATELY WITH WARM WATER
AND SOAP. FLUSH EYES WITH
PLENTY OF CLEAR WATER. AVOID
INHALATION OF SPRAY MIST.**


Do not contaminate water used for irrigation or domestic purposes. Do not store near Fertilizers, Seeds, Insecticides or Fungicides. Keep livestock and domestic animals off treated areas. Do not use same spray equipment for other purposes. Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, grapes, ornamentals, bentgrass, etc. (Coarse sprays are less likely to drift).

ANTIDOTE: If taken internally induce vomiting and call a doctor at once. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


ABCO INC. R. D. 3 IRWIN, PA. 15642 U.S.A.

372



ABCO ABCO ABCO

EPA REG.
No. 4828-79



MANUFACTURING CHEMISTS

C. G. - 30

CRABGRASS ELIMINATOR

For Use On Golf Courses and Lawns
(Liquid Form)

ACTIVE INGREDIENTS:	
Disodium Methearsonate Anhydrous	18.90%
INERT INGREDIENTS	
.....	81.10%
Total	100.00%
Total Arsenic, all in water soluble form	7.65%
Equivalent to 30% Disodium Methearsonate Hexahydrate	

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See back panel for additional cautions)

NET CONTENTS GALLONS

4828-79
ACCEPTED
381 7 1979
UNDER THE FEDERAL INSECTICIDE ACT
FOR THE CONTROL OF PESTS
REGISTERED UNDER THE ACT
EPA REG. NO. 4828-79

C. G. - 30

A Selective Killer Of Crabgrass when used at our recommended application rates in the presence of Kentucky, Merion Blue, Bermuda and Zoysia grasses.

C. G. - 30 is also selective in the presence of sensitive grasses, such as Fescues and Bentgrasses under certain conditions, such as on cool days and when turf is moist.

Discoloration can occur in Fescue and Bentgrass areas, so therefore a lighter dosage is recommended for satisfactory results.

APPLICATION DIRECTIONS

YOUNG CRABGRASS - Mix 1 pint of C. G.-30 with 10 to 20 gallons of water and apply to 4000 sq. ft. of area. Apply 2 to 3 applications at 7 day intervals.

BRANCHED CRABGRASS - Mix 1 pint of C. G. - 30 with 10 to 20 gallons of water

2. Restore moisture to the soil by watering turf well for a period of time prior to spraying.
3. Do not apply to newly seeded turf until it has been mowed 3 times.
4. On predominantly Bent or Fescue, use light application rate of 1 pint in 10 to 20 gallons of water per 4000 sq. ft.

CAUTION

Avoid contact with skin or prolonged breathing of spray mist. Avoid contamination of feed or food-stuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Wash hands after using. Do not contaminate water used for domestic purposes. Harmful if swallowed.