


[4828-84]



E. P. IRWIN & COMPANY

**MANUFACTURING CHEMISTS**

**D. C. SPRAY**

Long-Lasting Insect and Insect-Repellent  
 For Use on Livestock - Stable Flies, Horn Flies, Mosquitoes, Gnats, and  
 Fleas. Properly applied, repellent effect lasts for  
 30 days.

**CAUTION**  
 CONTAINS PETROLEUM DISTILLATES  
 KEEP OUT OF REACH OF CHILDREN

**ACCEPTED**

APR 13, 1973

## D. C. SPRAY

For residual repellency to stable flies, horn flies, mosquitoes and gnats on dairy cows, apply 1 to 2 ounces to each animal for a 3 day period. Apply with a good hand type sprayer, so that animals' entire body is uniformly covered. Special care should be used in spraying legs, belly and shoulders. Avoid areas around nose, eyes and mouth. Avoid wetting hide. Spray in same way after two days have passed and every second day thereafter or when insects again bother the animal. Wash teats and udder with warm water before milking. Spray calves very lightly once a day instead of attempting to build up residual repellency by spraying more heavily.

**Control of Lice on Livestock** - Spray animals with 2 ounces of D.C. Spray. Rub into hair and pay particular attention to infested areas. Repeat as needed, but not more often than once every 3 weeks.

**To Kill Flies, Mosquitoes and Gnats** - Kill these insects in the barn before milking, close all doors and windows and spray toward ceiling. Barn should be kept closed 10 to 20 minutes after completion of spraying. Sweep up and destroy fallen insects. Repeat as necessary.

**Protection of Livestock from Fleas** - Spray bedding and walls of pen, particularly

cracks and crevices. Repeat frequently until under control.

### CAUTION

Store out of reach of children. Do not spray close to or open flame. Store in a cool place. Do not inhale or swallow. Keep container tightly closed. Avoid contamination of milk and milk handling equipment. Avoid over-spraying which will result in wetting the animals' hides.


When using in an enclosed area, do not remain in treated areas. Ventilate the area after treatment is completed.

Do not reuse empty drums, cans or other containers of any type. Empty drums should be returned to drum conditioner or disposed of as follows: Destroy drums and cans by perforating or crushing, bury or discard in a safe place away from water supplies. Any other type of container must not be reused and should be destroyed when empty.

See package for warning, expressed or implied, concerning the use of this product other than indicated on the label. Do not use in areas of milk use and handling of the material when it is used and on the day of the label instructions.

[4928-84]

Additional  
Brand  
Name  
Label



## RESIDEX

For residual repellency to stable flies, horn flies, mosquitoes and gnats on dairy cows, apply 1 to 2 ounces to each animal for a 3 day period. Apply with a good hand type sprayer, so that animals entire body is uniformly covered. Special care should be used in spraying legs, belly and shoulders. Avoid areas around nose, eye, and mouth. Avoid wetting hide. Spray in same way after two days have passed and every second day thereafter, or when insects again bother the animal. Wash teats and udder with warm water, before milking. Spray calves very lightly once a day. Avoid attempting to build up residue on hide by spraying more than once.

Control of Lice on Livestock. Spray animal with 1/2 ounce of Residex on neck, head and pasterns. Use attention to indicated areas. Repel lice on head, but not on or often than once every 2 weeks.

On Hail Flies, Mosquitoes, and Gnats. Residex is the secret of the secret of the secret. Use all hairs and comb on top of head toward collar. Residex should be kept at 10 to 20 degrees after application of spray. Use on all animals and on all four legs. Repeat as necessary.

Protection of Hides from Fleas. Spray bedding and animal hides, particularly

cracks and crevices. Repeat frequently until under control.

### CAUTION

Store out of reach of children. Do not spray on or near open flame. Store in a cool place. Harmful if swallowed. Keep container tightly closed. Avoid contamination of milk and milk handling equipment. Avoid over-spraying which will result in wetting the animals' hides.

When using in an enclosed area, do not breathe treated areas. Ventilate the area after treatment is completed.

Do not reuse empty drums, cans or other containers of any type. Empty drums should be returned to drum recycler or disposed of as follows: Destroy drums and cans by perforating or crushing. Be sure disposed in a safe place away from water supplies. Any other type of container must not be reused and should be destroyed when empty.

Residex is a registered trademark of ABCO Inc. All other trademarks are the property of their respective owners. © 1978 ABCO Inc. All rights reserved. See label for handling instructions.