

[4828-101] 10f2

AQUA SPRAY

Fast effective kill on contact.

Apply with Conventional Mechanical or Compressed Air Equipment.

Infested store food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

INDOOR APPLICATION

CONTACT SPRAY - To control roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused floor beetles, rust red flour beetles, saw toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites, and caterpillars: Use a good sprayer that delivers a coarse wet spray. Direct spray into hiding places, cracks, crevices, under pallets, around containers of stored foods, around base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If only using a contact spray, cover floors, walls, and other surfaces at a rate of 1 gallon to 750 square feet of surface. Repeat treatment as needed.

Food Processing Establishments - Use only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Vacate treated area and ventilate before reoccupying. For maximum results, use a combination of spot surface treatment and fogging.

FACE SPRAYING - Close doors and windows and shut off ventilating systems. Apply with a sprayer that will deliver a fine mist or fog. Direct spray at an upward

angle and distribute uniformly throughout entire area at a rate of 3-6 ounces per 1,000 cubic feet of space. This treatment will provide rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, angoumois grain moths, Mediterranean flour moths, Indian meal moths and tobacco moths.

Fogging: To kill exposed or accessible stages of above flying insects, use a rate of 1 gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat entire area, treating shrubbery and vegetation where mosquitoes may rest. Shrubbery and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated. Application of this product to any body of water is prohibited. Best results are obtained when wind velocity does not exceed 5 miles per hour. Apply at a rate of 1 1/2 gallons per acre (4 1/2 ounces per 1000 square feet).

USE ON ANIMALS: Apply a light mist only to wet the surface of the hair to protect beef and dairy cattle and horses from horn flies, house flies, mosquitoes and gnats. To control stable flies, horse flies and deer flies, apply 2 ounces per adult cow or horse to sufficiently wet the hair thoroughly. Repeat daily or at intervals to give continued protection. To control blood sucking lice, apply to infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if needed.

CAUTION!

Harmful if swallowed. Avoid contamination of feed and foodstuffs.

Remove Pets, Birds, and cover fish aquariums before spraying.

Do not breathe spray mist.

The use of this product must be by trained personnel only.

Wash hands, arms, and face with soap and water after handling and before eating or smoking.

Wash all contaminated clothing with soap and hot water before reuse.

Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

ENVIRONMENTAL CAUTION

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use or handling of this material when such use and/or handling is contrary to label instructions.


ACCEPTED
OCT 3 1975
H.A. [unclear]
[unclear]

Manufactured By
ABCO INC. 230 Industry Boulevard, North Huntingdon, Pa 15642

[4828-101] 2 of 2

EPA EST. No. 1028 FA.

EPA Reg. No. 4828-101



MANUFACTURING CHEMISTS

AQUA SPRAY

WATER BASE INSECTICIDE

Use in Institutions, Restaurants, Food Processing Plants,
Dairies, on Livestock and Outdoors for Mosquito Control.

ACTIVE INGREDIENTS

Pyrethrins	0.1%
Piperonyl Butoxide, Technical	1.0%
Petroleum Distillate	0.4%

INERT INGREDIENTS

98.5%
100.0%

*Equivalent to 0.2% (butylcarbityl) (6-propylpiperonyl) ether and to 0.2% related compounds.

CAUTION!
KEEP OUT of REACH of CHILDREN
(Refer to back panel for additional cautions)

NET CONTENTS _____ GALS.