

COASTAL



BACTERICIDE • DISINFECTANT

SEE FRONT PANEL FOR CAUTIONS & INGREDIENTS



**Use Only a Clean, Dry Spoon or Scoop Made of Metal,
Ceramic, Plastic or Glass**

Use 2 teaspoons of Clor Aid powder per 1000 gallons of water. Distribute required amount daily over water surface. If desired, Clor Aid may be stirred into a sprinkler can or pail of water, allowed to settle for several hours and the clear liquid spread over the pool. During extreme heat or with heavy bather load, add proper amount of powder every 2 hours. Test water at regular intervals using COASTAL TEST KIT (available at your dealer) to insure required chlorine content of .6 to 1.0 p.p.m.

Because this product contains over 10% available chlorine, we must (by law), label it "Poison." Recommended solutions are not classified as poisonous.

Antidote: call physician. External: wash with water. Internal: drink raw egg, milk, or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water).

Store in cool, dry place. Keep closed when not in use. Keep away from heat, fire, and combustible materials.

CAUTION: Irritating to eyes, skin and lungs unless used as directed.

WARNING: Strong Oxidizing Agent

Contact with heat, friction, moisture, foreign materials, or contamination from any source, may result in fire. Never mix with other materials. Harmful if swallowed. Avoid contact with skin and eyes.

U.S.D.A. Registration No. 4829-4

**Use Only a Clean, Dry Spoon or Scoop Made of Metal,
Ceramic, Plastic or Glass**

Use 2 teaspoons of Clor Aid powder per 1000 gallons of water. Distribute required amount daily over water surface. If desired, Clor Aid may be stirred into a sprinkler can or pan of water, allowed to settle for several hours and the clear liquid spread over the pool. During extreme heat or with heavy bather load, add proper amount of powder every 2 hours. Test water at regular intervals using COASTAL TEST KIT (available at your dealer) to insure required chlorine content of .6 to 1.0 p.p.m.

Because this product contains over 10% available chlorine, we must (by law), label it "Poison." Recommended solutions are not classified as poisonous.

Antidote: call physician. External: wash with water. Internal: drink raw egg, milk, or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water).

Store in cool, dry place. Keep closed when not in use. Keep away from heat, fire, and combustible materials.

CAUTION: Irritating to eyes, skin and lungs unless used as directed.

WARNING: Strong Oxidizing Agent

Contact with heat, friction, moisture, foreign materials, or contamination from any source, may result in fire. Never mix with other materials. Harmful if swallowed. Avoid contact with skin and eyes.

U.S.D.A. Registration No. 4829-4



BACTERICIDE • DISINFECTANT

NET WEIGHT: 7 $\frac{3}{4}$ POUNDS

Active Ingredient:	
Calcium Hypochlorite	70%
Inert Ingredients	30%

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTAMINATION OF FOOD.

COASTAL

Use Only a Clean, Dry Spoon or Scoop Made of Metal,
Ceramic, Plastic or Glass

Use 2 teaspoons of Clor Aid powder per 1000 gallons of water. Distribute required amount daily over water surface. If desired, Clor Aid may be stirred into a sprinkler can or pail of water, allowed to settle for several hours and the clear liquid spread over the pool. During extreme heat or with heavy bather load, add proper amount of powder every 2 hours. Test water at regular intervals using COASTAL TEST KIT (available at your dealer) to insure required chlorine content of .6 to 1.0 p.p.m.

Because this product contains over 10% available chlorine, we must (by law), label it "Poison." Recommended solutions are not classified as poisonous.

Antidote: call physician. External: wash with water. Internal: drink raw egg, milk, or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water).


Store in cool, dry place. Keep closed when not in use. Keep away from heat, fire, and combustible materials.

CAUTION: Irritating to eyes, skin and lungs unless used as directed.

WARNING: Strong Oxidizing Agent

Contact with heat, friction, moisture, foreign materials, or contamination from any source, may result in fire. Never mix with other materials. Harmful if swallowed. Avoid contact with skin and eyes.

U.S.D.A. Registration No. 4829-4



BACTERICIDE • DISINFECTANT

NET WEIGHT: 7 1/4 POUNDS

Active ingredient:
Calcium Hypochlorite

70%
30%

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTAMINATION OF FOOD.