

105-5185-301

111-31

112175

1971



STOW-AWAY

STOW-AWAY

LEMON SCENTED

- CLEANER ■ DISINFECTANT
- DEODORANT ■ MILDEWSTAT
- PATHOGENIC FUNGICIDE

- POOL COVER CLEANER AND DEODORIZER
Lubricates, preserves and prolongs life and appearance of color
- HOSPITAL DISINFECTANT AND CLEANER
- SHOWER-LOCKER ROOM DISINFECTANT
- GENERAL USE DISINFECTANT CLEANER AND DEODORANT

KILLS STAPH, SALMONELLA AND ATHELETE'S FOOT FUNGUS ON ENVIRONMENTAL SURFACES AT ALL RECOMMENDED USE DILUTIONS.
PSEUDOMONICIDAL AT 5 OZ/GALLON

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 58%, C ₁₆ , 28%, C ₁₂ , 14%)	2.00%
dimethyl benzyl ammonium chloride	0.50%
Trisodium phosphate	0.50%
Sodium metasilicate, anhydrous	0.07%
Ethylenediamine tetraacetic acid, tetrasodium salt	3.67%
Total Active	96.43%

INERT INGREDIENTS: 100.00%

TOTAL INGREDIENTS 100.00%

Manufactured by BIO-LAB, INC. Decatur, Ga.

WARNING

KEEP OUT OF REACH OF CHILDREN
(See First Aid and other Precautions on side panel.)

EPA Reg. No. 5185-301 EPA Est. No. 5185-GA-1

NET CONTENTS: 1 U.S. Quart (0.94 liters)

EACH GRADUATION REPRESENTS APPROXIMATELY 1 OZ.

This Disinfectant is effective against a wide variety of gram-positive and gram-negative bacteria and fungi.

This Disinfectant is also an excellent deodorant. It is especially advantageous to control odors that are bacterial in origin.

This Disinfectant mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Has a pleasant lemon odor.

DIRECTIONS

As a General Cleaner and Deodorant: Remove gross soils and debris with a clean water flush where practical. Using a mop, brush, cloth or sponge, scrub the surface with a solution containing 3 to 8 ounces of Stow Away per gallon of water. Rinse with clean water. This leaves the surface clean and deodorized. Follow appropriate directions below for disinfection. This is an excellent cleaner for pool decking and patios. It removes algae and slime and aids in their control.

Disinfection in Hospitals, Veterinary Clinics and related Medical Areas: Prepare disinfecting solution containing 5 oz. Stow Away per gallon of water and, using a clean cloth, mop or sponge, thoroughly wet surfaces to be disinfected. For contagion areas, use 8 oz. Stow Away per gallon of water.

General Disinfection in homes, schools, locker rooms, barber shops and showers. With a clean cloth, brush or sponge, thoroughly wet surfaces to be disinfected with a solution containing 3 oz. per gallon of Stow Away.

Deodorizing Garbage Cans, Waste Receptacles, etc. Use a solution of 16 oz. per gallon of water. Thoroughly wet all surfaces.

Cleaning and Deodorizing Pool Covers: Remove cover from pool and spread it over a clean surface (driveway or patio). Flush away leaves and debris with a garden hose. Apply Stow Away liberally from the flip top bottle and scrub with a brush, preferably your nylon bristle pool brush with telescopic pole. Flush away loosened soils with water. Allow cover to dry, as thoroughly as practical. Flush away any spills of Stow Away from patio or lawn areas with copious amounts of water from a garden hose.

ENVIRONMENTAL SURFACES CONTACTING FOOD MUST BE THOROUGHLY RINSED WITH POTABLE WATER PRIOR TO REUSE.

WARNING

KEEP OUT OF REACH OF CHILDREN

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

STORAGE AND DISPOSAL: Rinse empty container thoroughly with water and discard it.

EPA Est No 5185 GA 1

105-5185-301
as ordered for the pesticide
d. Rodenticide A
Total Insecticide
NOV 26 1980
ACCEPTED

Net 1.0 Quart (0.94 liters) of disinfectant. Contains 3.67% active ingredients. For use as a general cleaner and deodorant. For disinfection, use 3 to 8 ounces per gallon of water. For pool cover cleaning, use 16 ounces per gallon of water. For general disinfection in homes, schools, locker rooms, barber shops and showers, use 3 ounces per gallon of water. For deodorizing garbage cans, waste receptacles, etc., use 16 ounces per gallon of water. Thoroughly wet all surfaces. Environmental surfaces contacting food must be thoroughly rinsed with potable water prior to reuse. Keep out of reach of children. (See First Aid and other Precautions on side panel.) EPA Reg. No. 5185-301 EPA Est. No. 5185-GA-1 NET CONTENTS: 1 U.S. Quart (0.94 liters)

ACTIVE INGREDIENT:

Alkyl (58% C₁₄, 28% C₁₆, 14% C₁₂)
Dimethyl benzyl ammonium chloride.....0.68%
INERT INGREDIENTS.....99.32%
Total 100.00%
(Contains Alcohol)

NET CONTENTS:

- MINT SCENTED DISINFECTANT
- MAXIMUM CLEANING
- FOR FLOORS, SINKS, URINALS
SHOWERS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Remove gross filth and heavy soil deposits, then thoroughly wet surfaces as recommended and required.
Mix one part disinfectant with 9 parts of water. Use softened water, and apply with a clean, detergent free, soap free, brush or cloth. Allow 10 minutes contact time in a single application. The recommended use solution is prepared fresh for each use and then discarded.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. To protect eyes, wear goggles or face shield, and to protect skin, wear rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: IF IN EYES, flush with plenty of water for 15 minutes. Get medical attention. IF ON SKIN, wash with plenty of water for 15 minutes. Get medical attention. IF SWALLOWED, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Get immediate medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Not Reviewed. Registrant claims to be in accordance with...
Registration of the active ingredient...
Response Page 212. Advice to Next Generation...