

A) DIRECTIONS FOR USE:

For initial treatment add a shock dose of clor-x-tra until a residual of 1.0 ppm chlorine is obtained. Thereafter, add 2 ozs. (I packet) per 10,000 gallons of water daily or as needed to maintain 0.6 to 1.0 ppm residual chlorine, using a Coastal Swimming Pool Test Kit. For average pool conditions, this quantity will be 2 ozs. (I packet) per 10,000 gallon every other day. Pool water should be maintained at pH of 7.2 to 7.6 for best results.

B) POISON: ANTIDOTE:

EXTERNAL - Wash thoroughly with water. For eyes get prompt medical attention.

INTERNAL - Give milk, water, egg whites. CALL PHYSICIAN IMMEDIATELY.

c) WARNING:

⟨}

Strong oxidizing agent, never mix with any other material in dry or liquid form before addition to pool. Contact with heat, moisture, foreign materials or contamination from any source may result in fire. Will burn in evolution of chlorine and equally toxic acid gases. May be fatal if swallowed. May cause skin irritation.

D) <u>ACTIVE INGREDIENTS</u>:

Potassium	Dichloro-s-triazinetrione100	%
Available	Chlorine	0/

ACCEPTED

JUN 12 1968

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO COMMENTS.

COASTAL CHEMICAL CORP. GARFIELD, N. J.

A) DIRECTIONS FOR USE:

For initial treatment add a residual of 1.0 ppm chl add 2 ozs. (1 packet) per as needed to maintain 0.6 a Coastal Swimming Peal T this quantity will be 2 o other day. Pool water sh 7.6 for best results.

B) POISON: ANTIDOTE:

EXTERNAL - Wash thoroughly medical attent

INTERNAL - Give milk, water IMMEDIATELY.

C) WARNING:

Strong oxidizing agent, ne dry or liquid form before heat, moisture, foreign me source may result in fire, and equally toxic acid gas May cause skin irritation.

D) ACTIVE INGREDIENTS:

Potassium Dichloro-s-triaz

Available Chlorine.....