

## DIRECTIONS FOR USE

### INITIAL TREATMENT:

PERMACIDE LIQUID

PERMANENT ALGAEICIDE\*

Must be added to water free of visible algae. To insure this condition, super chlorinate pool and maintain this condition for several hours. Then add PERMACIDE, algaeicide, to pool water as indicated in dosages below. Allow the chlorine residual to settle back to normal before resumption of swimming.

DOSAGE: For initial treatment upon filling pool—use:

One gallon for each 10,800 gallons

One half gallon for each 5,400 gal

One quart for each 2,700 gal

One cupful for each 675 gallons

Using the dosage recommended above, pour the proper amount by pouring it in the pool as you walk around the outside edge.

\*Permanency approximately one month, depending on weather conditions and bather load.

CAUTION: HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. AVOID CONTAMINATION OF FOODS.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT. AVOID CONTACT WITH SKIN AND EYES.

Toxic to fish. Do not discharge effluent into lakes, streams, or ponds.

MADE AND PRINTED IN U.S.A. 10161 E

E.P.A. Registration No. 4829-30

**FOR SWIM AND SPLASHER P**

**liquid  
permanent**

**algaeicide**



**SWIM AND SPLASHER POOLS**

**FOR SWIM AND SPLASHER POOLS**

Permacide  
liquid  
permanent  
**algaeicide**



**OR SWIM AND SPLASHER POOLS**