

[4829-32]

# COASTAL

FEDERAL REGISTER

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
Harmful if swallowed

CALL PHYSICIAN IMMEDIATELY. See anti-  
dote. Avoid spraying directly on feedstuffs.  
Do not apply directly on any vegetable.  
Do not spray into or near live animals.  
Do not use in poultry houses.

Do not apply as a space spray in a processing plant while plant is in operation. Use as a surface contact spray in a processing plant remove or protect feed and treatment. After treatment wash with potable water all equipment, benches, clothing, etc.

Do not reuse empty drum. Return to original manufacturer or distributor for proper disposal.

For information on toxicology, contact the manufacturer or distributor.

## NOTICE

For information on toxicology, contact the manufacturer or distributor.

## ANTIDOTE

EXTERNAL: Wash with cool spray water.  
INTERNAL: Administer soap solution to induce vomiting. Administer vegetable oil to reduce gastrointestinal absorption.

EYES: Flush with fresh water for at least 15 minutes.

For information

# Bug Killer

## DIRECTIONS INDOOR SPRAY

FOR CONTROL OF FLIES, MOSQUITOES, GNATS AND ADULT MOTHS in homes, food establishments, farm buildings and warehouses. Close all windows and close all ventilators. Direct the mist or fog upward toward the center of the room and around the sides until the room is filled with fog or mist particles. Repeat every 10 to 15 minutes. Clear away flying house insects.


Flies should be extinguished. Cover or remove plants before treatment. Avoid spraying on any foliage to contact foliage. Plants which might be affected by the fog should be again treated after and removed after treatment of foliage.

FOR CRAWLING INSECTS, ROACHES, SILVERFISH, EXPOSED WEAVILS AND FLOUR AND GRAIN BEETLES. Set equipment to deliver a coarse spray. Direct the spray to hit as many insects as possible and to penetrate areas to the point of misting to penetrate hiding places. If ANT is used, be sure that doors and windows are thoroughly closed and that all cracks and holes near the building are caulked. Check the building's foundation for holes, spraying these cracks and patches them if possible.

HOW TO USE: Direct spray at insects. Do not spray heavily on walls or webs. The most effective web control is to remove webs manually. Do not spray on animals returned to the host.

FOR CONTROL OF CARPET BEETLES: Clear floors, carpets and fabrics to be treated. Spray both surfaces of carpets, not from underneath events with a few dust particles. Particular attention should be paid to cracks and crevices around the dry boards.

ANIMAL SPRAY FOR HORNS, SCALDS AND BEEF CATTLE: Use product in a stable, barn, paddock, pasture, etc. Spray the animal against the grain of the hair. Do not spray on the face of the animal. Do not spray on the eyes, ears, nose, mouth, or genital area. Do not spray on the skin of the animal. Do not spray on the skin of the animal.



## DIRECTIONS OUTDOOR SPRAY

Use product in a spray nozzle. Do not spray directly on the face of the animal. Do not spray on the eyes, ears, nose, mouth, or genital area. Do not spray on the skin of the animal. Do not spray on the skin of the animal.

Do not spray flowers and ornaments. If clear fog, allow fog to contact desirable plants. Direct spray away from the swimming pool.

