CHEMICAL PROPERTIES

Contains 56% Available Chiorine - 50.4% 2,4,6, Trihydroxy-s-Triazinetrione

EASILY SOLUBLE IN ALL POOL WATER · LONG LASTING CHLORINE RESIDUAL · KEEPS WATER SPARKLING CLEAR NO CLOUDY BUILD-UP

DANGER:

KEEP OUT OF REACH OF CHILDREN. Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing, firstating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID:

If swallowed, feed gruel, cooked cereal or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER:

STRONG OXIDIZING AGENT. Mix only with cold water like clean, dry utensils. Contamination by moisture, organic matter or other chemicals may liberate hazardous gases. Store in cool, dry, well ventilated area away from heat or open flame. Decomposes at 3509-4759F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Do not reuse empty container thoroughly with water before discarding.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Treated effluent should not up at a targed where it will draw into takes, streams, ponds or public waters. Do not a man mate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

MADE & PRINTED IN U.S.A. E.P.A. Reg. No. 4829-54

MLKJI E PA Est. No. 4829-NJ-1




DIRECTIONS FOR USE

Iso Clor Tablets are to be used as a disinfectant and algae control in pool water. For initial treatments of swim pools free of visible algae growth, use 12 tablets of Iso Clor per 1,000 gallons of pool water. This dosage will provide about 8.75 ppm. (parts per million) of chlorine to help satisfy the water's chlorine demand. Do not use the pool until the chlorine residual drops below 2.0 ppm. For subsequent use, add 1 to 2 tablets per 1,000 gallons of water daily or as needed as determined by chlorine test kit to maintain a 1.0 to 1.5 ppm. residual chlorine. Check water for chlorine content at regular intervals. During extreme heat or with heavy bather load, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results. For use in wader and splasher pools recommended dosage is at the rate of 5 tablets per 750 gallons of water every day. Six Iso Clor tablets weigh one ounce.

Iso Cloru

Super Chlornation Chlornation tablets





DANGER:

KEEP OUT OF REACH OF CHILDREN. See Antidote and Precautions on Back Panel.

ACTIVE INGRED Sodium Dichloro-s-Dihydrate.