


**ISO CLOR :
CHLORINE POWDER
DAILY NORMAL
MAINTENANCE
DOSAGE CHART**

Pool Size	Gallon Capacity	Dose Weight
8'x20'	650	1/2 oz
10'x30'	1,475	3/4 oz
12'x36'	2,550	1 1/2 oz
15'x48'	5,300	2 3/4 oz
18'x48'	7,600	4 oz
24'x48'	13,500	6 1/2 oz

**DO NOT MIX WITH ANY
POOL CHEMICAL**


**COASTAL
CHEMICAL CO.
CARLSTADT, N.J. 07072**
DIVISION COASTAL INDUSTRIES, INC.

DIRECTIONS FOR USE

Iso Clor Powder is to be used as a disinfectant and algae control in pool water. Distribute Powder over extensive area of pool water surface. Do not use with Floating type Dispensers. For initial treatments of swim pools free of visible algae growth, use 2 to 4 ozs. of Iso Clor by weight (1 1/4 fluid ounces, fluid measure) per 1000 gallons of water. After treatment bathers should not be allowed to enter the pool until the chlorine residual falls to 2 ppm. or less. For subsequent use, add 5 ounces of Iso Clor daily per 10,000 gallons of water or as needed as determined by chlorine test kit to maintain 1.0 to 1.5 ppm. (parts per million), residual chlorine. Check water for chlorine content at regular intervals. During extreme heat or with heavy bather load, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results. One ounce of Iso Clor by weight equals 1.15 fluid ounces. For use in wader and splasher pools recommended dosage is at the rate of 1/2 ounce of Iso Clor per 750 gallons of water every day. Maintain a chlorine residual of 1.0 to 1.5 ppm. as determined by Chlorine Test Kit.

CHEMICAL PROPERTIES

CONTAINS 35% AVAILABLE CHLORINE - 17.8% SODIUM AS Na_2O -4, 6% PHOSPHEROUS AS P_2O_5 .

EASILY SOLUBLE IN ALL POOL WATER
NO ACID/ALKALI BUILD-UP LONG LASTING CHLORINE RESIDUAL
FORTIFIED WITH WATER SOFTENERS

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

MADE & PRINTED IN U.S.A.

E.P.A. Reg. No. 4829-50

E.P.A. Est. No. 4829-NJ-1

LKJH

ACCEPTED

4829-50

DEC 29 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.

CH

NET WT.: 4 LBS. AVDP

DANGER:
KEEP OUT OF REACH
CHILDREN. See Precautions and First Aid on Panel.

DIRECTIONS FOR USE

For instant and algae control in pool water. Distribute Powder over extensive area of swimming pool. For initial treatments of swim pools free of visible algae, add 1 1/2 fluid ounces (fluid measure) per 1000 gallons of water. After treatment, test pool until the chlorine residual falls to 2 ppm. or less. For subsequent use, add 5 fluid ounces of water or as needed as determined by chlorine test kit to maintain 1.0 to 1.5 ppm. Check water for chlorine content at regular intervals. During extreme heat or drought, check every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results. One ounce per 1000 gallons. For use in wader and splasher pools recommended dosage is at the rate of 1 ounce every day. Maintain a chlorine residual of 1.0 to 1.5 ppm. as determined by

CHEMICAL PROPERTIES

AVAILABLE CHLORINE - 17.8% SODIUM AS Na_2O 4.6% PHOSPHOROUS AS P_2O_5

EASILY SOLUBLE IN ALL POOL WATER

BUILD-UP LONG LASTING CHLORINE RESIDUAL

FORTIFIED WITH WATER SOFTENERS

OF CHILDREN. Corrosive, causes eye damage. May be fatal if swallowed. Do not use on clothing. Irritating to nose and throat. Avoid breathing dust. May cause skin irritation.

Wash hands after handling. If swallowed, give 1 cup of milk, followed by olive oil or cooking oil. In case of eye contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. Remove and wash contaminated clothing before reuse.

CAUTION: Mix only with water. Use clean dry utensils. Contamination by moisture or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area. Do not heat or open flame. Decomposes at 350°-475°F with liberation of harmful fumes. If possible, isolate container in open air. Flood with large amounts of water. Tighten lid when not in use. Rinse empty container thoroughly with water before discarding.

Disposal: Treated effluent should not be discharged where it will drain into lakes, streams, or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of product only as specified on the label.

A. Reg. No. 4829-50

E.P.A. Est. No. 4829-NJ-2

LKJH

ACCEPTED

4829-50

DEC 23 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO.

Iso ClorTM

Super

STABILIZED

chlorinating
powder



NET WT.: 4 LBS. AVDP.

BACTERICIDE

algaeicide

DISINFECTANT

DANGER:

KEEP OUT OF REACH OF
CHILDREN. See Precau-
tions and First Aid on Back
Panel.

ACTIVE INGREDIENTS:

Sodium Dichloro-s-Triazinetrione Dihydrate 64.0%

Alkyl (C₁₄ 95%, C₁₂ 3%, C₁₆ 2%)

Dimethyl Benzyl Ammonium Chlorides 1.0%

INERT INGREDIENTS: 35.0%

100.0%

19A