

PM 32

4829-53

24

MAR 28 1990

Coastal Industries
225 Passaic Street
Passaic, N.J. 07055

Attn: Barbara A. Hoffmann

Subject: Product Name: Iso Clor II Super Stabilized Chlorinating Granules
EPA Reg. No.: 4829-53
Amendment of: January 29, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted before you release the product for shipment.

Sincerely yours,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (E7505C)

58538:I:Pringle:K-8:KENCO:3/26/90:4/26/90:dg:sw:vo:dd:dg

CONCURRENCES							
SYMBOL	H7504C						
SURNAME	Pringle						
DATE	3-26						

200/4

Iso Clor II
super
STABILIZED
chlorinating
granules

ACCEPTED
with COMMENTS
to EPA Letter Dated:

MAR 28 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the product
registered under EPA

4829-53

COASTAL

BACTERICIDE
algaeicide
DISINFECTANT

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate.....	99.3%
INERT INGREDIENTS.....	0.7%
	Total 100.0%
Available Chlorine Content.....	56.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautions and statement
of practical treatment.

Net Weight: 4½ lbs. (1.927 kg)

Faint, illegible text or markings at the bottom right of the page.

CHEMICAL PROPERTIES

Contains 56% Available Chlorine · Contains 50.4% 2,4,6 Trihydroxy-s-triazinetriene
Easily Soluble in All Pool Water · No Cloudy Buildup
Long Lasting Chlorine Residual · Keeps Water Sparkling Clear

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Iso Clor II Super Stabilized Chlorinating Granules is used as a disinfectant and algae control in pool water. For initial treatments of swimming pools free of visible algae growth, use 2 ounces of Iso Clor II Granules per 1,000 gallons of pool water. This dosage will provide about 8.75 ppm (parts per million) of chlorine to help satisfy the water's chlorine demand. Do not use the pool until the chlorine residual drops below 2.0 ppm. For subsequent use, add 1/8 to 1/4 oz. per 1,000 gallons of water daily or as needed as determined by a chlorine test kit to maintain a 1.0 to 1.5 ppm residual chlorine. Check water for chlorine content at regular intervals. During extreme heat or with heavy bather load, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results. Always distribute granules over an extensive area of pool water surface.

For use in wader or splasher pools, the recommended dosage is at the rate of 1/2 ounce per 750 gallons of water every day.

ISO CLOR II
SUPER STABILIZED
CHLORINATING GRANULES
DAILY NORMAL
MAINTENANCE
DOSAGE CHART

POOL SIZE	GALLON CAPACITY	DOSE WEIGHT
10' x 30"	1475	1/2 oz.
12' x 36"	2550	3/4 oz.
15' x 48"	5300	1-1/2 oz.
18' x 48"	7600	2 oz.
24' x 48"	13,500	3-1/2 oz.

DO NOT MIX WITH ANY OTHER CHLORINATING PRODUCT!
DO NOT USE IN FLOATING DISPENSER!

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear rubber gloves and goggles or face shield when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If on skin, brush off excess chemical and flush skin with water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, immediately flush with cold water for at least 15 minutes. Get immediate medical attention. If inhaled, remove person to fresh air. Get immediate medical attention. If swallowed, promptly drink large quantities of water. DO NOT induce vomiting. Call physician immediately.

PHYSICAL AND CHEMICAL HAZARDS

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use only thoroughly clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your regional office of the E.P.A.

STORAGE AND DISPOSAL

Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large volumes of water to dissolve all material before discarding in trash. Do not reuse empty container. Rinse thoroughly before discarding in trash. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

E.P.A. Reg. No. 4829-53

Made & Printed in U.S.A.

E.P.A. Est. No. 4829-NJ-1

COASTAL INDUSTRIES
225 Passaic Street
Passaic, NJ 07055