PM 3 2 4929-54 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 1 6 1991

1045

Coastal Industries 225 Passaic Street Passaic, NJ 07055

Attention: Barbara A. Hoffmann Regulatory Manager

Subject: Iso Chlor II Super Stabilized Chlorinating Tablets EPA Registration No. 4829-54 Tarry Once A Week Chlorinating 2-2/3 oz. Tablets EPA Registration No. 4829-86 Tarry Long-Lasting Chlorinating 1/6 oz. Tablets EPA Registration No. 4829-67 Tarry Long-Lasting Chlorinating 7 oz. Tablets EPA Registration No. 4829-74 Tarry Long-Lasting Chlorinating 7 oz. Sticks EPA Registration No. 4829-75 Your Submission Dated March 25, 1991

Dear Ms. Hoffmann:

(

This is in response to your revised labeling resubmitted in response to the Agency letter dated December 12, 1990.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments below. A stamped copy of each label is enclosed for your records.

1. The label for EPA Reg. No. 4829-75 must include a net contents statement.

2. Submit five copies of each product's finished labeling before you release the product for shipment.

CONCURRENCES								
SYNBOL								
BURHAME	{ ·				*****			
DATE					*************	*********************		• • • • • • • • • • • • • • • • • • • •
SPA Form	320-1 (12-74)	والمسيبية ويسترجم والمترك المرجو والمتك	44.5.CP0:1989-424-485/18184				OFFICIAL FILE COPY	

If you have any questions about these comments, you may call Wallace Powell at 703-557-6938.

Sincerely,

Ruth G. Douglas Acting Product Manager (32) Antimicrobial Program Branch Registration Division (H-7504C)

;

2015

Enclosures

• •

(

(

# Iso Clor II

### super

# STABILIZED CHLORINATING TABLETS

### BACTERICIDE • ALGAECIDE • DISINFECTANT

#### ACTIVE INGREDIENT:

**, 1** 

(

{

un dichloro-s-triazinetrione	dihydrate99.0%
INGREDIENTS	
	Total 100.0%

# KEEP OUT OF REACH OF CHILDREN DANGER

## STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF ON SKIN: Brush off excess chemical and flush skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention. IF IN EYES: Immediately flush with plenty of cold. water for at least 15 minutes. Get immediate medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF SWALLOWED: Promptly drink large quantities of water. DO NOT induce vomiting. Call physician immediately.

See back panel for additional precautions.

NET WEIGHT:  $4\frac{1}{2}$  lbs. (1.927 kg)

ACCEPTED with COMMENTS In EPA Letter Dated:

SEP 1 6 1991

Under the Federal Insectionie, Pungicide, and Rudenticals. Act as amended, for the proceeder approximation of the proceeder

4829-54 page 2

### CHEMICAL PROPERTIES

Contains 56% Available Chlorine • Contains 50.4% 2,4,6 Trihydroxy-s-triazinetrione Easily Soluble in All Pool Water • No Cloudy Buildup Long Lasting Chlorine Residual • Keeps Water Sparkling Clear

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Iso Clor II Super Stabilized Chlorinating Tablets are to be used as a disinfectant and algae control in pool water. For initial treatment of swim ppols free of visible algae growth, use 12 tablets fo Iso Clor II per 1,000 gallons of pool water added to a floating dispenser. This dosage will provide about 8.75 ppm (parts per million) of chlorine to help satisfy the water's chlorine demand. Do not use the pool until the chlorine residual drops below 2.0 ppm. For subsequent use, add 1 to 2 tablets per 1,000 gallons of pool water daily or as needed as determined by a PoolChem test kit to maintain a 1.0 to 1.5 ppm residual chlorine. Check water for chlorine content at regular intervals. During periods of heavy rainfall, extreme heat or heavy bather load, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results.

For use in wader and splasher pools, the recommended dosage is at the rate of 5 tablets per 750 gallons of water every day. Six iso Clor II tablets weigh one ounce.


POOL SIZE	GALLON CAPACITY	TABLETS	
8' x 20"	650	1	
10' x 30"	1475	2	
12' x 36"	2550	4	
15' x 48"	5300	7	
18' x 48"	7600	10	
24' x 48"	13500	17	

ISO CLOR CHLORINATING TABLETS DAILY NORMAL MAINTENANCE DOSAGE CHART

DO NOT MIX WITH ANY OTHER CHLORINATING PRODUCT!

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Irritating to mose and threat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.



#### PHYSICAL AND CHEMICAL HAZARDS

DANGER: SIRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to di solve all material before discarding container.

#### ENVIRONMENTAL HAZAPDO

This pesticide is toxic to fish. Do not discharg 'uent containing this product into lakes, streams, ponds, estuaries, oceans or : waters unless this product is specifically identified and addressed in an NF effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

#### STORAGE AND DISPOSAL

(

Keep this product dry in a tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. In case of decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. E.P.A. Reg. No. 4829-54

E.P.A. Est. No. 4829-NJ-1

Made & Printed in U.S.A.

COASTAL INDUSTRIES 225 Passaic Street Passaic. NJ 07055

ACCEPTED WE COMMENTS In KPA Lawer Detect SEP 1 6 1991 Factoral Ins Ruder