EPA REGISTRATION NO. **US ENVIRONMENTAL PROTECTION AGENCY** 114 4629-57 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT REGISTRATION NOTICE OF PESTICIDE: REREGISTRATION Guardian Culorinating Granules and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) г Coastal Industries, Inc. 130 Jony Drive P.O. Box 0817 Carlstadt, NJ 07972 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others, Dased on your response to the General Accompanion Standard - "Guida ocfor the Pegistration and Poregistration of Pesticide Products Containing Sodium or Calcius sypodilority as the Jole Active Ingrement"--issue. Pebruary 1936 and revised April 1936, 1PA has rengistered the product listed above in accordance with FIFR's section 3(g). Your amended label has then stamped approved and a copy is enclisely You must incorporate any comments noted on your label. Inis label must be or products released for suspent within 1 year or by the next law 1 printing, whichever occurs first. This label must also appear on all supplemental remistrations within 1 year of this Notice of Reregistration or at the next label printing, whichever occurs first.

Your product ments the criteria for reregistration under this Standard. Failure to comply with this Standard may result in the Agency's issuance of a Notice of Intent to Cincel the registration under FIFRA section 6(b)(1).

Jeyf Kempter
Product Manager (32)
Disinfectants Branch

Registration Division (TS-707C)

ะก	c1	วรบ	re
----	----	-----	----

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Purgle 9/8

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

91906: I: Pring le: P-4: KENCO: 09/03/87: 09/11/87: teg: vo: ek: tg

## (FRONT PANEL)

20

# Guardian Chlorinating Granules

For use as a Bactericide and Algaecide


65% Available Chlorine for Swimming Pool Sanitation

Active Ingredient:
Calcium Hypochlorite .....6.2..

KEEP OUT OF REACH OF CHILDREN

DANGER: See Additional Precautionary and First Aid Statements on Back Panel

NET WEIGHT



### (BACK PANEL)

### Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Coastal Guardian Chlorinating Granules is a concentrated chlorine agent in a dry, free-flowing form Guardian Chlorinating Granules controls the growth of algae and effectively kills many bacteria, thereby helping to keep the pool in sanitary condition. Use clean, dry scoop to measure Guardian Granules.

## READ PRECAUTIONARY STATEMENTS BEFORE USE!

INITIAL CHLORINATION: For new pools, spring start-up or superchlorination, add 1-2 oz. of Guardian Chlorinating Granules per 1,000 gallons of pool water to yield 5-10 ppm available chlorine. After 1 hour, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), reseat dosage until 1-3 ppm is obtained. For best results, prepare a solution (1 oz. of granules per ½ gal. of water) or scatter granules over a wide area of pool water surface. Do not enter pool until chlorine residual is between 1.0 to 3.0 ppm.

ROUTINE CHLORINATION: Add 2 oz. of Guardian Granules per 10,000 gallons of pool water by sprinkling the granules over a wide area of pool water surface to yield an available chlorine residual of 0.6-1.0 ppm by weight. Stabilized pools should maintain a chlorine residual of 1.0-1.5 ppm. Using a Coastal Test Kit as a guide, maintain the pH of the pool water at 7.2 to 7.6. If the pH is below 7.2, add Coastal pH Plus in accordance with its label directions. If the pH is higher than 7.6, lower the pH with the addition of Coastal pH Minus, following label directions. Frequency of water treatment will depend upon temperature, bather load and amount of water flow.

SUPERCHLORINATION: Once a week, or if algae is present, superchlorinate pool water by adding 1-2 oz. per 1,000 gallons of pool water. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual returns to 1-3 ppm.

TO DETERMINE POOL CAPACITY (IN U.S. GALLONS)

Rectangular or Square Pools - Multiply length x width x average depth (all in feet) x 7.5 = Gailon

Circular Pools - Multiply diameter x diameter x average depth (all in feet) x 5 4 = Gallons

Oval Pools - Multiply length x width x average depth (all in feet) x 6.6 ••• Callons

WINTERIZING: While water is still clean and clear, apply 0.6 oz. of Guardian Granules per 1,000 gallons of pool water, while filter is running. Cover and close pool in accordance with manufacturers instructions.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

#### PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violet reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

### STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If contact with eyes occurs, flush with cold water for at least 15 minutes. Get Medical Attention. If contact with skin occurs, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, steams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency. ...

Coastal Chemical Co.
Div: Coastal Industries, Inc.
Carlstadt, NJ 07072

EPA Reg. No.

EPA Est. No.

REREGISTRATION (Under the Federal Insecticide, Fungicide, and then end of that they are no let and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) 7 \_ Poastal Industries, it . 130 Jon, Dr. W. Sar: +arr, 33 - 7 /2 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. and the contract of the contra on the Coperation, and the contraction tells of the Community of socium os fall, in repect into a trouble to footbe limite in the second Chrusin to be a lovered him to be, the congisters to give at listed apove in accordance with Figh section 3(q). Thur and Bell Meet and the estimated agreement and a compact such as 3. for the transfer extension of the state of the poor labels was as a const and the state of t SMINTER NOT SERVICE SERVICE SERVICES A Commence of the Commence of supplied the larger of the control of the larger of the control of And the state of the s the control of the second of t may be a few or a second of the second ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL DATÉ EPA Form \$570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED. 91906: I: Pring le: P-4: KENCO: 09/03/87: 09/11/87: teg: vo: ek: tq Purgle 9/8

344

# (FRONT PANEL)

# Guardian Chlorinating Granules

For use as a Bactericide and Algaecide

65% Available Chlorine for Swimming Pool Sanitation


Active Ingredient:

Calcium Hypochlorite .....65% Inert Ingredients ......35% Available Chlorine ......65%

KEEP OUT OF REACH OF CHILDREN

DANGER: See Additional Precautionary and First Aid Statements on Back Panel

NET WEIGHT



. . . . . .

GUARDIAN GRANULES
Page 2

## (BACK PANEL)

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Coastal Guardian Chlorinating Granules is a concentrated chlorine agent in a dry, free-flowing form Guardian Chlorinating Granules controls the growth of algae and effectively kills many bacteria, thereby helping to keep the pool in sanitary condition. Use clean, dry scoop to measure Guardian Granules.

# READ PRECAUTIONARY STATEMENTS BEFORE USE!

INITIAL CHLORINATION: For new pools, spring start-up or superchlorination, add 1-2 oz. of Guardian Chlorinating Granules per 1,000 gallons of pool water to yield 5-10 ppm available chlorine. After 1 hour, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), repeat dosage until 1-3 ppm is obtained. For best results, prepare a solution (1 oz. of granules per ½ gal. of water) or scatter granules over a wide area of pool water surface. Do not enter pool until chlorine residual is between 1.0 to 3.0 ppm.

ROUTINE CHLORINATION: Add 2 oz. of Guardian Granules per 10,000 gallons of pool water by sprinkling the granules over a wide area of pool water surface to yield an available chlorine residual of 0.6-1.0 ppm by weight. Stabilized pools should maintain a chlorine residual of 1.0-1.5 ppm. Using a Coastal Test Kit as a guide, maintain the pH of the pool water at 7. to 7.6. If the pH is below 7.2, add Coastal pH Plus in accordance with its 1. bel directions. If the pH is higher than 7.6, lower the pH with the addition of Coastal pH Minus, following label directions. Frequency of water treatment will depend upon temperature, bather load and amount of water flow.

SUPERCHLORINATION: Once a week, or if algae is present, superchlorinate pool water by adding 1-2 oz. per 1,000 gallons of pool water. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual returns to 1-3 ppm.

TO DETERMINE POOL CAPACITY (IN U.S. GALLONS)

Rectangular or Square Pools = Multiply length x width x average depth (all in feet) x 7.5 (34) lons

Circular Pools - Multiply diameter x diameter x average depth (all in feet)  $\sqrt{5.9\%}$  Gallains

eval Pools - Multiply length x width x average depth (all in feet) a fact of all engine

WINTERIZING: While water is still clean and clear, apply 0.6 oz. of Gard Dan Granules per 1,000 gallons of pool water, while filter is running. Cover and close pool in accordance with many facturers instructions.

GUARDIAN GRANULES
Page 3

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

# PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violet reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

## STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If contact with eyes occurs, flush with cold water for at least 15 minutes. Get Medical Attention. If contact with skin occurs, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, steams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency. ...

Coastal Chemical Co.

Div: Coastal Industries, Inc.

Carlstadt, NJ 07072

FPA Reg. No.

FPA Est. No.