

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER: Highly corrosive. Can cause serious damage if it gets in your eyes. Do not get in your eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Protecting to nose and throat. Avoid breathing dust. Remove contaminated clothing before removal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only in stainless steel, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction or lead to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal the container. If possible, isolate container in open or well ventilated area. Flood with large volume of water, if necessary.

PRACTICAL TREATMENT

FIRST AID: If swallowed, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in cool, dry, well ventilated place at 15' from heat or open flame. In case of decomposition, isolating container, if possible and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in safe place.

COASTAL
Once a Week
Tarry
long-lasting
chlorinating
2oz. tablets
BACTERCIDE ALGACIDE DISINFECTANT

ready-to-load in your dispenser

KEEP OUT OF REACH OF CHILDREN
DANGER:

See other precautions and first aid on back panel.

ACTIVE INGREDIENT	Trichloroisocyanuric Acid	98.8
INERT INGREDIENTS	1.2
Available Chlorine	89%

NET CONTENTS: 4 lbs. (1.814 kg.)

DIRECTIONS FOR USE

Tarry tablets are to be used as a disinfectant and algae control in pool water. They are long-lasting and are intended to slowly meter chlorine into pool water. In order to obtain its maximum effect, use as follows:

1. Superchlorinate the pool water with one of Coastal's fast-acting stabilized chlorines, following directions on the label for that product. Do not use the pool until the chlorine residual drops to 2.0 ppm. (parts per million).
2. Adjust the cyanuric acid level in pool water to 30 ppm. (parts per million) with Coastal's Chlorine Stabilizer, following directions on the label for that product.

3. Add 1 Tarry tablet per 7,200 gallons of pool water into floating dispenser or top water skimmer every week, or as needed as determined by chlorine test kit to maintain a 1.0 to 2.0 ppm. (parts per million) residual chlorine. Check for chlorine content at regular intervals. During extreme heat or with heavy bather load, water should be checked every 2 hours. Tarry tablets will tend to lower pH of pool water. Maintain a pH level of 7.2 to 7.6 for best results.

8 Tarry tablets weighing approximately 16 oz. (453.6 grams), will last approximately 1 week depending on temperature, bather load and amount of water flow. Tablets should not be thrown directly into pool. Not recommended for wader and splash pool pools.

E.P.A. Registration No. 4829-59
E.P.A. File No. 4829-NJ-1

