4829.60

DEC 1 7 1990

Coastal Industries 225 Passaic Street Passaic, N.T 07055

Attention: Barbara A. Hoffman

Gentlemen:

Subject: Clor-x-tra Stabilized 1 oz. Chlorinating Tablets EPA Registration No. 4829-60 Your Amendment Dated August 7, 1990

This is in response to your proposed general revision and update of your label.

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy of the labeling ... enclosed for your records. Five (5) copies of the finished labeling must be submitted before the product is released for shipment.

- 1. The Statement of Practical Treatment must be on the front panel (rather than just referenced on the front panel).
- 2. In the Storage and Disposal section, add the following pesticide disposal text (in accordance with PR Notice 83-3):

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction; contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

54077:I:WP5.0:A118:Farmer:C.Disk:KENCO:12/11/90:DD:VO:JH:DD

CONCURRENCES								
SYMBOL	_							
SURNAME		1			1			
DATE			***************************************					

OFFICIAL FILE COPY

2014

The Confidential Statement of Formula (CSF) is being returned because it does not have an original signature and date. You must resubmit your CSF (a blank form is enclosed for your convenience).

If you have any questions, please contact Arvella Farmer at (703) 557-6939.

Sincerely yours,

W

Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

Clor-x-tra Stabilized

1 oz.

Chlorinating Tablets

ACCEPTED with Continuents In Earl C

BACTERICIDE · ALGAECIDE · DISINFECTANT

DEC 1 7 1933

ACTIVE INGREDIENT:

Potassium dichloro-s-triazinetrione......99% Total 100%

Under (Minumipel.

4829-60

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for additional precautions and statement of practical treatment.

NET CONTENTS: 4 lbs. (1.814 kg)

EASILY SOLUBLE IN WATER

LONG-LASTING CHLORINE RESIDUAL

NO CLOUDY BUILD-UP

KEEPS WATER SPARKLING CLEAR

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Clor-x-tra Stabilized 1 oz. Chlorinating Tablets are to be used as a disinfectant and algae control in pool water.

START-UP:

1. Adjust and maintain the pH of the pool water in the ideal range of 7.2 to 7.6 using Coastal pH Plus or pH Minus as indicated by a PoolChem test kit. 2. Using Coastal's Chlorine Stabilizer, adjust the cyanuric acid level of the pool

water to 35 ppm (parts per million), following label directions.

3. Superchlorinate the pool water by adding one Clor-x-tra Stabilized 1 oz. Chlorinating Tablet per 2,500 gallons of water. One tablet weighs 1 oz. (28 grams). Do not enter pool until the chlorine residual drops below 2.0 ppm (parts per million).

DAILY:

Add one Clor-x-tra Stabilized 1 oz. Chlorinating Tablet per 2,500 gailons of pool water, or as needed as determined by a PoolChem test kit to maintain a 1.0 to 1.5 ppm (parts per million) residual chlorine. Check water for chlorine content at regular intervals. During extreme heat or with heavy bather loads, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID:

IF ON SKIN: Brush off excess chemical and flush skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

IF IN EYES: Immediately flush with plenty of cold water for at least 15 minutes.

Get immediate medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF SWALLOWED: Promptly drink large quantities of water. DO NOT induce vomiting. Call physician immediately.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing tremnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissoive all material before discarding container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

STURAGE AND DISPOSAL

Keep this product dry in a tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. In case of decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

E.P.A. Reg. No. 4829-60

E.P.A. Est. No. 4829-NJ-1

Made & Printed in U.S.A.

COASTAL INDUSTRIES 225 Passaic Street Passaic, NJ 07055