

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.
ENVIRONMENTAL HAZARDS: This product toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal the container. If possible, isolate container in open air or well ventilated area. Flood with large volume of water, if necessary.

PRACTICAL TREATMENT
FIRST AID: If swallowed, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

STORAGE AND DISPOSAL
Keep product dry in tightly closed container when not in use. Store in cool, dry, well ventilated place away from heat or open flame. In case of decomposition, isolate container if possible and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in safe place.


COASTAL
Tarry
long-lasting
chlorinating
1 oz. tablets
BACTERIOCIDE ALGACIDE DISINFECTANT

ready-to-load in your dispenser

KEEP OUT OF REACH OF CHILDREN
DANGER:
See other precautions and first aid on back panel.

ACTIVÉ INGREDIENT
Trichloroisocyanuric acid 99.8%
INERT INGREDIENTS
Sodium bicarbonate 3.2%
Available Chlorine89%

NET CONTENTS: 4 lbs. (1.81 kg.)



DIRECTIONS FOR USE

Tarry tablets are to be used as a disinfectant and algae control in pool water. They are long lasting and are intended to slowly meter chlorine into pool water. In order to obtain its maximum effect, use as follows:

1. Superchlorinate the pool water with one of Coastal's fast-acting, stabilized chlorines, following directions on the label for that product. Do not use the pool until the chlorine residual drops to 2.0 ppm. (parts per million).

2. Adjust the cyanuric acid level in pool water to 30 ppm. (parts per million) with Coastal's Chlorine Stabilizer, following directions on the label, for that product.

3. Suggested daily dosage is one Tarry tablet per 3,600 gallons of pool water into floating dispenser or top water skimmer. This dosage may vary in accordance with temperature, bather load and amount of water flow. Using Coastal test kits as a guide, maintain a 1.0 to 2.0 ppm. free chlorine residual. During extreme heat or with heavy bather load water should be checked every 2 hours. Tarry tablets tend to lower pH of pool water. Maintain a pH level of 7.2 to 7.6 for best results.

One tablet weighs 1 oz. (28 grams). Tablets should not be thrown directly into pool. Not recommended for wading or splash pools.

E.P.A. Registration No. 4829-61
E.P.A. Est. No. 4829 NJ 1

COASTAL
CHEMICAL CO.
NEW BRUNSWICK, N.J. 08812
DIVISION OF COASTAL INDUSTRIES, INC.

53