PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed, f/o not get in ayes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust, Remore and wash contaminated clothing before reuse. ENVIRONMENTAL HAZARDS: This product is toxic to lish. Do not discharge into takes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gates, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal the container. If possible, isolate container in open air or well ventilated area. Flood with large volume of

water, if necessary.

PRACTICAL TREATMENT

FIRST AID: If swallowed, feed breen scaked in milk followed by olive oil or cooking on. Call a physicien immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation pensists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

15 minutes. Get medical attention.

STORAGE AND DISPOSAL.

Keep product dry in tightly closed container when not in use. Store in cool, dry, well ventilated place away from heat or open flame. In case of decomposition, isolate container, if possible and flood with large amounts of water to dissolve all material before discarding. Page in train collection or adispose in approved landfill area, or sury in safe

 α



Clor-x-tra

stabilized chlorinating 20z.tablets

BACIERICIDE ALGAECIDE DISINFECTANT

KEEP OUT OF REACH OF CHILDREN DANGER:

See other precautions and first aid on back panel.

ACTIVE INGREDIENT:	-
Potassium Dichloro-s-Triazinetrione	99%
INERT INGREDIENTE	1%
Available Chiorine	

NET CUNTENTS: 4 lbs. (1.814 kg.)

EA...Y SOLUBLE IN WATER
LONG-LASTING CHLORINE RESIDUAL
NO CLOUDY BUILD-UP
KEEPS WATER SPARKLING CLEAR

DIRECTIONS FOR USE

Clor-X-Tra tablets are to be used as a disinfectant and algae control in pool water.

START-UP: Adjust and maintain the pH of the pool water in the range of 7.2 to 7.6, using Coastal pH Plus or pH Minus as indicated by a Coastal test kit. Superchlorinate by adding 1 Clor-X-Tra tablet per 1,000 gals.of pool water. One tablet weighs 2 o2. (56 grams). Do not use the pool until the chlorine residual drops to 2.0 ppm. (parts per million. DAILY: Add 1 Clor-X-Tra tablet per 5,000 gallons of water, or as needed to maintain a free chlorine residual of 1.0 to 2.0 ppm. Check puol water for chlorine content at regular intervals. Using a Coastal test kit as a guide-maintain the pH at 7.2 to 7.6. During conditions of heavy bather toad, high temperatures, heavy rains and high winds, pool water should be checked every 2--3hrs.

E.P.A. Registration No. 4829-64 E.P.A. Est. No. 4829-NJ-1



COASTAL CHEMICAL CO. CARLSTAUT, N.L. 07/07/2 DAYS INCOMENTAL INCISTRES INC.

ACCEPTED 4829-64-64 APRO 1 1981

Under the Federal Insecticide, Fungicide, and Rodentialde Act, as amended, for the pesticide togistered under \$7A Reg. No.

39