

COASTAL

65% AVAILABLE
CHLORINE FOR
SWIMMING POOL
SANITATION

Chlorinating Tablets

for swimming pools

KEEP OUT OF REACH OF CHILDREN
DANGER! Chlorinating Tablets are highly oxidizing and will
cause severe burns to the skin and eyes. If swallowed, they will
cause severe internal damage.

7

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

Chlorinating Tablets

for swimming pools

FOR USE AS
A BACTERICIDE
AND ALGAEICIDE

water
K.K. 1/1/01

Actual weight of Chlorinating Tablets 65g
Net weight 65g
Gross weight 70g

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Guardian Chlorinating Tablets for Swimming Pools, containing 65% available chlorine, are designed to dissolve slowly (up to 4 hours) and provide a steady source of available chlorine in swimming pools. Tablets control growth of algae and effectively kill many bacteria, thus helping to keep the pool in a sanitary condition. Four tablets weigh approximately 1 ounce. One standard U.S. measuring cup equals (approx.) 10 oz. of tablets.

For initial chlorination of any pool water, add 1 oz. (4 tablets) for each 1,000 gallons of pool water. After 1 hour, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), repeat this dosage until 1-3 ppm is obtained.

Subsequently, add 3/4 oz. of tablets per 5,000 gallons daily or as often as needed to maintain 1-2 ppm, whether the pool is in use or not. Use a Coastal test kit daily to determine chlorine residual. If any chlorine residual is present, it is possible to increase the residual by 1.0 ppm by using 1 oz. of Guardian Chlorinating Tablets per 5,000 gallons of water. **IMPORTANT:** For best results, use a dissolving basket, a floating container, or add the tablets to a plastic leaf strainer in the surface skimmer. Do not permit tablets to contact steel or plastic pool linings. Do not throw tablets directly into pool.

Using the Coastal Test Kit as a guide, maintain the pH of pool water at 7.2-7.6. If the pH is below 7.2, add Coastal pH Plus in accordance with that product's label directions. If the pH is higher than 7.6, lower the pH by addition of pH Minus™ in accordance with its label instructions. Maintaining 1.0 ppm chlorine residual and a 7.2 pH range will result in clean, sparkling water.

If cyanuric acid is used to stabilize available chlorine, follow label directions for that product. Always maintain the chlorine residual at 1.0-1.5 ppm as determined by test kit. Add 3 oz. of tablets per 10,000 gallons every other day or as often as needed to maintain 1.0-1.5 ppm chlorine residual. To control algae during the pool season, superchlorinate every two weeks at the rate of 1 oz. of Guardian Tablets per 1,000 gallons of water when the average afternoon temperature is below 80°F and once every week when the temperature is above 80°F. Pools should not be entered until chlorine residual reads 1.0-3.0 ppm.

If algae develops, shock treat or superchlorinate the pool water by adding 1 oz. (4 tablets) for each 500 gallons of water. Allow 4 hours for the tablets to dissolve and repeat, if necessary. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual reads 1.0-3.0 ppm.

a) For RECTANGULAR or SQUARE POOLS: Multiply length x width x depth (average) x 7.5.

b) For CIRCULAR POOLS of various diameters, gallons per ft. depth are as follows:

Diameter (feet)	22	18	15	12	9
Gal. per ft. of depth	2850	1900	1320	840	490

c) For OVAL POOLS of various sizes (4 ft. deep):

Size	34 x 16	31 x 16	28 x 16	25 x 16	22 x 16	14 x 16	12 x 16
------	---------	---------	---------	---------	---------	---------	---------

Tot. Gals.	14,630	13,150	11,760	10,280	8,890	7,500	6,110
------------	--------	--------	--------	--------	-------	-------	-------

FILLED BY WEIGHT, NOT BY VOLUME
CONTENTS MAY SETTLE IN TRANSIT



5

Calcium Hypochlorite Mixture, Dry

WEIGHT, NOT BY VOLUME
MAY SETTLE IN TRANSIT



5

Calcium Hypochlorite Mixture, Dry

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water.

Danger: highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes. Do not inhale dust. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves or only thoroughly clean dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If Inhaled: Remove person to fresh air. Get immediate medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If Swallowed: Give bread soaked in milk, followed by large amounts of water, if person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

Danger: strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame or burning material, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid, pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter. Do not use Guardian tablets in any automatic chlorinating device that has been used with other chlorinating compounds. Such use may cause fire or explosion. Do not use moist or damp utensils. Do not permit tablets to contact metal or plastic pool linings. Do not throw tablets directly into pool.

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

COASTAL CARLSTADT, N.J. 07072
DIVISION COASTAL INDUSTRIES, INC.

MADE AND PRINTED IN U.S.A.
E.P.A. Reg. No. 4829-66 R93466A E.P.A. Est. No. 1288 TN 11114