US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

4829-66 TERM OF ISSUANCE

NOTICE OF PESTICIDE: 🚍

ÆEGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Guardian Chlorinating Tablets

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Coastal Industries, Inc. 190 Jony Drive P.O. Box 0517 Carlstadt, NJ 07072

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Rased on your response to the General Registration Standard - "Guidaute for the Pogratization and Conspictments of Posticial Products Containing Soften or Calcium Avooch lorite as the Sole Active Ingredient"--issued February 1986 and revised April 1986, EPA has reregistered the product listed above in accordance with FIFRA section 3(q).

Your amonded label has been stamped approved and a copy is enclosed. You must incorporate any comments noted on your label. This label must by on products released for shipment within 1 year or by the next lanel printing, whichever occurs first. This land! must also appear on all supplemental registrations within 1 year of this Notice of Reregistration or at the next label printing, whichever occurs first.

Your product rects the criteria for reregistration under this Standard. Failure to comply with this Standard may result in the Agency's issuance of a Notice of Intent to Cancel the \registration under FIFRA section 6(b)(1).

Jeff Kerpter

Product Manager (32) Disinfectants Branch

Registration Division (TS-767C)

Sno losu rel

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

91906: I: Pring le: P-4: KENCO: 09/03/87: 09/11/87: teq: vo: ek: tq Prinjle 9/8

(FRONT PANEL)

Guardian Chlorinating Tablets

For use as a Bactericide and Algaecide
65% Available Chlorine for Swimming Pool Sanitation

Active Ingredient:

Calcium Hypochlorite65%

Inert Ingredients35%

Available Chlorine65%

KEEP OUT OF REACH OF CHILDREN

DANGER: See Additional Precautionary and First Aid Statements on Back Panel

NET WEIGHT

ACCEPTED
with COME ENTS
In EPA Letter Teach

F8 SEP 1987
Unity the Proof the producte,
Pondicide and flower the last
as an order, for the pasterne
resistance tracks at Kern No.

4829-66

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or rafety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before use.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If contact with eyes occurs, flush with cold water for at least 15 minutes. Get Medical Attention. If contact with skin occurs, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency

Coastal Chemical Co.

Div: Coastal Industries, Inc.
Carlstadt, NJ 07072

EPA Reg. No.

EPA Est. No.

GUARDIAN TABLETS
Page 2

(BACK PANEL)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Coastal Guardian Chlorinating Tablets are a concentrated chlorine agent in a dry, free-flowing form. Guardian Chlorinating Tablets control the growth of algae and effectively kill many bacteria, thereby helping to keep the pool in sanitary condition. Use clean, dry scoop to handle Guardian Tablets. Four tablets weight approximately 1 ounce.

READ PRECAUTIONARY STATEMENTS BEFORE USE!

INITIAL CHLORINATION: For new pools, spring start-up or superchlorination, add 4-8 Guardian Chlorinating Tablets per 1,000 gallons of pool water to yield 5-10 ppm available chlorine. After 2 hours, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), repeat dosage until 1-3 ppm is obtained. For best results, use a floating dispenser or add tablets to a surface skimmer. DO NOT THROW TABLETS DIRECTLY INTO POOL. DO NOT ALLOW TABLETS TO CONTACT STEEL OR PLASTIC POOL LINERS. Do not enter pool until chlorine residual is between 1.0 to 3.0 ppm.

ROUTINE CHLORINATION: Add 8 Guardian Tablets per 10,000 gallons of pool water through a floating dispenser or top water skimmer to yield an available chlorine residual of 0.6-1.0 ppm by weight. Stabilized pools should maintain a chlorine residual of 1.0-1.5 ppm. Using a Coastal Test Kit as a guide, maintain the pN of the pool water at 7.2 to 7.6. If the pN is below 7.2, add Coastal pN Plus in accordance with label directions. If the pN is higher than 7.6, lower the pN with the addition of Coastal pN Minus, following label directions. The frequency of water treatment will depend upon temperature, bather load and amount of water flow.

SUPERCHLORINATION: Once a week, or if algae is present, superchlorinate pool water by adding 4-8 tablets per 1,000 gallons of pool water. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual returns to 1-3 ppm.

TO DETERMINE POOL CAPACITY (IN U.S. GALLONS)

Rectangular or Square Pools - Multiply length x width x average depth (all in feet) x 7.5 = Gullo

Circular Pools - Multiply diameter x diameter x average depth (all in feet) x 5.9 = Gallon%

Oval Pools - Multiply length x width x average depth (all in feet) x 6.6 = Gallons

WINTERIZING: While water is still clean and clear, add 3 Guardian Tablets per 1,000 gallons of pool water, while filter is running. Cover and close pool in accordance with manufacturers instructions.

and Rodenticide Act, as amended)

Guarcian Chilorinating Tablets

(FRONT PANEL)

Guardian Chlorinating Tablets

For use as a Bactericide and Algaecide
65% Available Chlorine for Swimming Pool Sanitation

KEEP OUT OF REACH OF CHILDREN

DANGER: See Additional Precautionary and First Aid Statements on Back Panel

7.7

NET WEIGHT

AMOPUTOD with the Amount of S In Early Learn for R

P8 SEP 1987 4829-66

GUARDIAN TABLETS Page 2

(BACK PANEL)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Coastal Guardian Chlorinating Tablets are a concentrated chlorine agent in a dry, free-flowing form Guardian Chlorinating Tablets control the growth of algae and effectively kill many bacteria, thereby helping to keep the pool in sanitary condition. Use clean, dry scoop to handle Guardian Tablets. Four tablets weight approximately 1 ounce.

READ PRECAUTIONARY STATEMENTS BEFORE USE!

INITIAL CHLORINAT: N: For new pools, spring start-up or superchlorination, add 4-8 Guardian Chlorinating Tablets per 1,000 gallons of pool water to yield 5-10 ppm available chlorine. After 2 hours, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), repeat dosage until 1-3 ppm is obtained. For best results, use a floating dispenser or add tablets to a surface skimmer. DO NOT THROW TABLETS DIRECTLY INTO POOL. DO NOT ALLOW TABLETS TO CONTACT STEEL OR PLASTIC POOL LINERS. Do not enter pool until chlorine residual is between 1.0 to 3.0 ppm.

ROUTINE CHLORINATION: Add 8 Guardian Tablets per 10,000 gallons of pool water through a floating dispenser or top water skimmer to yield an available chlorine residual of 0.6~1.0 ppm by weight. Stabilized pools should maintain a chlorine residual of 1.0-1.5 ppm. Using a Coastal Test Kit as a guide, maintain the pH of the pool water at 7.2 to 7.6. If the pH is below 7.2, add Coastal pH Plus in accordance with label directions. If the pH is higher than 7.6, lower the pH with the addition of Coastal pH Minus, following label directions. The frequency of water treatment will depend upon temperature, bather load and amount of water flow.

SUPERCHLORINATION: Once a week, or if algae is present, superchlorinate pool water by adding 4-8 tablets per 1,000 gallons of pool water. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual returns to 1-3 ppm?

TO DETERMINE POOL CAPACITY (IN U.S. GALLONS)

Rectangular or Square Pools - Multiply length x width x average depth (all in feet) x $7.5 \times 6 \mu llon$

Circular Pools - Multiply diameter x diameter x average depth (all in feet) x 5.9 Gallens;

Oval Pools - Multiply length x width x average depth (all in feet) x 6.6 Gallons

WINTERIZING: While water is still clean and clear, add 3 Guardian Tablets per 1,000 gallons of pool water, while filter is running. Cover and close pool in accordance with manufacturers instructions.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avaid breathing dust. Remove and wash contaminated clothing before use.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If contact with eyes occurs, flush with cold water for at least 15 minutes. Get Medical Attention. If contact with skin occurs, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

Coastal Chemical Co.

Div: Coastal Industries, Inc.
Carlstadr, NJ 07072

EPA Reg. No.

EPA Est. No.