HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Highly corrosive Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent Mix only with water Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion Contamination with moisture, organic matter or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases and possible generation of fire and explosion In case of contamination or decomposition, do not reseal container. If possible. isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not

discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

STORAGE AND DISPOSAL:

Keep product dry in tightly closed container when not in use. Store in cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

DO NOT HANDLE THIS PRODUCT WITH BARE HANDS. USE GLOVES OR THOROUGHLY CLEAN, DRY UTENSILS.

DIRECTIONS — WEEKLY

Using the Coastal Test Kit, adjust the pH of pool water if necessary in the pH range of 72-76. If the pH is below 72, add pH Plus, if above 76, add pH Minus. Tarry Long Lasting Chlorinating 7 ounce Sticks are intended for use in the Coastal Automatic In-Line Chlorinator. Pool Trol 7-Day Tablet Dispenser or other similar dispensers or in-line feeders. Adjust the chlorine dispensing rate of the dispenser

or feeder to provide a chlorine residual of 10-20 parts per million. A suggested dosage is one stick per 10,000 gallons. This dosage may vary due to unusual conditions such as heavy bather load wind pavy rains or high temperatures, therefore, frequent use of the test kit is recommended. Do not add these sticks directly to the pool or mix with any other chemicals.

It is a violation of federal law to use this product in a manner meansistent with its labeling

EPA Real to 4020-75 LEPA For No. 4029 NUT






10952 M


Made and Printed in USA

R92701





CHLORINATING STIX



ate for 875 the

Dedune 10" TO 71/2" (Focus 711/2) For 4