


FRONT PANEL



TARRY ONCE-A-WEEK CHLORINATING 2 2/3 OZ. TABLETS  
BACTERICIDE/ALGAEICIDE/DISINFECTANT

READY-TO-LOAD IN YOUR DISPENSER

KEEP OUT OF REACH OF CHILDREN



DANGER: See precautions and first aid on side panel

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione.....99.0%

INERT INGREDIENTS: ..... 1.0%

Available Chlorine Content.....89.0%

Net Content:

SIDE PANEL

DIRECTIONS FOR USE

Tarry Tablets are to be used as a disinfectant and for algae control in pool water. They are long lasting and are intended to slowly meter chlorine into pool water. In order to obtain its maximum effect use as follows:

1. Superchlorinate the pool water with Coastal's Guardian Chlorinating Granules or Iso Clor, following directions on the label of these products. Do not use the pool until the free chlorine residual drops to 1-3 parts per million (ppm).
2. Check cyanuric acid in pool water using a Coastal Professional Test Kit. Adjust, if necessary, to 30 ppm with Coastal Chlorine Stabilizer.
3. Check and adjust pH, if necessary, to 7.2-7.6 using either Coastal pH Plus or pH Minus.
4. Suggested weekly dosage is one Tarry Tablet per 3,800 gallons of pool water. This dosage may vary in accordance with temperature, bather load and amount of water flow. Using Coastal Test Kits as a guide, maintain a free chlorine residual of 1.0-2.0 ppm and a pH of 7.2-7.6. During extreme heat or with heavy bather load, water should be checked every two (2) hours.
5. One tablet weighs 2-2/3 oz. (75.4 grams). Tablets should not be thrown directly into pool. Not recommended for wader and splasher pools. Do not add Tarry Tablets to top water skimmer. Add tablets to a floating dispenser or the Tarry Automatic Chlorinator.

SIDE PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

With Comments  
of EPA Letter Dated  
4829-86

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance, contact the Regional Office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volume of water, if necessary.

PRACTICAL TREATMENT

FIRST AID: If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. If on skin brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 45 minutes. Get medical attention.

STORAGE AND DISPOSAL

Keep product dry when not in use. Store in cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved land-fill area, or bury in a safe place.

EPA Reg No. 4829-

EPA Est. No. 4829-NJ-1

Coastal Chemical Company  
Divn. Coastal Industries, Inc.  
Carlstadt, NJ 07072