

BIOTECH

DISINFECTANT
SURFACE
SPRAY P220

BACTERICIDAL
STAPHYLOCIDAL
PSEUDOMONOCIDAL
TUBERCULOCIDAL
FUNGICIDAL
VIRUCIDAL*

TEMPORARY AIR SANITIZER

ODOR COUNTERACTANT

E.P.A. Reg. No. 4829-97

ACTIVE INGREDIENT:

o-Phenylphenol.....	0.220%
INERT INGREDIENTS.....	99.780%
Total	100.000%

Contains Nitrite and Isopropyl Alcohol

KEEP OUT OF REACH OF CHILDREN
WARNING

See additional precautions on rear panel.

NET WEIGHT: 1 lb. 2 oz.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Biotech Surface Disinfectant Spray P220 is an effective disinfectant, temporary air sanitizer and deodorizer for use in hospitals, nursing homes, clinics, schools, physicians and dentists offices, industrial plants, rest rooms, homes and offices.

Kills Staph. and Strep. organisms, Pseudomonas aeruginosa, Escherichia coli, Klebsiella pneumoniae, Shigella flexneri, Proteus vulgaris, Salmonella choleraesuis, Enterobacter aerogenes, and yeast (Candida albicans) on environmental hard surfaces. Retains disinfectant effectiveness in the presence of organic matter.

Use on toilet seats, wash basins, door knobs, waste baskets, lockers, shower curtains, mattress covers, laundry carts, closets, bowling shoes, athletic equipment, bed frames, diaper pails, telephones, hampers and other similar areas and equipment. Deodorizes and reduces the hazard of cross-infection from environmental surfaces.

WARNING: FLAMMABLE! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting. Causes eye irritation. Do not get in eyes. In case of contact with eyes, flush at once with water. If irritation persists, get medical attention. Avoid prolonged contact with skin. Avoid breathing Spray mist. Avoid contamination of food.

DIRECTIONS FOR USE: For disinfection of surfaces, hold the can upright and spray away from a distance 6 to 8 inches until surface is wet.

For mold and mildew control, clean surface prior to application. Spray until surface is wet. Repeat application as necessary to maintain control when new growth appears.

For air deodorizing, hold dispenser upright. Spray into air toward the center of the room for about 4 seconds. For temporary air sanitizing, follow these spray directions in closed spaces.

Not reviewed. Registrant to be in accordance with...
Federal...
...