
EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHA .. TED.



BEST AVAILABLE COPY

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling · Pennsylim Clor-Tabs for Swimming Pools, containing 65% available chlorine, are designed to dissolve slowly and provide a steady source of available Chlorine in swimming pools. These tablets will control the growth of algae and efficiently kill many bacteria, thus helping to keep the pool in sanitary condition. Four tablets weigh approximately 1 oz. One standard U.S. measuring cup equals (approx.) 10 oz, of tablets,

## **READ PRECAUTIONARY STATEMENTS BEFORE USE!**

INITIAL CHLORINATION: For new pools, spring start-up or superchlorination, add 4.8 Clor-Tabs per 1,000 gallons of pool water to yield 5-10 ppm available chlorine. After 2 hours, use a Coastal Test Kit to determine the chlorine residual. If below 1.0 ppm (parts per million), repeat dosage until 1-3 ppm is obtained. For best results, use a dissolving basket, a floating container or add the tablets to a leaf strainer in the surface skimmer. Do Not Permit Tablets To Contact Steel or Plastic Pool Linings. Do Not Throw Tablets Directly Into Pool. Do Not Enter Pool Until Chlorine Residual is Between 1.0 to 3.0 ppm

ROUTINE CHLORINATION: Add 8 Clor-Tab Tablets per 10,000 gal, of pool water through a floating dispenser or surface skimmer to yield an available chlorine residual of 0.6-1.0 ppm by wgt. Stabilized pools should maintain a chlorine residual of 1.0-1.5 ppm. Using a Coastal Test Kit as a guide, maintain the pH of the pool water at 7.2-7.6. If the pH is below 7.2, add Coastal pH Plus in accordance with label directions. If the pH is higher than 7.6, lower the pH with the addition of Coastal pH Minus, following label directions. The frequency of the water treatment will depend upon temperature, bather load and amount of water flow.

SUPERCHLORINATION: Once a week, or if algae is present, superchlorinate pool water by adding 4-8 Clor-Tab Tablets per 1,000 gal, of pool water. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter. Pool should not be entered until chlorine residual returns to 1-3 ppm.

WINTERIZING: White water is still clean and clear, add 3 Clor-Tabs per 1,000 gallons of pool water while fifter is anning. Cover and close pool in accordance with manufacturers instructions. TO DETERMINE POOL CAPACITY (In U.S. Gallons):

Rectangular & Square Pools: Multiply length x wigth x average depth (all in ft.) x 7.5 = Gallonage. Circular Pools: Multiply diameter x diameter x average depth fall in ft.1 x 5.9 = Gallonage.

Oval Pools: Multiply length x width x average depth (all in It.) x 6.6 = Gallonage,

FOOD EGG SANITIZATION: Thoroughly clean all eggs. Then prepare the solution by dissolving 4 Clor-Tab Tablets in 20 gal, of warm water to produce a 200 ppm available chaorine solution. The sanitizer solution should not exceed 1300h. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow the eggs to thoroughly dry before casing or breaking. Do not apply a potable water rinse. The solution should not be re-used to sanitize eggs.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eve damage, May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust, Remove and wash contaminated clothing before reuse.

## PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas land possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary,

FIRST ND: If contact with eyes occurs, flush with cold water for at least 15 minutes. Get Medi-STATEMENT OF PRACTICAL TREATMENT cal Attehran. If contact with skin occurs, brush off excess chemical and flush skin with cold water tas Attention, in contact with skin occurs, bross our excess chemical and most skin with colo water for at least 15 minutes. If irritation persists, get medical attention. If swallowed, feed bread soaked in milk followed by office oil or cooking oil. DO NOT induce vamiting. Call a physician immediately.

This pladuck is toxic to fish. Do not discharge into lakes, streams, wonds or public waters unless in Permit. For guidance, contact the regional office of the U.S. Environ-

E.P.A. Reg. No. 4829-103

E.P.A. Est. No. 1258-TN-1

 $\omega$ 



Calcium Hypochlorite Mixture UN1748 RQ