

METEOR BRAND NET WEIGHT 50 LBS.

BASIC COPPER SULPHATE

USDA REGISTRATION No. 4833-2

ACCEPTED

MAR 1 1969
 UNDER FEDERAL INSPECTION
 U.S. DEPARTMENT OF AGRICULTURE
 OFFICE OF PEST CONTROL
 WASHINGTON, D.C.

ACTIVE INGREDIENTS:	By Wt.
BASIC COPPER SULPHATE	98%
Copper expressed as metallic	53%
INERT INGREDIENTS	2%
	100%

CAUTION

Keep Out of Reach of Children

Harmful if swallowed. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

MIXING DIRECTIONS: For use on trees and shrubs, mix 1/2 lb. of Meteor Brand Basic Copper Sulphate with 100 gallons of water. For use on other plants, mix 1/4 lb. of Meteor Brand Basic Copper Sulphate with 100 gallons of water. Apply to the foliage of the plants. Do not apply to the soil.

DIRECTIONS FOR USE: Meteor Brand Basic Copper Sulphate is a fungicide and bactericide. It is used to control various diseases of trees and shrubs, including apple scab, pear scab, cherry scab, and peach scab. It is also used to control various diseases of other plants, including grapevines, roses, and ornamentals.

PEACHES AND NECTARINES: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

APRICOTS: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

APPLES AND PEARS: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

WALNUTS: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

ALMONDS: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

CITRUS (IN CALIFORNIA): Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

PRUNES AND PLUMS: Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

CHERRIES (SOOR): Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

BLACKBERRIES, RASPBERRIES, BOYSENBERRIES, LOGANBERRIES (West Coast): Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

OLIVES (California): Apply 1/2 lb. of Meteor Brand Basic Copper Sulphate per 100 gallons of water to the foliage of the trees during the dormant season and again in the spring when the trees are in bloom.

USAGE CAUTION: Do not apply to food crops or to crops that will be used for food or forage. Do not apply to crops that are being used for seed or for propagation.

Manufactured in U.S.A. by
CHEMICAL & PIGMENT CO