

**DANGER — POISON — PRECAUTIONS**



**DO NOT SWALLOW**  
**POISONOUS IF SWALLOWED**  
 —This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**DO NOT TOUCH**  
**POISONOUS BY SKIN CONTACT**—Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**DO NOT BREATHE**  
**POISONOUS IF BREATHED**—Breathing vapors, spray mist or dust may be fatal.

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER POISON POISON**

Poisonous by Skin Contact, Inhalation, or Swallowing. Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING.**

(1) Wear waterproof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30CFR Part II. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to EPN and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them in soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK**, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

EPN Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**


Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to EPN Methyl Parathion and describe his condition. **IF BREATHING HAS STOPPED**, start artificial respiration immediately and maintain until doctor sees victim. If Swallowed - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. **IN CASE OF CONTACT**, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY**

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 - PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** EPN Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign or pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.



**STOP — READ LABEL BEFORE USING**

**POISON**



**DANGER**

See Side Panels  
 for Antidote &  
 Precautions

Keep Out of  
 Reach of  
 Children

**CAN KILL YOU**

**MICRO BLEND 33**  
**Emulsifiable Concentrate**

EPA Reg. No. 4841 - 65

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon.

**ACTIVE INGREDIENTS:**

O - Ethyl O - (p - nitrophenyl) phenylphosphonothioate	31.0%
O, O - Dimethyl O - p - nitrophenyl phosphorothioate	31.0%
Xylene range aromatic solvent	33.0%
<b>INERT INGREDIENTS:</b>	5.0%
<b>TOTAL</b>	<b>100.0%</b>

\*EPN

\*\*Otherwise known as Methyl Parathion

**NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

Manufactured by

**Micro Chemical Co., Inc.**  
 Winnboro, Louisiana 71295

**STOP — READ LABEL BEFORE USING**

**POISON DANGER**



**Keep Out of Reach of Children**

See Side Panels for Antidote & Precautions

**CAN KILL YOU**

# MICRO BLEND 33

## Emulsifiable Concentrate

EPA Reg. No. 4841 - 65

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon.

**ACTIVE INGREDIENTS:**

Dimethyl O-(p-nitrophenyl)phenylphosphonothioate	31.0%
Diethyl O-(p-nitrophenyl)phenylphosphorothioate	31.0%
Paraffinic range aromatic solvent	33.0%
INERT INGREDIENTS:	5.0%
<b>TOTAL</b>	<b>100.0%</b>

PN  
otherwise known as Methyl Parathion

**KEEP OUT OF REACH OF CHILDREN. NOT FOR USE OR STORAGE IN OR AROUND THE HOME**

Manufactured by

**Micro Chemical Co., Inc.**  
Winnsboro, Louisiana 71295

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Micro Blend 33 is an emulsifiable concentrate which contains 3 lbs. EPN and 3 lbs. Methyl Parathion for use on cotton insects. It is suitable for use in conventional hydraulic sprayers and airplane sprayers. For aerial application dilute in 1 to 3 gallons of water per acre.

**COTTON:** For control of thrips, certain spider mites, cotton fleahoppers, boll weevils, bollworm, yellow striped armyworm, garden webworm, and Mexican bean beetle, apply when insects appear and repeat at 5 day intervals as necessary.

Dilute the amounts specified below in the necessary amount of water to assure proper coverage of plants.

INSECT	COTTON SIZE	ACRE/GAL.
Thrips	Seedling	10
Spider Mites		10
Cotton Fleahopper	At Squaring	8
Yellow Striped Armyworm		8
Garden Webworm		8
Overwintered Boll Weevil		8
Certain Species Spider Mites		8
Boll Weevil	Late Season	6
Bollworm and Tobacco Budworm		3 - 6
Cotton Leafworm		6

**REENTRY STATEMENTS**

Do not treat where unprotected humans or domestic animals are present. Do not allow entry into treated fields within 24 hours after treatment, unless full protective clothing is worn. Consult appropriate State Regulatory Officials for State reentry restrictions which take precedence when more restrictive than those stated on this label.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**

Do not contaminate water, food or feed, by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL**

Pesticide, spray mixture or rinse water that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL**

Triple Rinse, and offer for recycling, reconditioning, or disposal in approved landfill, or bury in safe place.

**GENERAL**

Consult federal, state or local disposal authorities for approved alternatives.

**LIMIT OF WARRANTY AND LIABILITY**

The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. There is no warranty and this company and any other seller disclaim all liability for all losses, personal injuries or damages arising from combining substances and from any use of this product not recommended in label directions or arising from misuse, improper handling or improper storage.