

Read the entire label before using this product

Use only according to label instructions. Read LIMIT OF WARRANTY AND LIABILITY before buying or using. If terms are not acceptable return at once unopened.

LIMIT OF WARRANTY AND LIABILITY

The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. There is no warranty and this company and this company and any other seller disclaim all liability for all losses, personal injuries or damages arising from combining substances and from any use of this product not recommended in the directions or arising from misuse, improper handling or improper storage.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER! PELIGRO!

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada amplemente.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN

RAPIDLY ABSORBED THROUGH SKIN

REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS

Do not breathe vapors or spray mist.

Do not get in eyes, on skin or on clothing.

POISON SIGNS (Symptoms)
Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headaches, nausea, vomiting, dizziness, weakness, blurred vision, pinpoint pupils, tightness in chest, slowed breathing, nervousness, sweating, watering of eyes, drooping of drooping of mouth and nose, muscle spasms and tremors.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

MICRO BLEND

METHYL PARATHION 6

EACH GALLON OF MICRO BLEND METHYL PARATHION 6 CONTAINS 6 POUNDS OF METHYL PARATHION PER GALLON.

Keep out of reach of children.

DANGER PELIGRO



POISON

NOT FOR HOME USE

FIRST AID TREATMENT

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Methyl parathion and describe his condition. If doctor cannot come, take victim to clinic or hospital.

Move victim immediately from the area where Methyl parathion is present.

IF INHALED, remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

IF IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

Table with 2 columns: Ingredient Name and Percentage. Includes Active Ingredients (0, O-dimethyl O-p-nitrophenyl phosphorothioate 62.5%), Inert Ingredients (37.5%), and Total (100.0%).

COMBUSTIBLE: Do not store or use near heat or open flame. In case of fire, use water spray, foam, dry chemical or CO2.

E. P. A. Establishment No. 4841-LA-1
E. P. A. Reg. No. 4841 - 67

Net Contents

POISON

ATROPINE IS AN ANTIDOTE. CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest do not wait for a doctor but give two atropine tablets (each 1-100 grams or 0.65 milligrams) at once. (One tablet to children under five years of age)

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to but not a substitute for atropine which is a symptomatic and often life saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PHARMACOLOGIC EFFECTS OF THIS PRODUCT. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvements. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH ARE CONTAINED IN THE PRODUCT MAY WITHOUT WARNING CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before using this product, consult the State Agriculture Extension Service or Experimental Station for specific recommendations regarding such blood tests.

If handled indoors, provide mechanical exhaust ventilation.

Keep all unprotected persons and animals away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical treatment section).

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11. (4) Wear heavy duty natural rubber gloves.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product.

ORAL WARNINGS shall inform workers of areas or fields that may not be entered without protective equipment and clothing specified on this label during treatment or for 48 hours following treatment. Follow First Aid Treatment instructions shown on this label in case of accidental exposure.

When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

WRITTEN WARNINGS must include the following information:

DANGER: Area treated with Methyl parathion on (date). Do not enter without appropriate protective clothing for 48 hours. Follow First Aid Treatment instructions shown on this product label in case of accidental exposure.

ATTENTION

To avoid excessive residues of methyl parathion on forage crops, always observe the statements found under Directions for Use, limiting the time before harvest when methyl parathion may be applied.

Because this material is poisonous by skin contact, inhalation or swallowing, it should be used in such a manner or under weather conditions as will permit drift of the spray onto areas not intended to be sprayed.

Do not apply or allow drift to areas occupied to unprotected humans or beneficial animals.

This product is toxic to fish, shrimp, crabs, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARD

Combustible: Do not use, pour, spill or store near heat or flame.

In case of FIRE, use water, spray, foam, dry chemical or CO2.

SPILL or LEAK: keep all unprotected persons away. Cover with absorbent such as soda ash, lime, clay or saw dust. Sweep up and bury. Wash area thoroughly with strong lye solution.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND HANDLING: 1. Handle container carefully so as to avoid damage and prevent leakage.

2. Do not use or store near or around the home.

3. Store container in a well ventilated place.

4. Empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

5. Keep out of reach of children and domestic animals.

DISPOSAL: Wastes of this pesticide are acutely hazardous. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label use instructions, contact your state pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Triple-rinse empty container with 5% caustic soda solution. Flush with water. Then offer for recycling or reconditioning or puncture to prevent other use and dispose of in an approved landfill or by other procedures approved by state and local authorities.