Page 2 of 3

Reg # 4866-3

LEFT PANEL OF LABEL

SK-Surekill Brand
PYRETHRIN PLUS
Livestock Spray Insecticide
With VAPONA (R)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Use this product SAFELY: Read entire label before using. Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate water, feed, or foodstuffs.

Do not use in the food areas of food processing, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not apply to animals under 6 months of age. Brahman or Brahman Cross cattle should not be treated, as they may show hypersensitivity to organophosphates.

Environmental Hazards: This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of waste.

Physical or Chemical Hazards: Do not use, pour, spill or store near heat or open flame.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal. Store in a cool place.

Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Pesticide Disposal: Pesticide or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved State and local procedures. Metal containers may be offered for recycling or reconditioning.

## STATEMENT OF PRACTICAL TREATMENT

<u>If swallowed:</u> Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia. Gastric lavage is indicated (pumping of stomach is recommended) if material was taken internally.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wasn affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Page 3 of 3

Reg # 4866-3

RIGHT PANEL OF LABEL

SK-Surekill Brand
PYRETHRIN PLUS
Livestock Spray Spray Insecticide
With VAPONA (R)

DIRECTIONS FOR USE

Use this product SAFELY: Read entire label before using. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Livestock Spray is a dual-purpose formulation designed to protect dairy and beef cattle from attacks of biting flies in the barn and on pasture, as well as to function as an effective space spray for quick knockdown and kill of flies in the barn.

Animal Spray: To protect animals against the attacks of stable flies, horn flies, mosquitoes and gnats, apply just enough to wet the ends of the hairs but not enough to soak the hide. One to two ounces is enough to treat an adult cow. Apply once daily, preferably in the morning, for protection during the day. Repeat at daily intervals, or as necessary for continued protection.

Do not apply in excess of two fluid ounces per animal per day. Do not spray udders of lactating dairy animals. For milking dairy animals, apply the spray 20 to 30 minutes before beginning to milk. Do not apply to animals under 6 months of age. Brahman or Brahman Cross cattle should not be treated, as they may show hypersensitivity to organophosphates.

Space Spray for Barn Fly Control: To attain quick knockdown and kill of flies, gnats and mosquitoes in enclosed spaces, spray toward the ceiling and corners until the space is filled with a light mist. Apply at the rate of one quart per 1000 square feet.

One to two ounces per 1000 cubic feet.

Do not treat animals or humans. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use this solution in areas where animals have received direct application within 8 hours.

For best results, close all windows and doors prior to spraying and keep them closed for 10 to 15 minutes after spraying. When used in enclosed areas, do not remain in treated areas after spraying. Ventilate the area before re-entering.

KEEP OUT OF REACH OF CHILDREN

See other panel for additional precautionary statements.

301/93525

Fri-Mutual, Inc. 8500 Pillsbury Ave. So. Minneapolis, MR 55420

Attn: Mr. Han Gasterland

Dear Mr. Gasterland:

Subject: Update Labeling

Product Name Change, Minor Label Revision

Old Name: SK-Surekill Brand Pyrethrin Plus Livestock Spray with Vapona New Name: SK-Surekill Brand Pyrethrin Plus Spray Insecticide with Vapona

EPA Reg. No: 4866-3

Your Letters: February 8, 1963 & February 24, 1983

The product name change referred to above is acceptable and the records for the subject product have been changed accordingly.

The change in the application rate has been noted and a stamped copy of the labeling is enclosed for your records.

The updated lameling is also acceptable, however, since the name change label supercedes the first updated labeling a stamped copy will not be sent but merely filed for our records.

Prior to printing the subject labeling incorporate the following comments into the labeling:

- Pe sure to note the minimum type size requirements for the front panel signal word, the "KEEP OUT OF REACH OF CHILDREN" and the heading "STORAGE AND DISPOSAL". (Note: the "KEEP OUT OF REACH OF CHILDREN" is too small on the sample printed labeling submitted.)
- 2. Move "It is a violation of Federal....its labeling." to immediately follow the heading "DIRECTIONS FOR USE".

Note: with future submissions in which you expect a returned stamped copy, please submit five copies. Also when submitting draft labeling, you should note the type sizes of the various required elements in parentheses.

Sincerely cours.

George T. LaRotea Product Manager (15) Insecticide-Rodenticide Branch Registration Division (is-7670)

BEST BULLING ROME THAT