

Reg # 4866-3

PM-15

12/31/89

19/1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION

Use this product SAFELY: Read entire label before using. Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate water, feed, or foodstuffs.

Do not use in the food areas of food processing, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not apply to animals under 6 months of age. Brahman or Brahman Cross cattle should not be treated, as they may show hypersensitivity to organophosphates.

Environmental Hazards: This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of waste.

Physical or Chemical Hazards: Do not use, pour, spill or store near heat or open flame.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool place. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia. Gastric lavage is indicated (pumping of stomach is recommended) if material was taken internally.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

DOUBLE ACTION - KILLS - REPELS

DOUBLE ACTION - KILLS - REPELS



**PYRETHRIN PLUS
Spray Insecticide
with VAPONA®**

ACTIVE INGREDIENTS:

Pyrethrins	0.06%
Technical Piperonyl Butoxide	0.10%
Consists of 0.06% (Butylcarbityl)(s-Propyl-Piperonyl) Ether and 0.02% other related compounds.	
N-acyl Bicycloheptane Dicarboximide	0.15%
D-n-propyl isocinchomerate	0.20%
VAPONA® Insecticide	0.50%
Consists of 0.485% 2,2-Dichlorovinyl Dimethyl Phosphate (DDVP) & 0.035% related compounds.	
Inert Ingredients	98.0%
© Vapona is a registered trademark of Shell Chemical Company.	Total 100%

KEEP OUT OF REACH OF CHILDREN **CAUTION**
See side panel for STATEMENT OF PRACTICAL TREATMENT and additional precautionary statements.

NET CONTENTS: 2.5 GALLON

**SK-Surekill Brand PYRETHRIN PLUS
Spray Insecticide with Vapona®**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use this product SAFELY: Read entire label before using.

This spray insecticide is a dual purpose formulation designed to protect dairy or beef cattle from attacks of biting flies in the barn and on pasture; as well as to function as an effective space spray for quick knockdown and kill of flies in the barn.

Animal Spray. To protect animals against the attacks of stable flies, horn flies, mosquitoes and gnats, apply just enough to wet the ends of the hairs but not enough to soak the hide. One or two ounces is enough to treat an adult cow. Apply once daily, preferably in the morning, for protection during the day. Repeat at daily intervals, or as necessary for continued protection.

Do not apply in excess of two fluid ounces per animal per day. Do not spray udders of lactating dairy animals. For milking dairy animals, apply the spray 20 to 30 minutes before beginning to milk. Do not apply to animals under 6 months of age. Brahman or Brahman Cross cattle should not be treated, as they may show hypersensitivity to organophosphates.

Space Spray for Barn, Fly Control. To attain quick knockdown and kill of flies, gnats and mosquitoes in enclosed spaces, spray toward the ceiling and corners until the space is filled with a light mist. Apply at the rate of one to two ounces per 1000 cubic feet.

Do not treat animals or humans. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use this solution in areas where animals have received direct application within 8 hours.

For best results, close all windows and doors prior to spraying and keep them closed for 10 to 15 minutes after spraying. When used in enclosed areas, do not remain in treated areas after spraying. Ventilate the area before re entering.

KEEP OUT OF REACH OF CHILDREN
See other panel for additional precautionary statements.



You can rely on
IntAgra, Inc.
8500 Pillsbury Ave. So.
Minneapolis, MN 55420

EPA Est. No. 4866-MN-1

EPA Reg. No. 4866-3

DOUBLE ACTION - KILLS - REPELS

Not Reviewed. Product label to be in accordance with... for Phase 2... Status.

BEST AVAILABLE COPY