


Big Game Repellent DEER-AWAY



- **NOT approved for use on edible crops.** See side panel for specific directions for fruit trees, citrus trees and almond trees.
- **Timing of Treatment:** To protect against winter browsing, apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. To protect against spring browsing of new growth, apply upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists.
- **Weather Conditions:** Apply only to dry plants, and only under conditions favoring prompt drying of spray (lightly breezy, mild dry weather with low relative humidity). If spray is used on wet plants or in damp, cold, foggy or misty weather, or if precipitation or freezing occurs before spray can dry, protection may be partially or completely lost.
- **Care of Equipment:** Promptly discard leftover spray. Rinse spraying equipment thoroughly with cold water immediately after use.
- **Established Plantations:** For use on individual seedlings, use a pressurized hand-held or backpacked garden sprayer. Hold nozzle of spray wand about 10" vertically above tip of terminal shoot. On conifers spray the terminal and first whorl to run-off. Final DEER-AWAY mixture should be applied at the rate of one gallon per 400 seedlings 2-4 ft tall. Treat each seedling to be protected.
- **Nurseries or Large Greenhouses:** Use pressurized tank and spray boom and assure complete coverage of seedlings to run-off by proper adjustment of tank pressure, nozzle size, number and opening, and boom height above bud and speed of travel. This will result in about 2-ml of solution per seedling.
- **Seedlings in Nurseries and Greenhouses:** must be sprayed as close to whorl and out planting, as possible for maximum browse protection. Re-spray before lifting if more than 6 weeks have elapsed between first application and lifting of stock.

DEER-AWAY BIG GAME REPELLENT

- **RECOMMENDED PLANTS:** See other panels for general directions.
- **Not for use on edible crops:** See specific directions for application to fruit trees, citrus trees and almond trees.
- **Yes, Scotch Pine, Arborvitae, Douglas Fir, Flowering Crabapple, Hemlock, Honey suckle, Azalea, and Rhododendron:** Apply to terminal to point of run-off. For large trees, apply DEER-AWAY only to lateral branches that are within animal's reach. Repeat as necessary.
- **Ornamental Shrubs:** DEER-AWAY is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.
- **Fruit and Citrus Trees:** For use on bearing and non-bearing trees. Use only when trees are dormant, not when actively growing.
- **Conifer Seedlings:** Seedlings to be protected from winter browsing and seedlings in nurseries and greenhouses must be dormant and frost hardy before treatment. Note: Browning and drop of old needles may occur on some evergreen species after using this product.
- **Almond Trees:** Apply by ground application equipment at rate of 1 to 3 gallons per acre, depending on tree size. Apply as needed to achieve continued repellency. Do not apply DEER-AWAY within 30 days of harvest.



UPC 0-38241-02201-x

pm 14 4866-10

page 1 of 2

MARCH 1992
EPA Registration


1/2 Gallon Kit Box Copy

ACCEPTED

APR - 8 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4866-10

STOPS DEER DAMAGE GUARANTEED*



DEER-AWAY

Big Game Repellent

LIQUID SPRAY KIT

For repelling black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings.

Also repels white-tailed deer from listed ornamentals, fruit, citrus and almond trees

Treats 30-36 ornamental shrubs 4 feet high

Concentrated: This kit makes ONE HALF GALLON

(after mixing Concentrate 2103 and Formula 2104 with water)
Net Weights: 8.5-oz of Concentrate 2103, 8-oz of Formula 2104

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See other panel for additional precautionary statements

ACTIVE INGREDIENT: Putrescent Whole Egg Solids: 37.00%
Inert Ingredients: 63.00%
Total: 100.00%

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION

Wash hands, arms and face with soap and water after use. Avoid contact with eyes, skin, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Environmental Hazards

Keep out of lakes, streams or ponds. Do not contaminate water by equipment cleaning or waste disposal.

* LIMITED GUARANTEE:

IntAgra guarantees to you, the original purchaser, that DEER-AWAY will perform as outlined on the label if the product is applied within one (1) year after the date of purchase. If the product is not effective, send us proof of purchase and a letter of explanation to address below. IntAgra will refund your purchase price if product was not effective. Refund is our sole obligation under guarantee. This guarantee shall not apply to any product not stored or not applied in the manner described on the package.

INTAGRA SHALL NOT BE LIABLE FOR ANY DIRECT, CONSEQUENTIAL OR INCIDENTAL LOSS OR DAMAGE. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This guarantee gives you specific rights, and you may also have other rights which vary from state to state.

If any other warranties are implied by law, such warranties shall be limited to the one (1) year period of above guarantee.



Manufactured by
IntAgra, Inc.
8500 Pillsbury Ave. So.
Minneapolis, MN 55420

EPA Reg 4866-10, EPA Est 4866-MN-01
US Patents 3,980,773; 4,065,578; 4,065,577.
Canadian Patent 1,048,408. Rev. 3-92.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep in storage area inaccessible to children. Protect from heat and freezing. Close tightly to prevent evaporation.

PESTICIDE DISPOSAL: If spillage occurs, dilute with water and flush away. Residue resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Individual containers, mixing container and/or other plastic bags (for application) and other plastic bags or newspapers, or garbage and dispose of in a sanitary landfill or by incineration, or if allowed by State & local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

1/2 GALLON
KIT
Liquid
For Spraying
Treats
30-36 Shrubs
4 Feet High



2 of 3

DEER-AWAY BIG GAME REPELLENT

- **DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- **Store at room temperature:** Freezing makes DEER-AWAY unusable. Protect from heat and freezing.
- **INSTRUCTIONS - Mixing and Dilution:**
- **Note:** Individual containers are not filled to capacity, but are filled by weight.
- **Mix before using:** 2103 must be mixed with 2104 and water to produce ready-to-use spray. Read all directions before mixing.
- **Use promptly after mixing:** Mixed solution will spoil quickly above 40° F. Do not store longer than one day; discard unused solution.
- **To make 1/2 Gallon of ready-to-use spray:**
 1. Before diluting, thoroughly stir contents of both containers individually. If 2103 has caked due to unavoidable settling which occurs during shipment, break cake with a stiff knife or screwdriver, stir and mix thoroughly.
 2. Empty entire bottle of 2103 into a suitable mixing container. Add 1-1/2 quarts of warm water and mix thoroughly.
 3. Add all of the 2104. Stir until well mixed.
 4. Use promptly. If sprayer is to be re-used, clean it with cold water immediately after use.
- **To make less than 1/2 Gallon:** Thoroughly stir contents of both containers individually as explained above. Mix 1 part 2103, 1 part 2104, 8 parts water. Blend until thoroughly mixed.
- **Seal tightly:** If saving part of unmixed ingredients to use later, close containers tightly to prevent evaporation.
- **METHOD OF APPLICATION:**


• Before applying, read and understand all labels and instructions.

• Spray final mixed DEER-AWAY solution on all areas of plants that to be browsed.
- **Apply only in diluted form as specified.** Do not apply excessively to seedlings. Mixtures or serial applications of DEER-AWAY and TMTD (Thiram) may reduce repellency during winter.

- **NOT approved for use on edible crops.** See side panel for specific directions for fruit trees, citrus trees and almond trees.
- **Timing of Treatment:** To protect against winter browsing, apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. To protect against spring browsing of new growth, apply upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists.
- **Weather Conditions:** Apply only to dry plants, and only under conditions favoring prompt drying of spray (slightly breezy, mild dry weather with low relative humidity). If spray is used on wet plants or in damp, cold, foggy or misty weather, or if precipitation or freezing occurs before spray can dry, protection may be partially or completely lost.
- **Care of Equipment:** Promptly discard leftover spray. Rinse spraying equipment thoroughly with cold water immediately after use.
- **Established Plantations:** For use on individual seedlings, use a pressurized hand-held or backpacked garden sprayer. Hold nozzle of spray wand about 10" vertically above tip of terminal shoot. On conifers spray the terminal and first whorl to run-off. Final DEER-AWAY mixture should be applied at the rate of one gallon per 400 seedlings 2-4 ft. tall. Treat each seedling to be protected.
- **Nurseries or Large Greenhouses:** Use pressurized tank and spray boom and assure complete coverage of seedlings to run-off by proper adjustment of tank pressure, nozzle size, number and opening, and boom height above bed and speed of travel. This will result in about 2-ml of solution per seedling. Seedlings in nurseries and greenhouses must be sprayed as close to lifting and out-planting as possible for maximum browse protection. Re-spray before lifting if more than 6 weeks have elapsed between first application and lifting of stock.

DEER-AWAY BIG GAME REPELLENT

- **RECOMMENDED PLANTS:** See other panels for general directions.
- **Not for use on edible crops:** See specific directions for application to fruit trees, citrus trees and almond trees.
- **Yew, Scotch Pine, Arborvitae, Douglas Fir, Flowering Crabapple, Hemlock, Honeysuckle, Azalea, and Rhododendron:** Apply to terminal to point of run-off. For large trees, apply DEER-AWAY only to lateral branches that are within animal's reach. Repeat as necessary.
- **Ornamental Shrubs:** DEER-AWAY is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.
- **Fruit and Citrus Trees:** For use on bearing and non-bearing trees. Use only when trees are dormant, not when actively growing.
- **Conifer Seedlings:** Seedlings to be protected from winter browsing and seedlings in nurseries and greenhouses must be dormant and frost hardy before treatment. Note: Browning and drop of old needles may occur on some evergreen species after using this product.
- **Almond Trees:** Apply by ground application about 1/2 inch at rate of 1 to 3 gallons per acre, depending on tree size. Apply as needed to achieve continued repellency. Do not apply DEER-AWAY within 30 days of harvest.



UPC 0-38241-02201-x

STO

DI
Big
L

For repellent
and Roos

Treats
Concentrat

(after mix)
Net Weight

KEEP

See o

ACTIVE IN
Inert Ingr

BEST AVAILABLE COPY

March 92 - EPA Registration 1/2 Gallon Kit - Concentrate 2103 Bottle Labels



DEER-AWAY Big Game Repellent LIQUID SPRAY Concentrate **2103**

(use ONLY with Formula 2104)

For repelling black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings.

Also repels white-tailed deer from listed ornamentals, fruit and citrus trees.

**Net Contents 8.5-fl.oz.
Makes 1/2 Gallon**

(after mixing with water and Formula 2104).

Read directions on box before use.

Stir thoroughly before mixing!
Read directions on box before use.

CAUTION
KEEP OUT OF REACH
OF CHILDREN

Active Ingredient:

Putrescent Whole Egg Solids 37.00%

Inert Ingredients: 63.00%

Total: 100.00%

Protect from freezing.

If frozen, allow to warm to room temperature and knead thoroughly before use.

EPA Reg. 4866-10

EPA Est. 4866-MN-01

US Patents 3,980,773;

4,065,576; 4,065,577.

Canadian Pat. 1,048,408. Rev. 3-92.



Manufactured by
intAgra, Inc.
8500 Pillsbury Ave. So.
Minneapolis, MN 55420

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION

Wash hands, arms & face with soap and water after use. Avoid contact with eyes, skin, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep in storage area inaccessible to children. Protect from heat and freezing. Close tightly to prevent evaporation.

PESTICIDE DISPOSAL: If spillage occurs, dilute with water and flush away. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Individual containers, mixing container or sprayer. Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State & local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
APR - 8 1992
Under the Federal Insecticide, Fungicide, and Rodenticide Act, for the product registered under
EPA Reg. No. 4866