

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75 767) WASHINGTON DC 20460 NOTICE OF PESTICIDE <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide and Rodenticide Act as amended)	EPA REGISTRATION NO. 4866-10	DATE OF ISSUANCE DEC 31 1996
	TERM OF ISSUANCE UNCONDITIONAL	
	NAME OF PESTICIDE PRODUCT Deer Away Big Game Repellent Liquid Spray Kit	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

IntAgra, Inc
 8500 Pillsbury Ave. South
 Minneapolis, MN 55420-2291

5-505459 675/22
 5-509925 308/17

NOTE- Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U S EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the product listed above. Enclosed is a copy of your labeling stamped "Accepted", including the labels for the kit, the concentrate, and the binder. This action is taken under the authority of section 4(g) (2) (C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

In your October 27, 1995, amended application, you proposed to change the binder for this product. This is acceptable, provide you make the minor labeling changes below. In your January 19, 1996, letter, you added "rabbits" to your label. This is also acceptable.

The Agency has determined that the Confidential Statement of Formula (CSF) dated November 8, 1993, for the Liquid Spray Concentrate 2103 and the CSF dated November 1, 1995, for the Concentrate 2103 Binder, which were submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable. Copies of these CSF's have been placed in our file for this product. All previous versions are obsolete.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE **DEC 31 1996**

295
1
2
3
4
5

Make the revisions specified below to your binder label before you print the final labeling for this product

- 1 On the Right Panel of the Formula 2104 Binder label, revise the "CAUTION" and "FIRST AID" portions of your "PRECAUTIONARY STATEMENTS" as follows

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes eye and skin irritation Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Call a physician if irritation persists.

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling

Registrants may sell or distribute products bearing old labeling for one year after the date of this Notice. Non-registrants may sell or distribute products bearing old labeling for three years after the date of this Notice.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

W.W.J.
 William W. Jacobs, PhD
 Product Manager (14)
 Insecticide-Rodenticide Branch
 Registration Division (H7504C)

- Enclosures. 1. Stamped label
 2. A-79 Enclosure

375

Treats 30-36 Ornamental Shrubs 4 Feet High

Makes One Half Gallon

ACCEPTED with COMMENTS in EPA Letter Dated

DEC 31 1996

of the Federal Insecticide, Fungicide, and Herbicide Act of 1974, for the pesticide

4866-1D

January 1995 EPA Registration

1/2 Gallon Kit Box Copy Reduced to 85% of original size

DEER AWAY[®] Big Game Repellent

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

This product may be used to repel black-tailed deer (mule deer), white-tailed deer, and Roosevelt elk that browse or uproot conifer seedlings. This product may also be used to repel white-tailed deer from yew, Scotch pine, arbutus, Douglas fir, flowering crabapple, hemlock, honeysuckle, azalea, rhododendron, fruit and citrus trees, and ornamental shrubs, and to repel rabbits from ornamentals.

Do not use this product on edible crops. See specific directions for application to fruit and citrus trees.

MIXING AND DILUTION DIRECTIONS:

Note: Individual containers are not filled to capacity, but are filled by weight.

Mix before using: Concentrate 2103 must be mixed with Formula 2104 and water to produce ready-to-use spray. Read all directions before mixing.

Use promptly after mixing: Mixed solution will spoil quickly above 40° F. Do not store longer than one day; discard unused solution.

To make 1/2 gallon of ready-to-use spray:

1. Before diluting, thoroughly stir contents of both containers individually. If Concentrate 2103 has caked due to unavoidable settling which occurs during shipment, break cake with a soft knife or screwdriver, stir and mix thoroughly.
2. Empty entire bottle of Concentrate 2103 into a suitable mixing container. Add 1-1/2 quarts of warm water and mix thoroughly.
3. Add all of the Formula 2104. Stir until well mixed.
4. Use promptly. If sprayer is to be re-used, clean it with cold water immediately after use.

To make less than 1/2 gallon:

Thoroughly stir contents of both containers individually as explained above.

Mix 1 part Concentrate 2103, 1 part Formula 2104, 6 parts water. Blend until thoroughly mixed.

Seal tightly: If saving part of unmixed ingredients to use later, close containers tightly to prevent evaporation.

APPLICATION DIRECTIONS:

Before applying, read and understand all labels and instructions.

Spray final mixed DEER AWAY solution on all areas of plants likely to be browsed.

Apply only in diluted form as specified. Do not apply excessively to seedlings. Mixtures or serial applications of DEER AWAY and TMTD (Thiram) may reduce repellency during winter.

Timing of Treatment: To protect against winter browsing, apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated.

To protect against spring browsing of new growth, apply upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth.

If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists.

Weather Conditions: Apply only to dry plants, and only under conditions favoring prompt drying of spray (lightly breezy, mild dry weather with low relative humidity). If spray is used on wet plants or in damp, cold, foggy or misty weather, or if precipitation or freezing occurs before spray can dry, protection may be partially or completely lost.

Care of Equipment: Promptly discard leftover spray. Rinse spraying equipment thoroughly with cold water immediately after use.

Established Plantations: For use on individual seedlings, use a pressurized hand-held or backpacked garden sprayer. Hold nozzle of spray wand about 10" vertically above tip of terminal shoot. On conifers spray the terminal and first whorl to run-off. Final DEER-AWAY mixture should be applied at the rate of one gallon per 400 seedlings 2-4 ft. tall. Treat each seedling to be protected.

Nurseries or Large Greenhouses: Use pressurized tank and spray boom and assure complete coverage of seedlings to run-off by proper adjustment of tank pressure, nozzle size, number and opening, and boom height above bud and speed of travel. This will result in about 2 ml of solution per seedling.

Seedlings in nurseries and greenhouses must be sprayed as close to lifting and out-planting as possible for maximum browse protection. Re-spray before lifting if more than 6 weeks have elapsed between first application and lifting of stock.

Directions for Use continue on side panel.

DIRECTIONS FOR USE (continued from back panel)

APPLICATION DIRECTIONS (continued) Do not use on edible crops: See specific directions for application to fruit and citrus trees.

Yew, Scotch Pine, Arbutus, Douglas Fir, Flowering Crabapple, Hemlock, Honeysuckle, Azalea, and Rhododendron: Apply to terminal to point of run-off. For large trees, apply DEER AWAY only to lateral branches that are within animal's reach. Repeat as necessary.

Ornamental Shrubs: DEER AWAY is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.

Fruit and Citrus Trees: For use on bearing and non-bearing trees. Use only when trees are dormant, not when actively growing.

Conifer Seedlings: Seedlings to be protected from winter browsing and seedlings in nurseries and greenhouses must be dormant and frost hardy before treatment. Note: Browning and drop of old needles may occur on some evergreen species after using this product.

Almond Trees: Apply by ground application equipment at the rate of 1 to 3 gallons per acre, depending on tree size. Apply as needed to achieve continued repellency. Do not apply DEER AWAY within 30 days of harvest.

Manufactured by: InAgra, Inc. 6500 Pittsbury Ave. So. Minneapolis, MN 55420 Rev. 1/95

UPC code

For repelling black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings.

Also repels white-tailed deer from listed ornamentals, fruit, citrus and almond trees.

Repels rabbits from ornamentals.

Treats 30-36 ornamental shrubs 4 feet high.

ACTIVE INGREDIENT: Putelescent Whole Egg Solids 37.00%
INERT INGREDIENTS: 63.00%
Total: 100.00%

EPA Reg. No. 4866-10, EPA Est. No. 4866-MN-1

KEEP OUT OF REACH OF CHILDREN CAUTION See other panel for additional precautionary statements

Concentrated: This kit makes One Half Gallon (after mixing Concentrate 2103 and Formula 2104 with water) Net Contents: 8-1/2 oz. of Concentrate 2103, 8-1/2 oz. of Formula 2104

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area inaccessible to children and pets. Protect from heat and freezing. Keep container closed tightly to prevent evaporation. If spillage occurs, dilute with water and flush away.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Sprayers should be triple rinsed (or equivalent). All other containers, including mixing containers, must be triple rinsed (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

***Limited Guarantee:** InAgra guarantees to you, the original purchaser, that DEER-AWAY will perform as promised on the label if the product is applied within one (1) year after the date of purchase. If the product is not effective, send us proof of purchase and a letter of explanation to address below. InAgra will refund your purchase price if product was not effective. Refund is our sole obligation under this guarantee. This guarantee shall not apply to any product which is not stored or is not applied in manner described on the package. **INAGRA SHALL NOT BE LIABLE FOR ANY DIRECT, CONSEQUENTIAL OR INCIDENTAL LOSS OR DAMAGE.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This guarantee gives you specific rights, and you may also have other rights which vary from state to state. If any other warranties are implied by law, such warranties shall be limited to the one (1) year period of above guarantee.

Kit Box Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ DIRECTIONS FOR USE and all other information on label for outer box before using this product.

Stir thoroughly before mixing!

The contents of this bottle make 1/2 gallon of spray mixture after mixing with water and Formula 2104.

Protect from freezing.

If frozen, allow to warm to room temperature and stir thoroughly before use.

ACCEPTED FOR REGISTRATION
EPA COMMENTS
EPA Letter Dated
DEC 31 1996

the Federal Insecticide,
Fungicide, and Rodenticide Act
is hereby approved for the pesticide
under EPA Reg. No.
4866-10

EPA Reg. No. 4866-10
EPA Est. No. 4866-MN-1
Rev. 1-95.

Manufactured by
IntAgra, Inc.
8500 Pillsbury Ave. So.
Minneapolis, MN 55420.



**LIQUID SPRAY
CONCENTRATE 2103**
(Use ONLY with Formula 2104)

- For repelling black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings.
- Also repels white-tailed deer from listed ornamentals, fruit, citrus and almond trees.
- Repels rabbits from ornamentals.
- Treats 30-36 ornamental shrubs 4 feet high.

Active Ingredient:
Putrescent Whole Egg Solids 37.00%
Inert Ingredients: 63.00%
Total: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents 8 fl. oz. **Makes 1/2 Gallon**
(after mixing with water and Formula 2104)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area inaccessible to children and pets. Protect from heat and freezing. Keep container closed tightly to prevent evaporation. If spillage occurs, dilute with water and flush away.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Sprayers should be triple rinsed (or equivalent). All other containers, including mixing containers, must be triple rinsed (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

564

Concentrate 2103
Label

5
565

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ DIRECTIONS FOR USE and all other information on label for outer box before using this product.

Stir thoroughly before mixing!

The contents of this bottle make 1/2 gallon of spray mixture after mixing with water and Concentrate 2103.

Protect from freezing.

If frozen, allow to warm to room temperature and stir thoroughly before use.

ACCEPTED
with COMMENTS
in EPA Letter Dated
DEC 31 1989
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
4866-10

EPA Est. No. 4866-MN-1
Rev. 1-95.

Manufactured by
IntAgra, Inc.
8500 Pillsbury Ave. So.
Minneapolis, MN 55420

DEER AWAY®

FORMULA 2104

(Use ONLY with Concentrate 2103)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents 8 fl. oz. **Makes 1/2 Gallon**
(after mixing with water and Concentrate 2103)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area inaccessible to children and pets. Protect from heat and freezing. Keep container closed tightly to prevent evaporation. If spillage occurs, dilute with water and flush away.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Sprayers should be triple rinsed (or equivalent). All other containers, including mixing containers, must be triple rinsed (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Formula 2104 Label