

EQUIPMENT SANITIZING:

To preclean equipment wash with cold or luke warm (not hot) water with a solution of one ounce of Indco LG-11 to each five gallons of water. Rinse with potable water. To sanitize, spray or immerse equipment with fresh solution of one ounce of Indco LG-11 to each five gallons of cold or lukewarm (not hot) water (providing 25 ppm of titratable iodine). Allow for one minute of contact time. When ready for use, drain off sanitizing solution.

TANK AND VAT SANITIZING:

Preclean with one ounce of Indco LG-11 per each five gallons of cold or lukewarm (not hot) water. Rinse with potable water. To sanitize, spray or fill vat with one ounce of Indco LG-11 per each five gallons of water (providing 25 ppm of titratable iodine). After five minutes drain solution.

SANITATION OF WALLS, FLOORS, CONVEYORS, AND OTHER SIMILAR SURFACES

Clean daily with solution containing one ounce of Indco LG-11 to each five gallons of water (providing 25 ppm titratable iodine). Clean weekly, or at end of batch run with solution containing two ounces of Indco LG-11 to each five gallons of water (providing 50 ppm titratable iodine). Rinse.

SANTIZING OF BEVERAGE CONTAINERS;

To sanitize previously cleaned beverage containers, which were first washed in detergent and rinsed, use a solution containing 1 ounce of Indco LG-11 per each 10 gallons water (provides 12.5 ppm titratable iodine). Allow for a one minute contact time. Invert containers, drain, and allow to air dry.

DIRECTIONS FOR DILUTION:

- 1 oz of Indco LG-11 to 10 gallons water = 12.5 ppm
- 1 oz of Indco LG-11 to 5 gallons water = 25 ppm
- 2 oz of Indco LG-11 to 5 gallons water = 50 ppm

Precautionary Statements

Hazard to Humans and Domestic Animals

Danger: Corrosive. Causes eye and skin damage. Do not get in eyes and on skin, or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing vapors. Wash thoroughly with soap and water after handling.

Statement of practical Treatment

If swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If on Skin: Wash with soap and water. Get medical attention if irritation persists.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.



A low-foam iodine for sanitizing in the beer-bottling, soft drink-bottling, milk-bottling and glasses and dishes in restaurants, bars, hotels, schools and institutions.

ACTIVE INGREDIENTS

IODINE*	1.60%
Inert Ingredients	98.40%
	100. %

*From Butoxy polypropoxy polyethoxy ethanol and Polyethoxy polypropoxy polyethoxy ethanol-iodine complexes.

U.S. Patent No. 3,650,965, 3,028,299

**KEEP OUT OF REACH OF CHILDREN
DANGER**

(See side panels for additional precautions.)

EPA EST. NO. 4875-NJ-1

EPA REG. NO. 4875-12

Manufactured By

NET CONTENTS 1 GALLON

**INDCO INC.
GLOUCESTER CITY, NEW JERSEY 08030**

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

THREE-SINK SYSTEM:

To preclean, wash glasses and dishes in Sink No.1, which should contain one ounce of Indco LG-11 per each five gallons of cold or lukewarm (not hot) water. Rinse in clear water in Sink No. 2, where permitted. Place cleaned glasses and dishes in Sink No. 3, which should contain one ounce of Indco LG-11 per each five gallons of cold or lukewarm (not hot) water. This solution will provide 25 ppm of titratable iodine. Allow to soak for one minute. Remove glasses and dishes; allow to drain and air dry.

TWO SINK METHOD:

Two-sink method: (Where Permitted) To preclean, wash glasses and dishes in Sink No.1, which should contain one ounce of Indco LG-11 per each five gallons of cold or lukewarm (not hot) water. Place cleaned glass and dishes in Sink No. 2, which should contain one ounce of Indco LG-11 per each five gallons of cold or lukewarm (not hot) water. This solution will provide 25 ppm of titratable iodine. Allow to soak one minute. Remove glasses and dishes; allow to drain and air dry.

STORAGE AND DISPOSAL

Storage: Keep container closed when not in use. Do not store below 32°F. or above 100°F. for extended periods. **Disposal:** Do not contaminate water, food or feed by storage or disposal, or cleaning of equipment. In case of spill, flood area with large quantity of water, washing to sewer or collection vessel. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. Do not reuse empty container. Triple rinse, puncture, and dispose of container in a sanitary landfill or by incineration.

Environmental Hazards

This pesticide is toxic to fish. Do not discharge to lakes, streams, ponds or other public waterways without an appropriate NPDES Permit. For NPDES permits, contact your regional EPA office or the appropriate agency in your state.

