



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 4, 2015

Mr. Frederick Binter, Jr.
President
Indco Inc.
511 Essex Street
Post Office Box 109
Gloucester City, NJ 08030

Subject: Label Notification per PRN 2007-4 – Minor Label Changes
Product Name: **Indco PF-13**
EPA Registration Number: **4875-18**
Application Date: June 29, 2015
Decision Number: 507637

Dear Mr. Binter:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Killian Swift at 703-308-6346 or by email at Swift.Killian@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Wanda J. Fuller, for".

Demson Fuller, Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510P)
Office of Pesticide Programs

Indco PF-13 is recommended for use on hard (non-porous) surfaces or on dishes, glasses, or food processing equipment or utensils, including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Purchaser must be able to use Chlorine Test Kit to make sure available chlorine level does not fall below 50 ppm or above 100 ppm. Prepare a sanitizing solution by dissolving 1 oz. of Indco PF-13 per 10 gallons of water. This gives a solution containing 100 ppm available chlorine. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes. The same solution should be used in the feed tank in immersion or spray type machines providing 2-5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. The items are then ready for use. The sanitizing solution should be used promptly after mixing.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger. Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS

Danger: Strong oxidizing agent. Mix only with water. Use only clean, dry utensils. Contamination with moisture, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Indco PF-13 decomposes at 460-500°F with liberation of heat and harmful gases. Do not use Indco PF-13 in any chlorinating device which has been used with any inorganic



INDCO PF-13 Sanitizer

Powdered Chlorinated Sanitizer

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetrione Dihydrate 25%
INERT INGREDIENTS 75%
Total 100%
Provides 13.8% available chlorine.
E.P.A. Reg. No. 4875-18 EPA Est. No. 4875-NJ-1
Net Contents: 100 lbs.

Manufactured By Lot Number & Date Code
INDCO Inc.
511 Essex St.
Gloucester City, NJ 08030

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container. Keep product dry in tightly closed containers when not in use and under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-refillable container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Dispose of drum in the same manner.

EMERGENCY HANDLING

In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

FIRST AID

If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Indco PF-13 is recommended for use on hard (non-porous) surfaces or on dishes, glasses, or food processing equipment or utensils, including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Purchaser must be able to use Chlorine Test Kit to make sure available chlorine level does not fall below 50 ppm or above 100 ppm. Prepare a sanitizing solution by dissolving 1 oz. of Indco PF-13 per 10 gallons of water. This gives a solution containing 100 ppm available chlorine. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes. The same solution should be used in the feed tank in immersion or spray type machines providing 2-5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. The items are then ready for use. The sanitizing solution should be used promptly after mixing.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger. Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS

Danger: Strong oxidizing agent. Mix only with water. Use only clean, dry utensils. Contamination with moisture, organic matter or other chemicals (including pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire or explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Indco PF-13 decomposes at 460-500°F with liberation of heat and harmful gases. Do not use Indco PF-13 in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.



INDCO PF-13 Sanitizer

Powdered Chlorinated Sanitizer

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetrione Dihydrate 25%
INERT INGREDIENTS 75%
Total 100%
Provides 13.8% available chlorine.
E.P.A. Reg. No. 4875-18 EPA Est. No. 4875-NJ-1
Net Contents: 5 lbs.

Manufactured By Lot Number & Date Code
INDCO Inc.
511 Essex St.
Gloucester City, NJ 08030

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container. Keep product dry in tightly closed containers when not in use and under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse container as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/2 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

EMERGENCY HANDLING

In case of contamination or decomposition of product, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

FIRST AID

If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTIFICATION

4875-18

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/04/2015