145

SEP 2 1 1989

Coastal Industries 225 Passaic Street Passaic, NJ 07055



Attention: Larbara n. nollman Regulatory lanager

ghthemen;

Subject. Iso Clor Super Stabilized Chlorinating Tablots EPA File Symbol 4529~51 Your Submission Dated May 10, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide act, is acceptable provided that you:

- 1. Make the following revisions before you release the product for snipment bearing the amended labeling:
 - a. Revise "... a chlorine residual of 1 to 2 ppm" to read "... a chloring residual of 1 to 1.5 ppm."
 - D. Remove the colon after DANGER on the front panel.
- Submit the final printed labeling for inclusion in the product file.

57242:I:Kempter:K-2:KENCO:9/14/89:9/25/89:dg:VO:EK:AS R:57252:Douglas:K-2:KENCO:09/15/89:09/28/89:de:vo:DD

CONCURRENCES								
SYMBOL								
SURNAME	, i							
DATE								
EPA Fem	1320-1 (12-70)	<u> </u>			·	· · · · · · · · · · · · · · · · · · ·	OFFICE	AL FILE COPY

245

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Singerely yours,

Jeff Kempter
Product Manager (32)
Artimicrobial Program Branch
Registration Division (H7505C)

Enclosure

(Front Panel)

ISO CLOR

SUPER STABILIZED CHLORINATING TABLETS

FOR SWIM POOLS

Bacteri le · Algaecide · Disinfectant

ACTIVE INGREDIENTS:	
Sodium Dichloro-s-triazinetrione Dihydrate6	4.0%
Alkyl (C _{1/4} 95%, C _{1/2} 3%, C ₁₆ 2%) Direthyl Benzyl Ammonium Chloride	
Benzyl Ammonium Chloride	1.0%
INERT INGREDIENTS	5.0%
Available Chlorine3	5%

KEEP OUT OF REACH OF CHILDREN DANGER:

ACCEPTED
with COMMENTS
in EPA Letter Dated:

See back panel for additional precautions and Statement of Practical Treatment.

SEP 2 1 1989

NET CONTENTS: 7-3/4 lbs. (3.515 kg)

Under the Pederal Investibile, Fun the need technique of the as the edited the result of the RPA is No. 4829-51

485

CHEMICAL PROPERTIES

CONTAINS 35% AVAILABLE CHLORINE EASILY SOLUBLE IN ALL POOL WATER NO ACID OR ALKALI BUILDUP · LONG LASTING CHLORINE RESIDUAL FORTIFIED WITH WATER SOFTENERS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Iso Clor Super Stabilized Chlorinating Tablets are for use as a disinfectant and for algae control in pool water. For treatment of freshly filled pools or for superchlorination of water free of visible algae, add 12 to 24 Iso Clor Super Stabilized Chlorinating Tablets per 1,000 gallons of pool water to a floating dispenser. After this treatment, bathers should not be allowed to enter the pool until the chlorine residual falls to 2ppm (parts per million) or less. For subsequent treatments, add 4 Iso Clor Super Stabilized Chlorinating Tablets per 1,500 gallons of pool water, or as needed to maintain a chlorine residual of 1 to 2ppm. Increased dosages may be required during periods of heavy rainfall, extreme heat, or high bather load. Add Coastal Chlorine Stabilizer to reshly filled pools, or if the cyanuric acid content in the pool is less than 35 ppm. Taintain the pH of the water in the range of 7.2 to 7.6, with the addition of Coastal pH Plus if the pH is below 7.2 and addition of pH Minus if the pH is above 7.6. Monitor the pH and chlorine leveles of the swim pool water daily with a Coastal Test Kit. Six tablets weigh approximately 1 ounce. Do not mix with any other pool chemical.

ISO CLOR NORMAL DAILY MAINTENANCE DOSAGE CHART

POOL SIZE	GALLON CAPACITY	NO. OF TABLETS	
8' x 20''	650	2	
10' x 30"	1500	4	
12' x 36"	2550	7	
15' x 48''	5300	15	
18' x 48"	7600	20	
24' x 48''	13,600	36	

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 2 1 1989

Under the Laderd In ethode, Function and address of the lader and decreased decreased and the lader and the lader and lader an

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out of Reach of Children. Corrosive. Causes skin ind eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wea. goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If on skin, brush off excess chemical and flush skin with water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, immediately flush with cold water for at least 15 minutes. Get immediate medical attention. If inhaled, remove person to fresh air. Get immediate medical attention. If swallowed. promptly drink large quantities of water. DO NOT induce vomiting. Call Physician immediately.

PHYSICAL AND CHEMICAL HAZARDS

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS

his pesticide is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your regional office of the E.F.A.

STORAGE AND DISPOSAL

Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding in trash. Do not reuse empty container. Rinse thoroughly before discarding in trash. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

E.P.A. Reg. No. 4829-51

E.P.A. Est. No. 4829-NJ-1

Made & Printed in U.S.A. Coastal Industries 225 Passaic Street Passaic, NJ 07055

ACCEPTED with COMMENTS in EPA Letter Dated:

SEP 2 1 1989

Under the Period I schede, Fuerosia aut " as one ded as rom total walks the copy has