

### DIRECTIONS FOR USE

**BEEF CATTLE, SHEEP, HOGS, HORSES AND MULES:** For the control of lice, ticks, hornflies and mosquitoes, spray animals thoroughly using one (1) quart in 50 gallon of water (1½ tablespoon per gallon). For beef cattle to give longer protection mix at the rate of 2 quarts per 50 gallons of water.

**CABLE TYPE BACK RUBBERS:** To control hornflies on beef cattle, mix 1 pint per one gallon of #2 fuel oil or furnace oil. Do not use on dairy animals. Do not permit animals access to treatment within 30 days of slaughter. Use 1 gallon of mixture to 20 feet of oiler. Repeat as necessary.

**RESIDUAL SPRAY: DO NOT USE THIS DOSE ON ANIMALS.** Use ½ cup per gallon of water, spray barns, hog pens, calf pens, stables, garbage cans and similar places, to control hornflies and stable flies.

### NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. REG. NO. 4876-21

NET CONTENT 1 GALLON



# CABLE-OIL OR Livestock Spray

**CONTAINS LINDANE and TOXAPHENE  
For Quick-Kill and Long Residual  
On Hornflies, Lice, Ticks and Mosquitoes.**



**SPRAY YOUR LIVESTOCK OR LET THEM TREAT  
THEMSELVES FOR MORE LIVESTOCK PROFIT**

**ACTIVE INGREDIENTS:**

Lindane (Gamma Isomer of Benzene Hexachloride).... 1.7%  
Toxaphene\*.....43.4%

**INERT INGREDIENT:**

Petroleum Solvent.....54.9%

\*Technical chlorinated camphene (67-69% chlorine)

**WARNING: Keep out of reach of Children**

SEE SIDE PANEL FOR ADDITIONAL WARNINGS

**"AG" SUPPLY COMPANY**


HOPKINSVILLE, KY. 42240

**WARNING:** Do not use on dairy animals. Do not treat livestock within 30 days of slaughter. Do not treat animals under six months of age. Do not spray overheated or thirsty animals. Avoid treatment in cold stormy weather.

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash hands thoroughly with soap and warm water after handling the concentrate or applying the diluted product to animals. May be absorbed through skin. In case of contact wash immediately with soap and water; for eyes flush with water and get medical attention.

Do not contaminate feed or food stuffs. Do not use inside dairy barns, milk rooms or milk processing rooms. Do not use on poultry or poultry house. This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Rinse equipment and containers and dispose of waste by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with waste or by burning. (Keep out of smoke.)

**DO NOT USE, POUR, SPILL OR STORE NEAR OPEN FLAME.**



4876-21

**DIRECTIONS FOR USE**  
**BEEF CATTLE, SHEEP, PIGS, HORSES AND MULES.** For the control of lice, ticks, hornflies and mosquitoes, spray animals thoroughly using one (1) quart in 5 gallons of water (1 1/2 tablespoon per gallon). For beef cattle to give longer protection mix at the rate of 2 quarts per 50 gallons of water.

✓ **TABLE TOP BARK BARRIERS:** To control hornflies on beef cattle, mix 1 pint per one gallon of fuel oil or furnace oil. Do not use on dairy animals. Do not permit animals access to treatment within 30 days of slaughter. Use 1 gallon of mixture to 20 feet of oiler. Repeat as necessary.

**IF IN ALL WEATHER DO NOT USE THIS DOSE ON ANIMALS.** One quart per gallon of water, spray barns, hog pens, calf pens, stables, garbage cans and similar places, to control hornflies and stable flies.

**NOTICE OF WARRANTY**

AG Supply Company warrants, in writing, concerning the product described herein, and on the label. Buyer agrees to return to AG Supply Company, the material when it is found to be defective. See label instructions.

EPA REG NO 4876-21 NET CONTENT 1 GALLON

**AG SUPPLY COMPANY**  
**CHEMICALS**

## CABLE-OIL

OR  
**Livestock Spray**

**CONTAINS LINDANE and TOXAPHENE**  
**For Quick-Kill and Long Residual**  
**On Hornflies, Lice, Ticks and Mosquitoes.**



**SPRAY YOUR LIVESTOCK OR LET THEM TREAT THEMSELVES FOR MORE LIVESTOCK PROFIT**

ACTIVE INGREDIENTS: Lindane 1.0%, Toxaphene 0.5%, Inert Ingredients 98.5%

**WARNING: Keep out of reach of Children**  
 SEE SIDE PANEL FOR ADDITIONAL WARNINGS

**"AG" SUPPLY COMPANY**  
 HOPKINSVILLE, KY. 42240

**WARNING:** Do not use on hairy animals. Do not treat livestock within 30 days of slaughter. Do not treat animals under six months of age. Do not spray overheated or thirsty animals. Avoid treatment in cold stormy weather.

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, or on face or clothing. Wash hands thoroughly with soap and warm water after handling the concentrate. Applying the diluted product to animals may be absorbed through skin. In case of contact wash immediately with soap and water. For eye flush with water and get medical attention.

Do not contaminate feed or feed stuffs. Do not use inside dairy barn, milk parlor, milk processing rooms, or other areas used for or poultry house. This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Rinse equipment and containers. Dispose of waste by burying in deep hole, far away from water supplies. Containers must be disposed of by punching holes in them or burying with waste or by burning (keep away from smoke.)

**DO NOT USE, POUR, SPILL OR TOUCH NEAR FLAME.**

**ACCEPTED**  
 7/23/74  
 UNDER THE FEDERAL INSECTICIDE ACT  
 REGISTERED UNDER THE FEDERAL INSECTICIDE ACT  
 SUBJECT TO ATTACHED COMMENTS

4476-21

28