


**AG**  
FARM & GARDEN  
CHEMICALS

# Tobacco Plant Bed SYSTEMIC GRANULES

Contains DI-SYSTON®

## For Control of APHIDS & FLEA BEETLES



**RESTRICTIONS--**  
**FOR COMMERCIAL GROWERS ONLY**  
Not for home garden use. Do not use on crops used for food or storage. Use only according to label directions. Application of rates above those shown may result in illegal crop residues. Do not treat food crops grown in the greenhouse. Not for use or storage in or around the home.

**WORKS INSIDE THE  
PLANTS AS THEY GROW**

**Keep Out Of  
Reach Of Children**

**DANGER  
POISON**

**See Back Panel for Statements  
of Practical Treatments, Antidote, and  
Additional Precautionary Statements.**

ACTIVE INGREDIENT: O,O-Diethyl S-(2-ethylthio)ethyl phosphorodithioate	15%
INERT INGREDIENT:	85%
	TOTAL 100%

EPA Reg. No. 4876-33      EPA Est. No. 2393-WI-1

©DI-SYSTON is a Reg. TM of the  
parent company of Farb- und  
Färbemittelwerke Bayer, GmbH, Leverkusen.  
†U.S. Patent 2,759,010

**NET WEIGHT 12 OZ.**

MANUFACTURED FOR **"AG" SUPPLY CO.** DIVISION OF **SEEDKEM**

CODE 3.27.79 123456789 (12-79)      EVANSVILLE INDIANA 47731 U.S.A.

### STATEMENTS OF PRACTICAL TREATMENTS

In case of poisoning: Call a physician immediately. Have patient lie down and keep quiet. If swallowed: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Continue until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Remove contaminated clothing and wash skin immediately with soap and water. If eyes are contaminated: Wash with flowing water for at least 15 minutes.

**SYMPTOMS OF POISONING:** A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

### NOTE TO PHYSICIAN

**ANTIDOTE:** - administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema the patient should be placed in an oxygen tent and treated symptomatically.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER - POISON

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wear protective clothing and cotton or natural rubber gloves. If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Rubber gloves should be washed with soap and water after use. Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not reuse container in any manner in connection with food, feed or water.

#### ENVIRONMENTAL HAZARDS

This product is poisonous to fish and wildlife. Exposed granules on surface of ground may be hazardous to birds. Keep out of lakes, ponds and streams. Apply this product only as specified on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **IMPORTANT:** Read these entire directions before using Tobacco Plant Bed Systemic Granules. Wear mask or respirator of a type found by the U.S. Bureau of Mines to give adequate protection against this material.

**TOBACCO PLANT BEDS:** For the control of aphids and flea beetles, apply 1 ounce per 100 square feet of bed. This container will treat 1200 square feet of plant bed. Apply evenly over bed area, just before seeding. Work the granules into the top 2 or 3 inches of soil and seed beds in normal manner. An alternative treatment may be made by broadcasting the granules evenly over the plants after emergence and watering thoroughly. Do not apply more than once per season.

#### STORAGE AND DISPOSAL

Do not reuse container in any manner in connection with food, feed or water. Destroy container to prevent reuse.

U.P.C.

49

**NOTICE OF WARRANTY**  
Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.