

4 LBS. NET



TOBACCO PLANT BED DUST

CONTAINS... **POLYRAM**

CONTROLS

BLUE MOLD-ANTHRACNOSE

DIRECTIONS FOR USE

TOBACCO PLANT BEDS: to control Blue Mold and Anthracnose, begin applications when the plants are the size of a dime. Repeat twice weekly until transplant time. Apply to give good coverage at 2 to 4 pounds per 100 square yards of bed, depending on the plant size.

CAUTION: Keep out of reach of children. Avoid inhalation of dust. May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water; for eyes get medical attention.

DISPOSE OF WASTES by burying in non crop lands away from water supplies. Container should be disposed of by burying or by burning. Keep out of smoke.

Active Ingredients:

a mixture of 5.2 parts by weight (83.9%) of ammoniates of (ethylenebis dithiocarbamate), zinc with 1 part by weight (16.1%) ethylenebis dithiocarbamic acid, bimolecular and trimolecular cyclic anhydrosulfides and disulfides 3.5

Inert Ingredients: 96.5
Total 100.0

Zinc expressed as metallic — 0.61%

Polyram is a registered trademark of Badische Anilin & Soda Fabrik A.G.

USDA Reg. No. 4876-40

MANUFACTURED BY
"AG" SUPPLY COMPANY
HOPKINSVILLE, KY. 42240