

DIRECTIONS FOR USE

AG. BURLEY LEAF TOBACCO SPRAY contains 1 lb. of Thiodan and 1 lb. of Malathion per gallon; formulated for the control of certain insects on tobacco when used as directed below. Do not use in undiluted form.

FIELD APPLICATION: to control aphids, cabbage looper, tobacco budworm, tobacco flea beetles and tobacco hornworm — use 2 to 4 quarts per acre. Stink bug — use 2½ to 4 quarts per acre. Grasshopper — use 4 quarts per acre. Make concentration of not more than 1 quart in 15 gallon of water. Do not apply within 5 days of harvest. Make application when insects first appear and repeat at 3 to 5 day intervals depending upon the severity of the infestation and local conditions. Full coverage of plants during application is essential for good control.

Workers entering treated areas within 24 hours of application should wear protective clothing.

WARNING: Keep out of the reach of children. Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove contaminated clothing, and flush skin or eyes with plenty of water; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Do not contaminate or store near feed or foodstuff.

E.P.A. No. 4876-43

Net Content 1 Quart



BURLEY LEAF TOBACCO SPRAY

THIODAN and MALATHION

CONTROLS
HORNWORMS - APHIDS - FLEA BEETLES



WARNING: Keep Out Of Reach Of Children
See Side Panel For Additional Cautions

ACTIVE INGREDIENTS:
 *Endosulfan (Hexachlorohexahydromethano -2,4 3-benzodioxathiepin oxide)12.2%
 **Malathion.....12.2%
 INERT INGREDIENTS:.....75.6%

*Thiodan, U.S. Patent No. 2,799,685
 **O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate

Manufactured By
"AG" SUPPLY COMPANY
 HOPKINSVILLE, KENTUCKY

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.


This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

Rinse equipment and containers and dispose of waste by burying at least 18" deep in non-crop areas away from water supplies. Containers should be disposed of by punching holes in them and burying with waste.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animals, plant or crop injury, illegal residue or other undesirable results may occur.

NOTE TO PHYSICIANS: Malathion may cause cholinesterase inhibition. Atropine is antidotal; Endosulfan is central nervous system stimulant. Treat symptomatically. There is no specific antidote.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.



CCO SPRAY contains 1 lb. of
n per gallon; formulated for the
tobacco when used as directed
ed form.

control aphids, cabbage looper,
flea beetles and tobacco horn-
acre. Stink bug — use 2½ to 4
— use 4 quarts per acre. Make
an 1 quart in 15 gallon of water.
of harvest. Make application
repeat at 3 to 5 day intervals de-
the infestation and local condi-
s during application is essential

s within 24 hours of application
g.


reach of children. Hazardous if
d through skin. Do not breathe
yes, on skin or on clothing. In
remove contaminated clothing,
nty of water; for eyes, get medi-
hly with soap and water after
r smoking; wear clean clothing.
ear feed or foodstuff.

BURLEY LEAF TOBACCO SPRAY

THIODAN and MALATHION

CONTROLS

HORNWORMS - APHIDS - FLEA BEETLES



WARNING: Keep Out Of Reach Of Children
See Side Panel For Additional Cautions

ACTIVE INGREDIENTS:

*Endosulfan (Hexachlorohexahydromethano -2,4 3-
benzodioxathiepin oxide)12.2%
**Malathion.....12.2%

INERT INGREDIENTS:75.6%

*Thiodan, U.S. Patent No. 2,799,685

**O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate

Manufactured By

"AG" SUPPLY COMPANY

HOPKINSVILLE, KENTUCKY

This product is highly toxic
ment of residues on crops. P
tained from your Cooperative
This product is toxic to fish
body of water. Birds feeding
Apply this product only as sp
Rinse equipment and contain
ing at least 18" deep in non-
plies. Containers should be
them and burying with waste.
Do not allow this material to
non-crop areas or use in a m
accordance with label directio
injury, illegal residue or other
NOTE TO PHYSICIANS: M
inhibition. Atropine is antid
system stimulant. Treat sym
antidote.

Our recommendations for us
tests believed to be reliable.
beyond the control of the
pressed or implied, is made a
sults to be obtained if not us
or established safe practice.
sponsibility, including injury
use as such, or in combination

ACCEPTED