

E.P.A. Est. No. 4876-Ky.-1
E.P.A. Reg. No. 4876-55

NET 25 LBS.



TOBACCO BUDWORM BAIT

Contains [®]Dylox
FOR CONTROL OF TOBACCO BUDWORMS

WARNING - Keep Out of Reach of Children
CORNMEAL BASE IS ATTRACTIVE TO LIVESTOCK
DO NOT ALLOW LIVESTOCK ACCESS TO BAIT

DIRECTIONS FOR USE

TOBACCO: To control Budworms--Apply 10 - 15 pounds per acre. Apply small amount of bait directly in the bud of tobacco. Do not over-dose.

DO NOT APPLY AFTER PLANTS ARE 2 FEET TALL.

DO NOT USE ON OTHER CROPS that is used for food or forage.

Date Manufactured _____, Use within 90 days.

WARNING: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not contaminate feed or food. If misuse results in accidental poisoning, obtain prompt medical aid.

FISH AND WILDLIFE CAUTION: This product is toxic to fish and wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

DO NOT CONTAMINATE WATER by cleaning of equipment or disposal of wastes.

DO NOT REUSE CONTAINER. Destroy when empty.

Apply this product only as specified on this label.

TO PHYSICIANS: Atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

ACTIVE INGREDIENT: Dimethyl (2,2,2-trichloro-1-hydroxyethyl)	
Phosphonate*	4.00%
INERT INGREDIENT	96.00%
Total	100.00%

©DYLOX is a registered trademark, Reg. U. S. and Canadian Pat. Offs. by Farbenfabriken Bayer A. G., Chemagro Corporation licensee.

(*U. S. Patent No. 2,701,225, Canadian Patent No. 529,379.)

13

MANUFACTURED BY
"AG" SUPPLY CO.
HOPKINSVILLE, KENTUCKY



DIVISION OF
SEEDKEM
EVANSVILLE INDIANA

BEST DOCUMENT AVAILABLE

E.P.A. Est. No. 4876-Ky.-1
E.P.A. Reg. No. 4876-55



TOB BUDWORM Contains FOR CONTROL OF

WARNING - Keep Out of Reach of Children
CORNMEAL BASE IS A POISON
DO NOT ALLOW LIVESTOCK TO EAT
DIRECTIONS

TOBACCO: To control Budworms--Apply 1 lb. of bait directly in the bud of tobacco.

DO NOT APPLY AFTER PLANTS ARE 2 FEET TALL

DO NOT USE ON OTHER CROPS that is used for tobacco

Date Manufactured _____

WARNING: May be harmful if swallowed, contact with skin. Do not breathe dust after handling. Wash contaminated clothing. Do not contaminate feed or food. If medical aid is needed, get prompt medical aid.

FISH AND WILDLIFE CAUTION: This product is toxic to fish and wildlife in any body of water. Do not apply where weather conditions favor drift from a body of water.

DO NOT CONTAMINATE WATER by cleaning equipment

DO NOT REUSE CONTAINER. Destroy when empty

Apply this product only as specified

TO PHYSICIANS: Atropine sulfate is an anticholinergic drug and should be administered in conjunction with atropine.

ACTIVE INGREDIENT: Dimethyl (2,2,2-trifluoroethyl) Phosphonate*—

INERT INGREDIENT _____

Total _____

©DYLOX is a registered trademark, Reg. U.S. Pat. & Tm. Off.
A. G., Chemagro Corporation licensee.

(*U. S. Patent No. 2,701,225, Canadian Patent No. 701,225)

MANUFACTURED BY
"AG" SUPPLY CO.
HOPKINSVILLE, KENTUCKY