

ONE ANIMAL & INSECTICIDE CONCENTRATE

DIRECTIONS

Dilution of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

To Control Insects on Animals

Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon with water or 1 fluid ounce in 18 fluid ounces of water.

For rapid control of ticks, fleas and lice on dogs, and cats apply this dilution as a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray directly on ticks. Apply to moisten the fur lightly.

To control spider ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 days intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies, and chiggers apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

To Control Insects in Kennels and Animal Quarters

Dilute at the rate of 13 fluid ounces in 1 gallon with water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets, birds, and cover fish aquariums before spraying.

For rapid cleanup of fleas and ticks in kennels apply as a surface spray in a good machine adjusted to deliver coarse droplets. Apply to the point of run-off with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for each 1000 cubic feet of space. Fill the enclosed area with mist. Whenever practical, keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

CAUTION: Harmful if swallowed. Avoid contamination of food, feed, and utensils. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Dispose of containers by rinsing with solvent, washing thoroughly or steam cleaning and discarding, disposing of wash water with normal industrial wastes.

Avoid contamination of food and utensils by keeping them well covered while spraying the area.

543

Printed in U.S.A.

ACCEPTED
MAY 23 1973
U.S. DEPT. OF AGRICULTURE
FUNGICIDE AND INSECTICIDE ACT
105-10-10

BEST DOCUMENT AVAILABLE

May 1

Mr. J
Envir
Pesti
Washi
Subje

Dear
Attac
subj
of F
In r
lett
"Pet

Very
Nc
(Mrs
Dev
Enc

NIAG

21